

# CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING



**syngenta®**

**ACTIVE CONSTITUENTS: 25 g/L LAMBDA-CYHALOTHRIN**

**GROUP 3A INSECTICIDE**

*For the control of various insect pests Cockroaches, Spiders, Fleas, Ants, Flies, Silverfish and Mosquitoes in domestic, commercial, public and industrial situations, as per Directions for Use*

**Syngenta Crop Protection Pty Limited**  
Level 1, 2-4 Lyonpark Road, Macquarie Park NSW 2113

**In a transport emergency dial 000, Police or Fire Brigade**  
**For specialist advice in an emergency only, call 1800 033 111 (24 hours)**

**APVMA Approval No: 47196/49682**  
**Item number**

TM

## DIRECTIONS FOR USE

**Restraint:** DO NOT use in farm buildings where grain or crop produce is stored

Situation	Pests	Rate / 10 L water	Critical Comments
<p><b>Commercial, domestic, industrial and public buildings including;</b> barracks, factories, farm buildings, food processing/handling establishments, hospitals, hotels &amp; motels, offices, residential homes, restaurants, shops, schools, storerooms, transportation equipment such as aircraft, boats, buses, ships, trains, warehouses and other situations which fall within the above definitions including outdoor or external areas associated with such establishments, <b>on surfaces including;</b> cement – painted, unpainted and rendered, ceramic tiles, painted plasterboard, steel – stainless and enamelled, wood – painted and unpainted.</p>	German Cockroaches ( <i>Blattella germanica</i> )	Clean out 200 mL	<p>Apply dilute spray at the rate of 10 L/200 m<sup>2</sup> or to runoff.</p> <p><b>Crawling insects:</b> Locate possible harbourages and thoroughly apply Demand as a coarse low pressure spray to these areas. Barrier spraying around infestation origin points may increase control.</p>
		Maintenance 100 mL	
	American Cockroaches ( <i>Periplaneta americana</i> )	Clean out 160 mL	<p><b>Flying insects:</b> Apply as a residual surface treatment. All people and animals should be removed from buildings prior to treatment.</p>
		Maintenance 100 mL	
	Ants Cat Flea House Flies	200 mL	<p><b>Cockroaches, ants and house flies:</b> <b>Indoors</b> Demand (200 mL rate only) can deliver residual control of up to 12 months. <b>Outdoors</b> Demand (200 mL rate only) can deliver residual control of up to 3 months. DO NOT apply in areas exposed to rain and/or direct sunlight. Apply in sheltered areas where insects lurk.</p>
	Mosquitoes Spiders	160 mL	
Silverfish	100 mL		

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

## GENERAL INSTRUCTIONS

### Mixing

1. Half fill the spray tank with water.
2. Shake DEMAND well before use.
3. Measure the required amount of DEMAND using the device attached to the cap.
4. Pour the measured dose of DEMAND into the sprayer.
5. Add the remaining water, close sprayer, shake and pump to correct pressure and apply spray.

### Insecticide Resistance Warning

GROUP	<b>3A</b>	INSECTICIDE
-------	-----------	-------------

For insecticide resistance management DEMAND Insecticide is a Group 3A insecticide. Some naturally occurring insect biotypes resistant to DEMAND and other Group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if DEMAND or other Group 3A insecticides are used repeatedly. The effectiveness of DEMAND on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Syngenta Crop Protection Pty Limited accepts no liability for any losses that may result from the failure of DEMAND to control insects. DEMAND may be subject to specific resistance management strategies. For further information contact your local supplier, Syngenta Crop Protection Pty Limited representative or local agricultural department agronomist.

## PRECAUTIONS

Cover all foodstuffs before application. DO NOT allow spray to contact food, food preparation surfaces and utensils. When using in farm buildings do not spray directly onto livestock, their food, water, litter, feed bins or surfaces accessible to stock.

**BEFORE USE:** Remove or cover all exposed foodstuff. Cover all dishes and utensils and surfaces where food is prepared. Remove animals, remove or cover all exposed stock feed, feed and water containers and troughs, places where stock feed is prepared or stored, and milking equipment.

**AFTER USE:** Thoroughly ventilate treated areas. Clean up thoroughly before processing/serving resumes.

## PROTECTION OF WILDLIFE FISH, CRUSTACEANS AND ENVIRONMENT

Harmful to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT discharge the liquid into waterways. Remove or cover fish tanks before use.

## STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool well ventilated area out of direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways desirable vegetation and tree roots. Empty containers and product should not be burnt.

## SAFETY DIRECTIONS

**Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When preparing the spray and using the prepared spray wear:**

- cotton overalls buttoned to the neck and wrist
- a washable hat
- elbow-length PVC gloves

**If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking, wash hands, arms, and face thoroughly with soap and water. After each day's use wash gloves and contaminated clothing.**

## FIRST AID

**If poisoning occurs contact a doctor or Poisons Information Centre. Phone 131 126. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.**

## **MATERIAL SAFETY DATA SHEET**

If additional hazard information is required refer to the Material Safety Data Sheet. For a copy phone 1800 067 108, or visit our website at [www.syngenta.com.au](http://www.syngenta.com.au)

## **MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY**

Syngenta has no control over storage, handling and manner of use of this product. Where this material is not stored, handled or used correctly and in accordance with directions, no express or implied representations or warranties concerning this product (other than non-excludable statutory warranties) will apply. Syngenta accepts no liability for any loss or damage arising from incorrect storage, handling or use.

Product names marked ® or ™, the ALLIANCE FRAME  
the SYNGENTA Logo and the PURPOSE ICON  
are Trademarks of a Syngenta Group Company

