

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE		PAGE OF PAGES 1 3	
2. AMENDMENT/MODIFICATION NO. A001		3. EFFECTIVE DATE 05/10/2016		4. REQUISITION/PURCHASE REQ. NO. PR5271230	
5. PROJECT NO. (If applicable)		6. ISSUED BY Department of State American Embassy Sofia GSO – Procurement Section #16 Kozyak Street Sofia 1408		7. ADMINISTERED BY (If other than Item 6) CODE	
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)		9a. AMENDMENT OF SOLICITATION NO. PR5271230		9b. DATED (SEE ITEM 11) 04/25/2016	
		10a. MODIFICATION OF CONTRACT/ORDER NO.		10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<p><input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input checked="" type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return ___ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)					
See below					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME OF CONTRACTING OFFICER		
			Kevin Allen		
15B. NAME OF CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA	
BY _____ (Signature of person authorized to sign)				BY _____ Kevin Allen (Signature of Contracting Officer)	
				16C. DATE SIGNED 04/14/2016	

Section 1 – The Schedule, 1. Prices is herein amended to read:

I/N	Description	Quantity	Unit of Measure	Unit Price BGN	Total Price BGN
1.	COMPOUND PERIMETER FENCE with 1250 sq. m total metal surface in green existing color.	1,250	Sq.m.		
2.	INTERNAL DIVIDING FENCE from MCAC to the retaining wall with 120 sq. m total metal surface in black existing color.	120	Sq.m.		
3.	INTERNAL DIVIDING FENCE from the Chancery to the compound perimeter fence with 130 sq. m total metal surface in black existing color.	130	Sq.m.		
4.	EMBASSY PARKING LOT FENCE with 560 sq. m total metal surface in black existing color.	560	Sq.m.		
5.	EMBASSY BOLLARDS with 250 Sq. m total metal surface in black green existing color.	250	Sq.m.		
6.	EMBASSY CACs SLIDING DOORS with 120 Sq. m total surface in black existing color.	120	Sq.m.		
7.	STAIRCASE METAL RAILS now in black to be repainted	50	Sq.m.		
	VAT 20%:				
	Grand Total Price BGN:				

CONTINUATION TO SF-18, RFQ NUMBER PR5271230, SCHEDULE OF SUPPLIES/SERVICES, BLOCK 20 DESCRIPTION/SPECIFICATIONS/WORK STATEMENT, APPLICABLE PAINTING STANDARDS/PAINT SPECIFICATIONS is herein amended to read:

Paint used shall be in ~~GREEN~~, in 6005 according to ~~RAL~~ color chart. To be used already tested in the Embassy so-called Expert Alkyd enamel paint manufactured by MEGACHIM Company. **PROTECTA paint three in one, green color.**

Attachment 1 – Statement of Work is herein amended to read:

There are following US Embassy metal items to be re-painted:

1. COMPOUND PERIMETER FENCE with 1250 sq. m total metal surface in green existing color.
2. INTERNAL DIVIDING FENCE from MCAC to the retaining wall with 120 sq. m total metal surface in black existing color.
3. INTERNAL DIVIDING FENCE from the Chancery to the compound perimeter fence with 130 sq. m total metal surface in black existing color.
4. EMBASSY PARKING LOT FENCE with 560 sq. m total metal surface in black existing color.

5. EMBASSY BOLLARDS with 250 Sq. m total metal surface in black green existing color.
6. EMBASSY CACs SLIDING DOORS with 120 Sq. m total surface in black existing color.
7. STAIRCASE METAL RAILS with 50 Sq.m. total surface now in black to be repainted

All that above shall be re-painted in GREEN, in 6005 according to RAL color chart. ~~To be used already tested in the Embassy so called Expert Alkyd enamel paint manufactured by MEGACHIM Company.~~ **PROTECTA paint three in one, green color.**

All metal surfaces shall be first thoroughly cleaned with water soaked rag, then with an organic solvent.

All corroded metal parts shall be sandpapered before re-painting.

If the old color is black or black green, (2) layers of new paint shall be Implemented, otherwise - (1) layer of paint.

To be painted with rollers and brushes eventually. ~~Don't use paint spays.~~

Re-painting might be also done by spray taking all precautions before doing it.

Notices shall be used for attention drawing and warning people for keeping clear of painted parts.

Time of painting of the CACs sliding doors and bollards shall be coordinated with the Facility engineer first.

End of Scope of Work