

Number	Question/Statement
1	Are you interested in receiving an offer for an intercom system , from a reputable European producer?
2	<p>Please review the diagram attached (Section Telecom Plan_comments) to confirm the following comments:</p> <ul style="list-style-type: none"><li>- Total number of counters: 10 (marked in BLUE)?</li><li>- Total number of speakers: 12 (marked in RED)?<ul style="list-style-type: none"><li>- Type: ceiling speakers?</li><li>- Rated input: ??</li><li>- Speaker diameter: ??</li></ul></li></ul> <p>The paging desks included in each counter, will be able to broadcast announcements in two different zones : indoor waiting area and outdoor waiting area. Please confirm that the designated areas in the diagram are correct. (marked in GREEN)</p>

**Answer**

We are interested in offers for intercom systems with functional specifications stated in the solicitation.

There are (8) Talk-A-Phone 12.88" S-8318B sub-station ceiling speakers with built-in volume control, 5w capacity, powered by master.in the 'Indoor waiting area', installed in the suspended Armstrong ceiling (nominal size of ceiling is 600 x 600 mm).

There are (4) wall attached weather-proof Talk-A-Phone 9" K-C-20 Sub-station 2-way speaker/microphone in the 'outdoor waiting area'.

The zones in question might be seen on the attached drawing (Consular Telecom Plan\_answers).