

US Embassy Tennis Court Re-coating Scope of Work

The Sofia US Embassy Tennis Court is approximately 648 Square Meter and its acrylic recoating (the colors remain the same as original) shall be done as following:

- Fix the cracks at the junction between the asphalt and the concrete by PU mastic or other sealant material with similar effect;
- Fix all court areas with depressions bigger than 4 mm deep by grounding the court surface;
- Take away all weeds at the junction between the tennis court and the little side wall;
- Repair the small side wall where needed;
- Install the new acrylic re-coating system consisting of:
 - One coat of primer in order to assure the bonding;
 - One coat of acrylic paint reinforced with coarse sand to patch and level old surfaces; mixed with cement, this kind of superior patching compound enables correction of deep depressions, up to one centimeter as well as minor irregularities of the surface;
 - One coat of acrylic emulsion with pre dispersed fine sized mineral aggregates that shall result in fine texture.
 - Apply the lines for tennis court playing;

Do not apply:

- At an ambient temperature below 10 Deg Centigrade and at relative humidity rate above 80%;
- If the surface temperature is below 10 Deg Centigrade or above 60 Deg Centigrade;
- By rainy or foggy weather;
- If the substrate contains more than 3% of water in weight;

For all products to be applied per above, the Contractor shall cite their name, manufacturer and quantity to be delivered in quotation. All primer and acrylic

US Embassy Tennis Court Re-coating

Scope of Work

packing shall be delivered on site unopened and their quantity shall be at least as required per square meter by Manufacturer.

All materials and types of work shall be coordinated with the Facility Engineer first. The names, EGN, and car's ID number shall be sent to the Facility Engineer at least (2) days before starting for access approval obtaining. Preferably, it shall work up to (5) workers on site at the same time.

On work finishing, all wasted materials shall be taken out of the Embassy compound to the approved by Municipality place. All measures shall be taken for not polluting the compound water drain system.

End of SOW.