

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE J	PAGE OF PAGES 1   2
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 23-Aug-2013	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY REGIONAL CONTRACTING OFFICE (RCO) BOGOTA CARRERA 45 NO. 24B-27 USMILGP CONTRACTING BOGOTA	CODE W913FT	7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. W913FT-13-R-0034	
		X	9B. DATED (SEE ITEM 11) 21-Aug-2013	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
<b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)				
a. This amendment is issued to change the specifications. See Summary of Changes for Details.				
b. All other terms and conditions remain unchanged.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		23-Aug-2013

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

## SUMMARY OF CHANGES

## SECTION SF 1449 - CONTINUATION SHEET

The following have been added by full text:

EXHIBIT A-SPECIFICATIONS REV 1

**SPECIFICATIONS – PORTABLE TENT/SHELTER/HANGAR  
REVISED AS OF 23 AUG 13**

**CLIN 0001 Requirement Specifications: (CAMAN)**

- ☐ Dimensions:
  - Min of 70' Wide and 190' long with 15' high eave
  - Max of 80' Wide and 195' long with 17' high eave
- ☐ At least 10 bays of about 16' each
- ☐ Able to withstand at least 75 mph winds
- ☐ 4 (Four) Personnel entry door on sides
- ☐ Flame retardant fabric
- ☐ Lighting accessories (1 Ballast per 1000 sq feet)
- ☐ Minimum of 4 (four) A/C hookup ports, and a minimum of 12 (twelve) electrical connections of 120/208V, 60Hz, 3Ph
- ☐ 2 manual/electric Roll-Up doors 15' height/20' wide (front/rear)

**CLIN 0002 Requirement Specifications: (CATAM)**

- ☐ Dimensions:
  - Min of 70' Wide and 190' long with 15' high eave
  - Max of 80' Wide and 195' long with 17' high eave
- ☐ At least 10 bays of about 16' each
- ☐ Able to withstand at least 75 mph winds
- ☐ 2 (Two) Personnel entry doors
- ☐ Flame retardant fabric
- ☐ Lighting accessories (1 Ballast per 1000 sq feet)
- ☐ Minimum of 12 (twelve) Electrical connections of 120/208V, 60Hz, 3Ph
- ☐ 1 manual/electric Roll-Up door 15' height/15' wide and 1 accordion style door

Installation is not required for both items.

(End of Summary of Changes)