



**U.S. EMBASSY SANTO DOMINGO**

**GSO/Procurement Unit**

Av. República de Colombia No.57, Alto de Arroyo

Hondo, Santo Domingo, D.N. Dominican Republic

Tel: (809) 567-7775

E-mail: [santodomingoprocurement@state.gov](mailto:santodomingoprocurement@state.gov)

Oct 27, 2016

Subject: **Request for Quotations (RFQ)**  
**Order Number: SDR86017M0036**  
**Door/windows alarm sensor for Residential Security**

Dear Prospective Offeror / Quoter:

The American Embassy Santo Domingo, Dominican Republic, invites your company to submit quotations under full and open competition procedures for the following: **Door/windows alarm sensor**

No.	Description	Qty	Unit
1	DOOR/WINDOW SENSOR P/N 60-670-95R Wireless door/windows sensor magnet contact with transmitter (Contacto magnetico inalambrico con transmisor) P/N: 60-670-95R GE Interlogic wireless.	500	each

For local vendors, goods delivery shall be made to American Embassy Santo Domingo Warehouse, located at Av. República de Colombia No.57, Altos de Arroyo Hondo, Santo Domingo, D.N.

Abroad vendors' delivery shall be made to DOS/US EMBASSY SANTO DOMINGO 3470 SANTO DOMINGO PL. WASHINGTON DC 20521-347070

The quotations **must** be submitted in English, via email to [santodomingoprocurement@state.gov](mailto:santodomingoprocurement@state.gov), marked **RFQ# SDR86017M0036** **no later than 1600hrs local time, on Nov 07, 2016.**

The U.S. Government is conducting this acquisition using Simplified Acquisition procedures as outlined in the Federal Acquisition Regulation (FAR), Part 13

The U.S. Government intends to award a Purchase Order, to the responsible offeror submitting the lowest quotation which is technically acceptable. You are encouraged to make your quotation competitive. You are also cautioned against any collusion with other potential offerors with regard to price quotations to be submitted. The RFQ does not commit the American Embassy to make any award. The Embassy may cancel this RFQ or any part of it at any time. The Contracting Officer reserves the right to reject any and all quotations and to waive any information, or minor irregularities in quotations received.

Please direct any questions regarding this Request for Quotations to: [santodomingoprocurement@state.gov](mailto:santodomingoprocurement@state.gov)