



**STATEMENT OF WORK (SOW)  
FOR TACTICAL UNIFORMS AND GEAR PROCUREMENT**

This Request for Quote (RFQ) from the United States Department of State (DOS), US Embassy Santo Domingo, Dominican Republic, International Narcotics and Law Enforcement Affairs (INL) is for the purchase of commercially available Protective/Duty gear for a tactical unit. INL will donate this equipment to the government of the Dominican Republic (GoDR).

This is a combined synopsis/solicitation for commercial items prepared in accordance with the format in FAR Subpart 12.6, as supplemented with additional information included in this notice. The solicitation number is SDR86016M0645 and is issued as an invitation for bids (IFB). Offerors must meet or exceed the following requirements. The following specifications are provided; offerors may quote the brand specified. The specifications for the uniforms and related equipment are as follows:

CLIN	DESCRIPTION	SPECIFICATIONS	COLOR	QUANTITY
<b><u>GEAR – PROTECTIVE / DUTY</u></b>				
10	Medium/large Tactical Bag	<ul style="list-style-type: none"> <li>- Measurements: 15.5” x 31” x 15.5” main compartment</li> <li>- 7,448 cubic inches</li> <li>- Made in 1050D nylon</li> <li>- With reinforced grab handles and internal compression straps</li> <li>- MOLLE platform</li> <li>- ID/flag patch loop panel</li> <li>- Tear-resistant</li> <li>- Water-resistant finish</li> <li>- Self-healing YKK zippers</li> <li>- Duraflex hardware</li> </ul> <p>Suggested model: Rush LBD XRAY Bag / 5.11 Tactical #56295</p>	Sandstone	45

<b>11</b>	Tactical Flashlight	<ul style="list-style-type: none"> <li>- Output: 251 lumens on high and strobe, 13 lumens on low</li> <li>- Runtime: 3.5 hours on high, 6 hours on strobe, 58.5 hours on low</li> <li>- PC/ABS polymer composite construction</li> <li>- Regulated circuit for maximum output</li> <li>- Cree XP-GB LED</li> </ul> <p>Suggested model: TPT® L2 251 Flashlight / 5.11 Tactical #53225</p>	Black	45
<b>12</b>	Tactical Flashlight Holster	<ul style="list-style-type: none"> <li>- Easily adjusts between three carry angles to accommodate your carry preference</li> <li>- Carry height is adjustable when wearing on belts less than 2" wide</li> <li>- Fits 5.11 TPT® R5 and R5 14 flashlights</li> </ul> <p>Suggested model: TPT® R5 Holster / 5.11 Tactical #53154</p>	Black	45
<b>CLIN</b>	<b>DESCRIPTION</b>	<b>SPECIFICATIONS</b>	<b>COLOR</b>	<b>QUANTITY</b>
<b>13</b>	Handcuffs	<ul style="list-style-type: none"> <li>- Satin nickel finished Carbon steel</li> <li>- Double-hinged design to further restrict movement</li> <li>- Double lock engaging pin for increased security</li> <li>- 23 locking positions with smooth ratchets for swift cuffing</li> <li>- Inner perimeter measurements: 5-3/4" to 8"</li> <li>- Must include two keys</li> </ul> <p>Suggested model: Smith &amp; Wesson Blued Hinged Handcuffs (Mfg 350095- Galls RS108)</p>	Blue finish	45
<b>14</b>	Handcuff Case	<ul style="list-style-type: none"> <li>- Single Cuff Case made in nylon</li> <li>- Lightweight comfort</li> <li>- Highly resistant to scuffs</li> </ul> <p>Suggested model: Bianchi AccuMold Elite Single Cuff Case - Galls #NP351</p>	Black	45

<b>15</b>	Expandable baton with clip	<ul style="list-style-type: none"> <li>- 4140 striking surface with 7075 T6 aluminum middle shaft</li> <li>- Friction Loc taper</li> <li>- Crosstec knurling in order to provide a secure grip without causing abrasion</li> <li>- Removable Nexus Clip to allow tip up or tip down carry</li> <li>- Measurements: Closed: 6-1/2" Retracted Length: 6.38" / 16.21 cm</li> <li>Expanded Length: 15.75" / 40.00 cm</li> <li>Diameter: .862" / 2.189 cm</li> <li>Weight: 6.4 ounces / 181.4 grams</li> <li>- Locking System: Friction Loc</li> <li>- Striking Surface: 4140 steel</li> <li>- Middle Tube: 7075 T6 aluminum</li> </ul> <p>Suggested model: ASP P16 Collapsible Baton w/ Snap Loc Clip / Galls #BA214 - Mfg #52222</p>	Black	45
<b>CLIN</b>	<b>DESCRIPTION</b>	<b>SPECIFICATIONS</b>	<b>COLOR</b>	<b>QUANTITY</b>
<b>16</b>	Duty Belt – Inner	<ul style="list-style-type: none"> <li>- With Hook &amp; Loop Size Adjustment</li> <li>- Made of 1-1/2" nylon web covered in Hook &amp; Loop</li> <li>- Reversible for dress wear</li> <li>- Low-profile configuration</li> <li>- Easy tightening and superior strength,</li> </ul> <p>Suggested model: Uncle Mikes 1-1/2" Ultra Inner Duty Belt (Galls #ZC926 - Mfg #CKG11SCP)</p>	Black	45
<b>17</b>	Duty Belt Outer	<ul style="list-style-type: none"> <li>- Nylon</li> <li>- Polymer stiffener</li> <li>- Inner Velcro® lining</li> <li>- 2"Width</li> <li>- With triple retention buckle to reduce the possibility of accidental opening</li> <li>- Rolled edges</li> <li>- Should resist tearing, scratching, scuffing and staining</li> <li>- Should clean easily with soap and water and be decontaminated</li> </ul> <p>Suggested model: Uncle Mikes 2" Ultra Duty Belt With Hook &amp; Loop Lining, Mirage Plain (Galls #NP200)</p>	Black	45

<b>18</b>	Belt Keepers	- 4pack Nylon Keepers that resist stretching or fraying - No-wear, no-glare snaps that anchor Duty belt to Inner belt for 2 1/4-inch web belts  Suggested model: Uncle Mikes Nylon Belt Keepers (Galls #ZJ359)	Black	45
<b>19</b>	General Utility Pouch	Elite Survival Systems MOLLE Medium General Utility Pouch		45
<b>20</b>	First Aid Kit	First Aid Trauma Kit  Suggested model: 5ive Star Gear	Black	45
<b>21</b>	Tactical Gloves	Mechanics Gloves		45
<b>22</b>	Leatherman or pocketknife w/ case (sheath)	OHT		45
<b>23</b>	Protective Eye Wear	- Clear Safety Glasses - Scratch-Resistant - Frameless  Suggested model: Smith & Wesson		45

## ADDITIONAL INFORMATION FOR UNIFORMS

### (SIZING)

NO.	BELT SIZES
<b>1</b>	10 (Female)
<b>2</b>	34 (Male)
<b>3</b>	36 (Male)
<b>4</b>	8 (Female)
<b>5</b>	10 (Female)
<b>6</b>	6 (Female)
<b>7</b>	34 (Male)
<b>8</b>	32 (Male)
<b>9</b>	34 (Male)
<b>10</b>	12 (Female)
<b>11</b>	8 (Female)
<b>12</b>	8 (Female)
<b>13</b>	6 (Female)

14	32 (Male)
15	34 (Male)
16	32 (Male)
17	34 (Male)
18	6 (Female)
19	34 (Male)
20	34 (Male)
21	32 (Male)
22	36 (Male)
23	34 (Male)
24	4 (Female)
25	8 (Female)
26	8 (Female)
27	32 (Male)
28	4 (Female)
29	16 (Female)
30	8 (Female)
31	6 (Female)
32	4 (Female)
33	10 (Female)
34	12 (Female)
35	6 (Female)
34	30 (Male)
37	6 (Female)
38	34 (Male)
39	8 (Female)
40	4 (Female)
41	4 (Female)
42	20 (Female)
43	33 (Male)

*Note: Remaining sizes TBD*

The quotations **must** be submitted in English, via email to [santodomingoprocurement@state.gov](mailto:santodomingoprocurement@state.gov), marked **RFQ# SDR86016M0645**, **no later than 1600hrs local time, on August 8<sup>th</sup>, 2016.**

The U.S. Government is conducting this acquisition using simplified acquisition procedures as outlined in the Federal Acquisition Regulation (FAR), Part 13. If the dollar amount exceeds the Simplified Acquisition threshold (\$150,000), the Government will be using the test program for commercial items authorized by FAR, Subpart 13.5 (Simplified Procedures for Certain Commercial Items).

The U.S. Government intends to award a Purchase Order, to the responsible offeror submitting the lowest quotation which is technically acceptable. You are encouraged to make your quotation competitive. You are also cautioned against any collusion with other potential offerors with regard to price quotations to be submitted. The RFQ does not commit the American Embassy to make any award. The Embassy may cancel this RFQ or any part of it at any time. The Contracting Officer reserves the right to reject any and all quotations and to waive any information, or minor irregularities in quotations received.

Please direct any questions regarding this Request for Quotations to: [santodomingoprocurement@state.gov](mailto:santodomingoprocurement@state.gov)

### **Delivery**

Delivery shall be made to the American Embassy Santo Domingo Warehouse, located at Av. República de Colombia No.57, Altos de Arroyo Hondo, Santo Domingo, D.N. All supplies must be delivered within 30 days after receipt of order.

\*\*\*Question Submission: Interested offerors must submit any questions concerning the solicitation at the earliest time possible to enable the Buyer to respond. Questions not received within a reasonable time prior to close of the solicitation may not be considered.\*\*\*

New Equipment ONLY; NO remanufactured or "gray market" items. All items must be covered by the manufacturer's warranty.

Shipping must be free on board (FOB) destination OCONUS (Outside Continental U.S.), which means that the seller must deliver the goods on its conveyance at the destination specified by the buyer, and the seller is responsible for the cost of shipping and risk of loss prior to actual delivery at the specified destination.

The selected Offeror must comply with the following commercial item terms and conditions, which are incorporated herein by reference: FAR 52.212-1, Instructions to Offerors - Commercial Items, applies to this acquisition; FAR 52.212-3, Offeror Representations and Certifications - Commercial Items - the selected offeror must submit a completed copy of the listed representations and certifications; FAR 52.212-4, Contract Terms and Conditions - Commercial Items; FAR 52.212-5, Contract Terms and Conditions Required To Implement Statutes or Executive Orders-Commercial Items, paragraph (a) and the following clauses in paragraph (b): 52.222-21, 52.222-26, 52.222-35, 52.222-36, 52.222-37, 52.225-13, 52.232-34. The full text of the referenced FAR clauses may be accessed electronically at <https://www.acquisition.gov/far/>.