

Please quote for the U.S. Embassy in Santo Domingo the following items:

Qty. Description

10 Laptops with the following specs:

- 15" screen size
- Core i5 processor
- 8GB DDR3 RAM
- 750 GB mechanical hard drive
- Number of USB 2.0 Ports: 2
- Number of USB 3.0 Ports: 1
- Operating System: Windows 8
- Office Professional (Spanish Version) 2013

1 Server with the following specs:

1. Processor:
 - 1.1 Architecture: Intel Xeon 7500 Series, equivalent or superior
 - 1.2 Type: Intel Xeon 8 Cores, equivalent or superior
 - 1.3 Velocity: 2.5 Ghz
 - 1.4 Caché Memory: 18 MB L3
 - 1.5 Amount of Cores: 8
 - 1.6 Amount: 2 installed processors
2. Software
 - 2.1 Operative System: Windows Server 2012 R2 Datacenter Edition
3. RAM Memory
 - 3.1 Amount: 64 GB RAM Memory
 - 3.2 Expandable: 96 GB or superior

- 4. Storage
 - 4.1 Internal Hard Drive
 - 4.1.1 Amount of installed disks: 6
 - 4.1.2 Size: 300 GB, 2.5", Hot pluggable
 - 4.1.3 RAID: Allow management of RAID 5 using Disk Array Controller SAS, minimum 64 MB of cache
 - 4.1.4 Interface: SAS
 - 4.1.5 Disk RPM: 15,000 RPM
 - 4.1.6 Internal growth: 8 SAS disks, Hot Pluggable, 2.5 inches
 - 4.1.7 Type of disk and Array Controller/Supporters: SAS/SSD
 - 4.2 CD/DVD
 - 4.2.1 Amount: 1
 - 4.2.2 Type: DVD+ / -RW
 - 4.2.3 Interface: SATA
 - 4.2.4 Velocity: 16X
- 5. Communications
 - 5.1 iSCSI Support: Multifunction NIC with support for iSCSI
 - 5.2 Band width / Type of Network Ports: 1 GB Base-T (RJ45)
 - 5.3 External ports: 4 ports USB 2.0, 1 port standard series, 1 parallel port, keyboard and mouse, 6 RJ-45
- 6. Expansion Slots
 - 6.1 Amount: 2 minimum
 - 6.2 Support: Network Cards, Fiber Channel
- 7. Video Controller
 - 7.1 Memory: Minimum 64 MB DDR
- 8. Electrical Energy

- 8.1 Power Supply: Redundant
- 8.2 Operation Voltage: 120 volts / 60 Hz
- 9. Guarantee
- 9.1 Type of Guarantee: 3 years on all parts and services at installation location within 72 hours maximum
- 10. Design
- 10.1 Type of Design: (2U) Mountable on Rack, with rails included

NOTE: No brand preference.

Evaluation criteria: Lowest quote technically acceptable.