

American Embassy San Salvador  
January 16<sup>th</sup>, 2014

TO: Prospective Offerors

Subject: Request for Quotations number SES60014Q0024

The American Embassy San Salvador has a requirement for a contractor to provide miscellaneous construction materials to support NAS holding cells projects in rural areas around the country. You are invited to submit a quotation. The Request for Quotations (RFQ) consists of the following sections:

1. Standard Form SF-18
2. List of specifications.
3. Late quotation rules and evaluation method.

The Embassy plans to award a blanket purchase agreement for 3 years. You are encouraged to make your quotation competitive. You are also cautioned against any collusion with other potential offerors with regard to price quotations to be submitted. The RFQ does not commit the American Embassy to make any award. The Embassy may cancel this RFQ or any part of it.

Please read the RFQ carefully, and if you are interested, submit your quotation. Return the completed SF-18 to the address shown in Block 5a of the SF-18 by January 30<sup>th</sup>, 2014. Oral quotations will not be accepted.

Sincerely,



Fritz Berggren  
Contracting Officer

<b>REQUEST FOR QUOTATIONS</b> <i>(THIS IS NOT AN ORDER)</i>	THIS RFQ <input type="checkbox"/> IS <input checked="" type="checkbox"/> IS NOT A SMALL BUSINESS- SMALL PURCHASE SET-ASIDE (52.219-4)	PAGE 2	DF 1	PAGES 21
--	--	-----------	---------	-------------

1. REQUEST NO. SES60014Q0024	2. DATE ISSUED 01/16/2014	3. REQUISITION/PURCHASE REQUEST NO. PR3091527	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING
---------------------------------	------------------------------	--	--	--------

5A. ISSUED BY AMERICAN EMBASSY SAN SALVADOR GSO/PROCUREMENT	6. DELIVER BY <i>(Date)</i> Feb 6 <sup>th</sup> , 2013
---	---

5B. FOR INFORMATION CALL: <i>(Name and telephone no.) (No collect calls)</i>		7. DELIVERY	
NAME ANA BEATRIZ COTO cotoab@state.gov	TELEPHONE NUMBER AREA CODE NUMBER 2501-2808	FOB DESTINATION	X OTHER <i>(See Schedule)</i>

8. TO:		9. DESTINATION
a. NAME	b. COMPANY	a. NAME OF CONSIGNEE NAS

c. STREET ADDRESS		b. STREET ADDRESS AMERICAN EMBASSY SAN SALVADOR
-------------------	--	--

d. CITY	e. STATE	f. ZIP CODE	c. CITY
			d. STATE
			e. ZIP CODE

10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5A ON OR BEFORE CLOSE OF BUSINESS <i>(Date)</i> January 30 <sup>th</sup> , 2014	<b>IMPORTANT:</b> This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5A. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter
---	---

11. SCHEDULE *(Include applicable Federal, State and local taxes)*

ITEM NO. (a)	SUPPLIES/SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)
	MISCELLANEOUS CONSTRUCTION MATERIALS TO BE DELIVERED IN RURAL AREAS AROUND THE COUNTRY AS PER ATTACHMENT A				

12 DISCOUNT FOR PROMPT PAYMENT	a. 10 CALENDAR DAYS %	b. 20 CALENDAR DAYS %	c. 30 CALENDAR DAYS %	d. CALENDAR DAYS NUMBER	%
--------------------------------	--------------------------	--------------------------	--------------------------	----------------------------	---

NOTE: Additional provisions and representations  are  are not attached.

13 NAME AND ADDRESS OF QUOTER		14 SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION	15 DATE OF QUOTATION
a. NAME OF QUOTER			
b. STREET ADDRESS		16. SIGNER	
c. COUNTY		a. NAME (Type or print)	b. TELEPHONE
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or print)
		AREA CODE	
		NUMBER	

This is a request of quotation of a 3-year order for miscellaneous construction materials to support NAS holding cells projects; materials to be delivered in different rural areas around the country.

A blanket purchase agreement will be settled with no fund obligation, not exceeding \$60000.00 per year. Attached is a list of materials for quotation. The list is not restricted but will be used as a reference to award.

Prices without local TAX (IVA).

All correspondence must be in English language.

Please address any question and/or your quote by COB January 30<sup>th</sup>, 2014 to:

*Ana Beatriz Coto*

American Embassy - El Salvador

Ph. 2501-2808 Fax 2501-2347

[cotoab@state.gov](mailto:cotoab@state.gov)

Evaluation Factors:

- Award will be made to the lowest priced, acceptable, responsible offeror.
- The Government reserves the right to reject proposals that are unreasonably low or high in price.
- The Government will determine acceptability by assessing the offeror's compliance with the terms of the RFQ .
- The Government will determine contractor responsibility by analyzing whether the apparent successful offeror complies with the requirements of FAR 9.1, including:
  - adequate financial resources or the ability to obtain them;
  - ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;
  - satisfactory record of integrity and business ethics;
  - necessary organization, experience, and skills or the ability to obtain them;
  - necessary equipment and facilities or the ability to obtain them; and
  - be otherwise qualified and eligible to receive an award under applicable laws and regulations.

**CLAUSES FOR PURCHASE ORDERS AND BLANKET PURCHASE AGREEMENTS AWARDED BY OVERSEAS  
CONTRACTING ACTIVITIES  
(Current thru FAC 2005-55)**

**COMMERCIAL ITEMS**

**FAR 52.252-2 Clauses Incorporated By Reference (FEB 1998)**

This purchase order or BPA incorporates the following clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address:

<https://www.acquisition.gov/far>

DOSAR clauses may be accessed at: <http://www.statebuy.state.gov/dosar/dosartoc.htm>

**FEDERAL ACQUISITION REGULATION (48 CFR Chapter 1) CLAUSES**

<b>NUMBER</b>	<b>TITLE</b>	<b>DATE</b>
52.204-9	Personal Identity Verification of Contractor Personnel (if contractor requires physical access to a federally-controlled facility or access to a Federal information system)	JAN 2011
52.212-4	Contract Terms and Conditions – Commercial Items (Alternate I (OCT 2008) of 52.212-4 applies if the order is time-and-materials or labor-hour)	Feb 2012
52.225-19	Contractor Personnel in a Diplomatic or Consular Mission Outside the United States (applies to services at danger pay posts only)	MAR 2008
52.225-25	Prohibition on Contracting with Entities Engaging in Sanctioned Activities Relating to Iran – Representation and Certification (applies to acquisitions above the micropurchase threshold)	NOV 2011
52.227-19	Commercial Computer Software License (if order is for software)	DEC 2007
52.228-3	Workers' Compensation Insurance (Defense Base Act) (if order is for services and contractor employees are covered by Defense Base Act insurance)	APR 1984
52.228-4	Workers' Compensation and War-Hazard Insurance (if order is for services and contractor employees are <u>not</u> covered by Defense Base Act insurance)	APR 1984

The following clause is provided in full text:

**52.212-5 Contract Terms and Conditions Required to Implement Statutes or Executive Orders -- Commercial Items (MAY 2012)**

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

(1) 52.222-50, Combating Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g)).  
(applies for all orders)

\_\_\_ Alternate I (AUG 2007) of 52.222-50 (22 U.S.C. 7104(g)).

(2) 52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).

(3) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Pub. L. 108-77, 108-78).

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

	Clause Number and Title
	(1) 52.203-6, Restrictions on Subcontractor Sales to the Government (SEP 2006), with Alternate I (Oct 1995) (41 U.S.C. 253g and 10 U.S.C. 2402
X	(2) 52.203-13, Contractor Code of Business Ethics and Conduct (APR 2010) (Pub. L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note).
	(3) [Reserved].
X	(4) 52.204-10, Reporting Executive Compensation and First-Tier Subcontract Awards (FEB 2012) (Pub. L. 109-282) (31 U.S.C. 6101 note). (in all solicitations and contracts of \$25,000 or more)
	(5) [Reserved].
	(6) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment (DEC 2010) (31 U.S.C. 6101 note). (if contract value exceeds \$30,000)
	(7) 52.209-9, Updates of Publicly Available Information Regarding Responsibility Matters (FEB 2012) (41 U.S.C. 2313). (contract value exceed \$500,000 and offeror's total federal contracts value are over \$10,000,000)
	(8) – (26) [Reserved].
X	(27) 52.222-19, Child Labor – Cooperation with Authorities and Remedies (MAR 2012) (E.O. 13126).
	(28) 52.222-21, Prohibition of Segregated Facilities (FEB 1999).
	(29) 52.222-26, Equal Opportunity (MAR 2007) (E.O. 11246).
	(30) 52.222-35, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212).

	(31) 52.222-36, Affirmative Action for Workers with Disabilities (OCT 2010) (29 U.S.C. 793).
	(32) 52.222-37, Employment Reports Veterans (SEP 2010) (38 U.S.C. 4212).
	(33) – (37) [Reserved].
X	(38) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging while Driving (AUG 2011) (E.O. 13513).
	(39) – (40) [Reserved].
	(41) 52.225-5, Trade Agreements (MAY 2012) (19 U.S.C. 2501, <i>et seq.</i> , 19 U.S.C. 3301 note).
X	(42) 52.225-13, Restrictions on Certain Foreign Purchases (JUN 2008) (E.O.s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
	(43) – (46) [Reserved].
	(47) 52.232-33, Payment by Electronic Funds Transfer – Central Contractor Registration (OCT 2003) (31 U.S.C. 3332).
X	(48) 52.232-34, Payment by Electronic Funds Transfer – Other than Central Contractor Registration (MAY 1999) (31 U.S.C. 3332).
	(49) 52.232-36, Payment by Third Party (FEB 2010) (31 U.S.C. 3332).
	(50) 52.239-1, Privacy or Security Safeguards (AUG 1996) (5 U.S.C. 552a).
	(51)(i) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631).
	(ii) Alternate I (APR 2003) of 52.247-64.

(c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial items, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

Clause Number and Title	
	(1) – (6) [Reserved].
	(7) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (MAR 2009) (Public Law 110-247).
	(8) 52.237-11, Accepting and Dispensing of \$1 Coin (SEP 2008) (31 U.S.C. 5112(p)(1)).

(d) *Comptroller General Examination of Record.* The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records -- Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records

relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause—

(i) 52.203-13, Contractor Code of Business Ethics and Conduct (APR 2010) (Pub. L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note)).

(ii) 52.219-8, Utilization of Small Business Concerns (JAN 2011) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$650,000 (\$1.5 million for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(iii) [Reserved]

(iv) 52.222-26, Equal Opportunity (MAR 2007) (E.O. 11246).

(v) 52.222-35, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212).

(vi) 52.222-36, Affirmative Action for Workers with Disabilities (OCT 2010) (29 U.S.C. 793).

(vii) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause 52.222-40.

(viii) [Reserved].

(ix) 52.222-50, Combating Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g)).

\_\_\_\_ Alternate I (AUG 2007) of 52.222-50 (22 U.S.C. 7104(g)).

(x) – (xii) [Reserved].

(xiii) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (MAR 2009) (Pub. L. 110-247). Flow down required in accordance with paragraph (e) of FAR clause 52.226-6.

(xiv) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.

(2) While not required, the contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

**DEPARTMENT OF STATE ACQUISITION REGULATION (48 CFR Chapter 6) CLAUSES**

<b>NUMBER</b>	<b>TITLE</b>	<b>DATE</b>
652.225-71	Section 8(a) of the Export Administration Act of 1979, As Amended (if order exceeds simplified acquisition threshold)	AUG 1999
652.228-71	Workers Compensation Insurance (Defense Base Act) – Services (for services to be performed overseas when the contract includes covered contractor employees as defined in paragraph (a) of the clause) Fill-in for paragraph (c): “(c) The current rate under the Department of State contract is settled by the local government of compensation for services.”	JUN 2006
652.229-70	Excise Tax Exemption Statement for Contractors Within the United States (for supplies to be delivered to an overseas post)	JUL 1988
652.229-71	Personal Property Disposition at Posts Abroad	AUG 1999
652.237-72	Observance of Legal Holidays and Administrative Leave (for services where performance will be on-site in a Department of State facility)	APR 2004
652.239-71	Security Requirements for Unclassified Information Technology Resources (for orders that include information technology resources or services in which the contractor will have physical or electronic access to Department information that directly supports the mission of the Department)	SEP 2007
652.242-70	Contracting Officer’s Representative (if a COR will be named for the order)	AUG 1999
652.242-71	Notice of Shipments (for overseas shipment of supplies)	JUL 1988
652.242-73	Authorization and Performance	AUG 1999
652.243-70	Notices	AUG 1999

The following clause is provided in full text, and is applicable for orders for services that will require contractor employees to perform on-site at a DOS location and/or that require contractor employees to have access to DOS information systems:

**652.204-70 Department of State Personal Identification Card Issuance Procedures (MAY 2011)**

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor’s employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm> .

(End of clause)

**52.212-1 Instructions to Offerors—Commercial Items.**

As prescribed in [12.301\(b\)\(1\)](#), insert the following provision:

INSTRUCTIONS TO OFFERORS—COMMERCIAL ITEMS (FEB 2012)

(a) *North American Industry Classification System (NAICS) code and small business size standard.* The NAICS code and small business size standard for this acquisition appear in Block 10 of the solicitation cover sheet ([SF 1449](#)). However, the small business size standard for a concern which submits an offer in its own name, but which proposes to furnish an item which it did not itself manufacture, is 500 employees.

(b) *Submission of offers.* Submit signed and dated offers to the office specified in this solicitation at or before the exact time specified in this solicitation. Offers may be submitted on the [SF 1449](#), letterhead stationery, or as otherwise specified in the solicitation. As a minimum, offers must show—

- (1) The solicitation number;
- (2) The time specified in the solicitation for receipt of offers;
- (3) The name, address, and telephone number of the offeror;
- (4) A technical description of the items being offered in sufficient detail to evaluate compliance with the requirements in the solicitation. This may include product literature, or other documents, if necessary;
- (5) Terms of any express warranty;
- (6) Price and any discount terms;
- (7) “Remit to” address, if different than mailing address;
- (8) A completed copy of the representations and certifications at FAR [52.212-3](#) (see FAR [52.212-3\(b\)](#) for those representations and certifications that the offeror shall complete electronically);
- (9) Acknowledgment of Solicitation Amendments;
- (10) Past performance information, when included as an evaluation factor, to include recent and relevant contracts for the same or similar items and other references (including contract numbers, points of contact with telephone numbers and other relevant information); and
- (11) If the offer is not submitted on the [SF 1449](#), include a statement specifying the extent of agreement with all terms, conditions, and provisions included in the solicitation. Offers that fail to furnish required representations or information, or reject the terms and conditions of the solicitation may be excluded from consideration.

(c) *Period for acceptance of offers.* The offeror agrees to hold the prices in its offer firm for 30 calendar days from the date specified for receipt of offers, unless another time period is specified in an addendum to the solicitation.

(d) *Product samples.* When required by the solicitation, product samples shall be submitted at or prior to the time specified for receipt of offers. Unless otherwise specified in this solicitation, these samples

shall be submitted at no expense to the Government, and returned at the sender's request and expense, unless they are destroyed during preaward testing.

(e) *Multiple offers.* Offerors are encouraged to submit multiple offers presenting alternative terms and conditions or commercial items for satisfying the requirements of this solicitation. Each offer submitted will be evaluated separately.

(f) Late submissions, modifications, revisions, and withdrawals of offers.

(1) Offerors are responsible for submitting offers, and any modifications, revisions, or withdrawals, so as to reach the Government office designated in the solicitation by the time specified in the solicitation. If no time is specified in the solicitation, the time for receipt is 4:30 p.m., local time, for the designated Government office on the date that offers or revisions are due.

(2)(i) Any offer, modification, revision, or withdrawal of an offer received at the Government office designated in the solicitation after the exact time specified for receipt of offers is "late" and will not be considered unless it is received before award is made, the Contracting Officer determines that accepting the late offer would not unduly delay the acquisition; and—

(A) If it was transmitted through an electronic commerce method authorized by the solicitation, it was received at the initial point of entry to the Government infrastructure not later than 5:00 p.m. one working day prior to the date specified for receipt of offers; or

(B) There is acceptable evidence to establish that it was received at the Government installation designated for receipt of offers and was under the Government's control prior to the time set for receipt of offers; or

(C) If this solicitation is a request for proposals, it was the only proposal received.

(ii) However, a late modification of an otherwise successful offer, that makes its terms more favorable to the Government, will be considered at any time it is received and may be accepted.

(3) Acceptable evidence to establish the time of receipt at the Government installation includes the time/date stamp of that installation on the offer wrapper, other documentary evidence of receipt maintained by the installation, or oral testimony or statements of Government personnel.

(4) If an emergency or unanticipated event interrupts normal Government processes so that offers cannot be received at the Government office designated for receipt of offers by the exact time specified in the solicitation, and urgent Government requirements preclude amendment of the solicitation or other notice of an extension of the closing date, the time specified for receipt of offers will be deemed to be extended to the same time of day specified in the solicitation on the first work day on which normal Government processes resume.

(5) Offers may be withdrawn by written notice received at any time before the exact time set for receipt of offers. Oral offers in response to oral solicitations may be withdrawn orally. If the solicitation authorizes facsimile offers, offers may be withdrawn via facsimile received at any time before the exact time set for receipt of offers, subject to the conditions specified in the solicitation concerning facsimile offers. An offer may be withdrawn in person by an offeror or its authorized representative if, before the exact time set for receipt of offers, the identity of the person requesting withdrawal is established and the person signs a receipt for the offer.

(g) *Contract award (not applicable to Invitation for Bids)*. The Government intends to evaluate offers and award a contract without discussions with offerors. Therefore, the offeror's initial offer should contain the offeror's best terms from a price and technical standpoint. However, the Government reserves the right to conduct discussions if later determined by the Contracting Officer to be necessary. The Government may reject any or all offers if such action is in the public interest; accept other than the lowest offer; and waive informalities and minor irregularities in offers received.

(h) *Multiple awards*. The Government may accept any item or group of items of an offer, unless the offeror qualifies the offer by specific limitations. Unless otherwise provided in the Schedule, offers may not be submitted for quantities less than those specified. The Government reserves the right to make an award on any item for a quantity less than the quantity offered, at the unit prices offered, unless the offeror specifies otherwise in the offer.

(i) Availability of requirements documents cited in the solicitation.

(1)(i) The GSA Index of Federal Specifications, Standards and Commercial Item Descriptions, FPMR Part 101-29, and copies of specifications, standards, and commercial item descriptions cited in this solicitation may be obtained for a fee by submitting a request to—

GSA Federal Supply Service Specifications Section  
Suite 8100  
470 East L'Enfant Plaza, SW  
Washington, DC 20407

Telephone (202) 619-8925

Facsimile (202) 619-8978.

(ii) If the General Services Administration, Department of Agriculture, or Department of Veterans Affairs issued this solicitation, a single copy of specifications, standards, and commercial item descriptions cited in this solicitation may be obtained free of charge by submitting a request to the addressee in paragraph (i)(1)(i) of this provision. Additional copies will be issued for a fee.

(2) Most unclassified Defense specifications and standards may be downloaded from the following ASSIST websites:

(i) ASSIST (<http://assist.daps.dla.mil>).

(ii) Quick Search (<http://assist.daps.dla.mil/quicksearch>).

(iii) ASSISTdocs.com (<http://assistdocs.com>).

(3) Documents not available from ASSIST may be ordered from the Department of Defense Single Stock Point (DoDSSP) by—

(i) Using the ASSIST Shopping Wizard (<http://assist.daps.dla.mil/wizard>);

(ii) Phoning the DoDSSP Customer Service Desk (215) 697-2179, Mon-Fri, 0730 to 1600 EST; or

(iii) Ordering from DoDSSP, Building 4, Section D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2667/2179, Facsimile (215) 697-1462.

(4) Nongovernment (voluntary) standards must be obtained from the organization responsible for their preparation, publication, or maintenance.

(j) *Data Universal Numbering System (DUNS) Number.* (Applies to all offers exceeding \$3,000, and offers of \$3,000 or less if the solicitation requires the Contractor to be registered in the Central Contractor Registration (CCR) database.) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation "DUNS" or "DUNS+4" followed by the DUNS or DUNS+4 number that identifies the offeror's name and address. The DUNS+4 is the DUNS number plus a 4-character suffix that may be assigned at the discretion of the offeror to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see FAR [Subpart 32.11](#)) for the same concern. If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one. An offeror within the United States may contact Dun and Bradstreet by calling 1-866-705-5711 or via the internet at <http://fedgov.dnb.com/webform>. An offeror located outside the United States must contact the local Dun and Bradstreet office for a DUNS number. The offeror should indicate that it is an offeror for a Government contract when contacting the local Dun and Bradstreet office.

(k) *Central Contractor Registration.* Unless exempted by an addendum to this solicitation, by submission of an offer, the offeror acknowledges the requirement that a prospective awardee shall be registered in the CCR database prior to award, during performance and through final payment of any contract resulting from this solicitation. If the Offeror does not become registered in the CCR database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award to the next otherwise successful registered Offeror. Offerors may obtain information on registration and annual confirmation requirements via the CCR database accessed through <https://www.acquisition.gov> or by calling 1-888-227-2423 or 269-961-5757.

(l) *Debriefing.* If a post-award debriefing is given to requesting offerors, the Government shall disclose the following information, if applicable:

(1) The agency's evaluation of the significant weak or deficient factors in the debriefed offeror's offer.

(2) The overall evaluated cost or price and technical rating of the successful and the debriefed offeror and past performance information on the debriefed offeror.

(3) The overall ranking of all offerors, when any ranking was developed by the agency during source selection.

(4) A summary of the rationale for award;

(5) For acquisitions of commercial items, the make and model of the item to be delivered by the successful offeror.

(6) Reasonable responses to relevant questions posed by the debriefed offeror as to whether source-selection procedures set forth in the solicitation, applicable regulations, and other applicable authorities were followed by the agency.

## ATTACHMENT A

### MATERIAL LIST

1/4 gallon of PVC tangit glue 950 ml	1/4 galon de pegamento para PVC tangit 950 ml
4 pounds of 1" nails, soft iron with head	4 libras de clavos de 1", hierro dulce con cabeza
PVC female adapter with thread 1/2" for drinking water	Adaptador hembra de PVC con rosca de 1/2" para agua potable
PVC male adapter with thread 1/2" for drinking water	Adaptador macho de PVC con rosca de 1/2" para agua potable
PVC male adapter with thread 3/4" for drinking water	Adaptador macho de PVC con rosca de 3/4" para agua potable
Magnetic Adapter	Adaptador magnetico
Two-component Tixotropic adhesive based on epoxy resins and inactive fillers	Adhesivo Tixotropico de dos componentes a base de resinas epoxicas y cargas inactivas
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Tie wire, 1.5 mm diameter	Alambre De Amarre, 1.5 mm diametro
Galvanized eared wire rolls, 16/400 vrs	Alambre espigado galvanizado rollo, 16/400 vrs
Galvanized wire # 16 flat, pounds	Alambre galvanizado # 16 liso, libras
Stainless steel razor wire rolls, 18" x 8 mt knife type	Alambre razor acero inoxidable rollo, 18" x 8 mt tipo navaja
Pliers	Alicate para armaduria
Sledgehammer, 12 pounds, with handle	Almadana de 12 lbs con mango
Sledgehammer, 6 pounds, with handle	Almadana de 6 lbs con mango
Aluminum angle for ceiling 12 ft	Angulo de aluminio para cielo falso, aluminio natural de 12 pies
Iron angle 1 1/2" x 1 1/2" x 1/4"	Angulo de hierro 1 1/2" x 1 1/2" x 1/4"
Iron angle 2" x 2" x 3/16"	Angulo de hierro 1 1/2" x 1 1/2" x 1/4"
Iron angle 1" x 1" x 1/4"	Angulo de hierro 1" x 1" x 1/4"
Iron angle 1" x 1" x 1/8"	Angulo de hierro 1" x 1" x 1/8"
Iron angle 1-1/4" x 1/8"	Angulo de hierro 1-1/4" x 1/8"
Iron angle 1-1/4" x 1/8"	Angulo de hierro 1-1/4" x 1/8"
Iron angle 2 1/2" x 2 1/2" x 3/16"	Angulo de hierro 2 1/2" x 2 1/2" x 3/16"
Electric Welding Equipment	Aparato de Soldadura Electrica
Sand	Arena
Rainwater lowering, PVC, with accesories	Bajadas De PVC Para AA.LL. Con Sus Uniones y abrazaderas
Paint Roller with Tray	Bandeja con Rodillo para pintura
Rainwater lowering, PVC, with accessories	Bajadas De PVC Para AA.LL. Con Sus Uniones y abrazaderas
5' lineal bar	Barra lineal de 5'
Metal barrel	Barril metalico
Cylindrical hinge for gate 1" x 4"	Bisagra cilindrica para porton de 1" x 4"
Cylindrical hinge for gate 3/4" x 3 1/2"	Bisagra cilindrica para porton de 3/4" x 3 1/2"

42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
42.5Kg bag of cement Portland type 1	Bolsa de 42.5 Kg de cemento Portland tipo 1
Rectangular flat nozzle with 4" exit Gran Caudal type	Boquilla rectangular lisa con salida de 4" tipo Gran Caudal
SDS Concrete Drill	Broca para concreto
Paint brush, 4"	Brocha De 4 Pulgadas
Paint brush, 4"	Brocha De 4 Pulgadas
Paint brush, 4"	Brocha De 4 Pulgadas
Paint brush, 4"	Brocha De 4 Pulgadas
2" brushes for painting, wood handle	Brocha de cerda de 2" con mango de madera
3" brushes for painting, wood handle	Brocha de cerda de 3" con mango de madera
4" brushes for painting, wood handle	Brocha de cerda de 4" con mango de madera
Electric wire, THW-THHN #12, black	Cable electrico THW-THHN #12 negro
Electric wire, THW-THHN #12, black	Cable electrico THW-THHN #12 negro)
Duplex Aluminium Cable	Cable de Aluminio Duplex
Metallic squared heavy duty box, single bottom 4" x 4"	Caja cuadrada metalica tipo pesada fondo sencillo 4" x 4"
Metallic register box 8" x 6" x 4" with cap	Caja de registro metalica de 8" x 6" x 4" con tapadera
Register box 8" x 6" x 4" with cap for outdoors	Caja de registro para intemperie de 8" x 6" x 4" con tapadera
Octogonal box heavy duty 4" x 4"	Caja octogonal tipo pesada 4" x 4"
Rectangular box heavy duty 4" x 2"	Caja rectangular tipo pesada de 4" x 2"
Rectangular box heavy duty 4" x 2"	Caja rectangular tipo pesada de 4" x 2"
Rectangular box heavy duty 4" x 2"	Caja rectangular tipo pesada de 4" x 2"
Thermal box of 12 circuits G.E., monofasic, 125 amp rod	Caja termica de 12 circuitos G.E. monofasico, barras de 125 amp
PVC flat shirt 1/2" for drinking water	Camisa lisa de PVC de 1/2" para agua potable
PVC flat shirt 3/4" for drinking water	Camisa lisa de PVC de 3/4" para agua potable
Roof gutter, PVC	Canal de drenaje de PVC para Agua Lluvia
Roof gutter, PVC	Canal de drenaje de PVC para Agua Lluvia
Roof gutter, PVC	Canal de drenaje de PVC para Agua Lluvia
PVC duct "Gran Caudal" 3.00 linear meters	Canal de PVC Gran Caudal de 3.00 metros lineales
PVC duct "Gran Caudal" 6.00 linear meters	Canal de PVC Gran Caudal de 6.00 metros lineales
Intermediate cape sheet , Zinctro Alum type caliber 26 L=2.14	Capote intermedio lamina tipo Zinctro Alum calibre 26 de L=2.14
Intermediate cape sheet , Zinctro Alum type caliber 26 L=2.14	Capote intermedio lamina tipo Zinctro Alum calibre 26 de L=2.14
Intermediate cape sheet , Zinctro Alum type caliber 26 L=2.14	Capote intermedio lamina tipo Zinctro Alum calibre 26 de L=2.14
Intermediate cape sheet , Zinctro Alum type caliber 26 L=2.14	Capote intermedio lamina tipo Zinctro Alum calibre 26 de L=2.14
Metal wheelbarrow with rubber tires	Carretilla de Metal con llantas de hule
Bimetallic clamp split type for cable #6	Cepo bimetalico tipo partido para cable #6
Ceramic Floor 33 x 33 cm for high traffic	Ceramica de Piso 33 x 33 cm para alto trafico

Rim lock	Cerradura de Sobreponer
Leather welding jacket	Chaqueta de Cuero para Soldar
3/4" x 12" chisel	Cinzel de 3/4" x 12"
7/8" x 10" chisel	Cinzel de 7/8" x 10"
Electric tape super 33 3M	Cinta aislantes super 33 3M
Tape measure 8 meters	Cinta metrica de 8 metros
3/4" x 12 meters teflon tape blue color	Cinta teflon de 3/4" x 12 metros color azul
Blue steel nail for ceiling 2.00 x 25 mm	Clavo de acero azul para cielo falso de 2.00 x 25 mm
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
Soft iron nails with head, 2- 1/2"	Clavos de 2 -1/2" de hierro dulce con cabeza
1" steel nails with head, units	Clavos de acero de 1", unidades
2 1/2" steel nails with head, units	Clavos de acero de 2 1/2" con cabeza, unidades
3" steel nails with head, units	Clavos de acero de 3" con cabeza, unidades
Galvanized "clevis" with insulator and 1/2" x 4 1/2" pin	Clevis galvanizada con aislador y pin de 1/2" x 4 1/2"
PVC threaded elbow 1/2", 90 degrees for drinking water	Codo con rosca de PVC de 1/2" a 90 grados para agua potable
PVC elbow 3/4", 45 degrees for drinking water	Codo de PVC de 3/4" a 45 grados para agua potable
PVC elbow 3/4", 90 degrees for drinking water	Codo de PVC de 3/4" a 90 grados para agua potable
PVC flat elbow 1/2" 90 degrees, for drinking water	Codo liso de PVC de 1/2" a 90 grados para agua potable
3.7 mt height columns, concrete resistance 210 kg/cm2	Columnas de 3.7 mt de altura de concreto de resistencia 210 kg/cm2
Thermomagnetic contactor 20 amp/1 pole	Contactador termomagnetico 20 amperios/1 polo
Thermomagnetic contactor 30 amp/1 pole	Contactador termomagnetico 30 amperios/1 polo
Thermomagnetic contactor 30 amp/2 poles	Contactador termomagnetico 30 amperios/2 polo
Electrical cutter, 14" disk, 3800 RPM, 110 volts Dewalt D 2870	Cortadora electrica, disco de 14", 3800RPM, 110 voltios
Bolt Cutter	Corta Frio
Pine Flitch, wood, 3 yards	Costanera de pino de 3 Varas
Pine Flitch, wood, 3 yards	Costanera de pino de 3 Varas
Pine Flitch, wood, 4 yards	Costanera de pino de 4 Varas
Pine Flitch, wood, 4 yards	Costanera de pino de 4 Varas
Pine Flitch, wood, 4 yards	Costanera de pino de 4 Varas
Pine Flitch, wood, 4 yards	Costanera de pino de 4 Varas
Pine Flitch, wood, 4 yards	Costanera de pino de 4 Varas
Costanera of pine 3 yards	Costanera de pino de 3 varas
Aluminum cruise for ceiling 4 ft	Crucero de aluminio para cielo falso, aluminio natural de 4 pies
Crosshead for scaffold 10' x 4'	Cruceta para andamio de 10' x 4'
Girder, pine, 4 yards	Cuarton de pino de 4 varas
Girder, pine, 4 yards	Cuarton de pino de 4 varas
Cuarton of pine 4 yards	Cuarton de pino de 4 varas
Paint , water, blue color, 5 gallons bucket	Cubeta De Pintura De Color Azul De Agua
Paint , water, blue color, 5 gallons bucket	Cubeta De Pintura De Color Azul De Agua
Plastic keg	Cubeta plástica vacia

Kegs of oil paint blue color, excello	Cubetas de pintura de aceite azul bandera, excello
Kegs of oil paint white color, excello	Cubetas de pintura de aceite blanca, excello
8" masonry spoon	Cuchara de albañilería de 8"
1" terminal body	Cuerpo terminal de 1"
3/4" terminal body	Cuerpo terminal de 3/4"
17" right cuma	Cuma derecha de 17"
PVC curve 2", 90 degrees for drinking water	Curva de PVC de 2" a 90 grados para agua potable
PVC curve 4", 90 degrees for drinking water	Curva de PVC de 4" a 90 grados para agua potable
PVC curve 6", 45 degrees for drinking water	Curva de PVC de 6" a 45 grados para agua potable
PVC curve 6", 90 degrees for drinking water	Curva de PVC de 6" a 90 grados para agua potable
PVC curve 8", 90 degrees for drinking water	Curva de PVC de 8" a 90 grados para agua potable
Disk for metal cutting 14"	Disco de corte para metal de 14"
Disk for metal cutting 9", 9 x 1/8"	Disco de corte para metal de 9", 9 x 1/8"
Grinding disk 9 x 1/4"	Disco de desbaste de 9 x 1/4"
Segmented diamond blade for concrete cutting	Disco diamantado segmentado para corte de concreto
Segmented diamond blade for concrete cutting, 9"	Disco diamantado segmentado para corte de concreto, 9"
Segmented diamond blade for concrete cutting, 9"	Disco diamantado segmentado para corte de concreto, 9"
1/8" electrode OK 6013, pounds	Electrodo 1/8" OK 6013 lbs
3/32" electrode OK 6013, pounds	Electrodo de 3/32" OK 6013 lbs
Electrode 3/32" MT12	Electrodos 3/32 MT 12
Electrode 3/32" MT12	Electrodos 3/32 MT 12
Electrode 3/32" MT12	Electrodos 3/32 MT 12
Electrode 3/32" MT12	Electrodos 3/32 MT 12
Electromalla 6"x6" 6/6 caliber, 2.35 x 6 meters	Electromalla 6"x6" calibre 6/6 de 2.35 x 6 metros
putty knife	Espatula
Grease Cup	Engrasadora
Square	Escuadra
Extension cord, cable TSJ 3x12, 50 meters long	Extension electrica, cable TSJ 3x12 de 50 metros de largo
6mm flat fibrolit 4' x 8'	Fibrolit liso de 6mm de 4' x 8'
Bulb, saver type, 25 watts	Foco tipo ahorrador de 25 watts
Gallons of anticorrosive paint black, structural	Galones de pintura anticorrosivo negro, estructural
Gallons of Silver Prime paint silver color, structural	Galones de pintura Silver Prime color plateado, estructural
Gallons of mineral solvent	Galones de Solvente Mineral
Gravel	Grava
1/4" to 3/8" pipe wrench	grifa de 1/4" a 3/8"
3/8" to 1/2" pipe wrench	Grifa de 3/8" a 1/2"
Leather gloves, long sleeve (pair)	Guantes de Cuero Manga Larga
Leather glove for welding, long sleeve (pair)	Guantes de Cuero para Soldar, Manga Larga
Corrugated Iron	Hierro Corrugado
Toilet without tank	Inodoro sin tanque
Toilet economic type ecoline blanco, includes flexibel supply methal pipe 20" for toilet and accessories	Inodoro tipo economico ecoline blanco, incluye tubo de abasto flexible metal de 20" para inodoro y accesorios
Switch, double, integrated type	Interruptor doble tipo integrado
Switch, single, integrated type	Interruptor sencillo tipo integrado
Work brick	Ladrillo de obra
Acrilic sheet 15mm	Lamina Acrilica 15 mm

Galvanized unfolded sheet 4' x 8', 1/2", standard	Lamina de desplegada de 4' x 8', 1/2" galvanizada, bajo norma
Black iron sheet 2 x 1 meters 1/16"	Lamina de hierro negro de 2 x 1 mt de 1/16"
Black iron sheet 2 x 1 meters 3/16"	Lamina de hierro negro de 2 x 1 mt de 3/16"
Galvanized flat sheet 3 x 1 yards # 24	Lamina galvanizada lisa de 3 x 1 yarda # 24
Zinctro Alum sheet 1.25 meters caliber 26	Lamina tipo Zinctro Alum 1.25 metros calibre 26
Zinctro Alum sheet 2.15 meters caliber 26	Lamina tipo Zinctro Alum 2.15 metros calibre 26
Zinctro Alum sheet 2.50 meters caliber 26	Lamina tipo Zinctro Alum 2.50 metros calibre 26
Zinctro Alum sheet 4.00 meters caliber 26	Lamina tipo Zinctro Alum 4.00 metros calibre 26
Zinctro Alum sheet 5.00 meters caliber 26	Lamina tipo Zinctro Alum 5.00 metros calibre 26
Zinctro Alum sheet 5.75 meters caliber 26	Lamina tipo Zinctro Alum 5.75 metros calibre 26
Zinctro Alum sheet 6.00 meters caliber 26	Lamina tipo Zinctro Alum 6.00 metros calibre 26
Zinctro Alum sheet 6.00 meters caliber 26	Lamina tipo Zinctro Alum 6.00 metros calibre 26
Zinctro Alum sheet 6.00 meters caliber 26	Lamina tipo Zinctro Alum 6.00 metros calibre 26
Zinctro Alum sheet 8.00 meters caliber 26	Lamina tipo Zinctro Alum 8.00 metros calibre 26
Fibercement roof sheet, standard, 6mm, 10 feet long	Laminas de fibrocemento tipo duralita, 6 mm, 10 pies, estándar
Fibercement roof sheet, standard, 6mm, 10 feet long	Laminas de fibrocemento tipo duralita, 6 mm, 10 pies, estándar
Mercury lamp 175 w/220v, complet which includes metallic arm and fotocelda	Lampara de mercurio 175 w/220v completa, incluye brazo metalico y fotocelda
Halogen lamp 150w x 2, complete	Lampara halogeno 150w x 2 completa
Sink, economic type ecoline white, includes clasic key, methal flexible supply pipe 24", plastic drain 1 1/4" x 8", pvc tail with balona 1 1/4" x 6" and sifon to the wall 1 1/4"	Lavamanos tipo economico ecoline blanco, incluye llave para lavamanos clasica, tubo de abasto flexible metal de 24", desagüe plastico de 1 1/4" x 8" cola pvc con balona de 1 1/4"
Pounds of tie wire # 16	Libras de alambre de amarre # 16
Pounds of galvanized wire #16	Libras de alambre galvanizado #16
Pounds of 2 1/2" soft iron nails with head	Libras de clavos de 2 1/2" de hierro dulce con cabeza
Pounds of 4" soft iron nails with head	Libras de clavos de 4" de hierro dulce con cabeza
Triangular lime for machete 4"	Lima triangular para machete 4"
1/2" jet key PP with thread	Llave para chorro de 1/2" PP con rosca
Plasterer's trowel	Llana para albañil
Fibrolit tile galaxy type 5mm 4 x 2, white	Loseta de fibrolit tipo galaxy color blanco de 5mm 4 x 2
Concrete flat tile e=0.05mt, resistance 210 kg/cm2	Losetas tipo liso de e=0.05 mt de concreto de resistencia 210 kg/cm2
Fluorescent lamp, 2 tubes, 120 V	Luminaria fluorescente de 2 tubos, 120 V
Fluorescent lamp, 2 tubes, 120 V	Luminaria fluorescente de 2 tubos, 120 V
24" polished machete	Machete pulido de 24"
Wire mesh, galvanized	Malla Ciclon galvanizada
Wire mesh, galvanized, 9 x 72"	Malla Ciclon galvanizada 9 x 72"
Wire mesh, galvanized, 9 x 72", 30 yds	Malla Ciclon galvanizada 9 x 72", 30 yds
Wire mesh, galvanized, yards	Malla Ciclon galvanizada, yards
Leveling hose 1/2" x 25 meters	Manguera para nivelar de 1/2" x 25 metros
Reinforced hose 1/2" x 75"	Manguera reforzada de 1/2" x 75"
Scaffold frame 5' x 6' 4" with 1/8" col	Marco de andamio de 5' x 6' 4" con col de 1/8"
Hammer, claw, for carpentry	Martillo para carpinteria con oreja
	Martillo de Goma
Incidentals, additional materials needed	Materiales Adicionales necesarios

Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Sand, cubic meters, clean and pumice free	Metros cubicos de arena, libre de pomez y limpia
Gravel # 0, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 0 o chispa, material petreo, buena dureza y limpio
Gravel # 1, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 1, material petreo, buena dureza y limpio
Gravel # 1, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 1, material petreo, buena dureza y limpio
Gravel # 1, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 1, material petreo, buena dureza y limpio
Gravel # 1, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 1, material petreo, buena dureza y limpio
Gravel # 1, cubic meters, stone material, high hardness and clean	Metros cubicos de grava # 1, material petreo, buena dureza y limpio
Cubic meters of white ground, organic free	Metros cubicos de tierra blanca libre de organicos
Lineal meters of aluminum cable Duplex collier aa/wp6	Metros lineales de cable de aluminio duplex collier aa/wp6
Linear meters of electric cable THW-THHN #10, black	Metros lineales de cable electrico THW-THHN #10 black
Linear meters of electric cable THW-THHN #10, white	Metros lineales de cable electrico THW-THHN #10 blanco
Linear meters of electric cable THW-THHN #12, white	Metros lineales de cable electrico THW-THHN #12 blanco
Linear meters of electric cable THW-THHN #12, black	Metros lineales de cable electrico THW-THHN #12 negro
Linear meters of electric cable THW-THHN #14, white	Metros lineales de cable electrico THW-THHN #14 blanco
Linear meters of electric cable THW-THHN #14, black	Metros lineales de cable electrico THW-THHN #14 negro
Linear meters of electric cable THW-THHN #6, white	Metros lineales de cable electrico THW-THHN #6 blanco
Linear meters of electric cable THW-THHN #6, black	Metros lineales de cable electrico THW-THHN #6 negro
1" pipeline, thick wall, linear meters	Metros lineales de poliducto de 1"
1/2" pipeline, thick wall, linear meters	Metros lineales de poliducto de 1/2"
3/4" pipeline, thick wall, linear meters	Metros lineales de poliducto de 3/4"
Linear meters of 1/2" tecnoducto, thick wall	Metros lineales de tecnoducto de 1/2" pared gruesa
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half stretcher 10x20x20 saltex type	Mitad de 10x20x20 tipo saltex
Half 15x20x20 type saltex	Mitad de 15x20x20 tipo saltex
Half 20x20x20 saltex type	Mitad de 20x20x20 tipo saltex
48" box scale	Nivel de caja de 48"
Nylon string	Nylon para trazo
Shovel, long handle and square point	Pala punta cuadrada mango largo
Round headed bolt for zinc car 1/2" x 2"	Perno cabeza redonda para coche zincado de 1/2" x 2"
Perch of two positions with insulators	Percha de dos posiciones con aisladores

Anticorrosive paint, blue, structural	Pintura anticorrosiva azul, estructural
Anticorrosive paint, blue, structural	Pintura anticorrosiva azul, estructural
Anticorrosive paint, blue, structural	Pintura anticorrosiva azul, estructural
Anticorrosive paint, blue, structural	Pintura anticorrosiva azul, estructural
Pickaxe with wood stub	Piocha con cabo de madera
Scaffold platform 10'	Plataforma para andamio de 10'
Iron platen 2" x 1/4"	Platina de hierro de 2" x 1/4"
Masonry plumb	Plomada para albañilería
Pipeline	Poliducto
C type iron beam, 4 ", caliper 14	Polin C De 4 Pulgadas, calibre 14
C type iron beam, 4 ", caliper 14	Polin C De 4 Pulgadas, calibre 14
C type iron beam, 4 ", caliper 14	Polin C De 4 Pulgadas, calibre 14
C type iron beam, 4 ", caliper 14	Polin C De 4 Pulgadas, calibre 14
Type C polin 4" x 2" x 6 meters, chapa 16	Polin tipo C de 4" x 2" x 6 metros chapa 16
Type C polin 6" x 2" x 6 meters, chapa 16	Polin tipo C de 4" x 2" x 6 metros chapa 16
Type C polin 4" x 6 meters, chapa 16	Polin tipo C de 4" x 6 metros chapa 16
8" press for mechanic	Prensa de 8" para mecanico
Polisher, 9" disk 600 rpm industrial type	Pulidora, disco de 9", tipo industrial de 600 rpm
26 x 330 MM spike	Punta de 26 x 330MM
Stonecutter's chissel	Puntero
Eagle bakelite receptacle	Receptaculo eagle de baquelita
PVC reducer 3/4" x 1/2" for drinking water	Reductor de PVC de 3/4" x 1/2" para agua potable
PVC reducer 6" x 4" for black water	Reductor de PVC de 3/4" x 1/2" para agua potable
PVC reducer 4" x 2" for black water	Reductor de PVC de 4" x 2" para agua negra
PVC reducer 6" x 2" for black water	Reductor de PVC de 6" x 2" para agua negra
PVC reducer 8" x 4" for black water	Reductor de PVC de 6" x 2" para agua negra
PVC reducer 8" x 6" for black water	Reductor de PVC de 8" x 6" para agua negra
Regla pacha of pine 4 yards	Regla pacha de pino de 4 varas
Screen Board, pine, 3 yards	Regla Pacha de pino, de 3 yardas
Screen Board, pine, 3 yards	Regla Pacha de pino, de 3 yardas
Screen Board, pine, 4 yards	Regla Pacha de pino, de 4 varas
Screen Board, pine, 4 yards	Regla Pacha de pino, de 4 varas
Screen Board, pine, 4 yards	Regla Pacha de pino, de 4 varas
Screen Board, pine, 4 yards	Regla Pacha de pino, de 4 varas
Hammerdrill 1/2" SDS	Rotomartillo de 1/2" SDS
22" handsaw	Serrucho de 22"
2" PVC sifon without cleaning for black water	Sifon de PVC de 2" sin limpieza para aguas negras
4" PVC sifon without cleaning for black water	Sifon de PVC de 4" sin limpieza para aguas negras
Sill 20x20x40 saltex type	Solera de 20x20x40 tipo saltex
Sill, U type, 10x20x40 saltex type	Solera tipo U, 10x20x40 tipo saltex
Sill, U type, 15x20x40 saltex type	Solera tipo U, 15x20x40 tipo saltex
Mineral solvent	Solvente Mineral
Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex
Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex

Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex
Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex
Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex
Strecher 10x20x40 saltex type	Strecher de 10x20x40 tipo saltex
Strecher 15x20x40 saltex type	Strecher de 15x20x40 tipo saltex
Strecher 20x20x40 saltex type	Strecher de 20x20x40 tipo saltex
Switch/socket, integral	Switch Toma Integral
Switch/socket, integral	Switch Toma Integral
Table of pine 4 yards	Tabla de pino de 4 varas
Top for PVC duct Gran Caudal type	Tapa para canal de PVC tipo Gran Caudal
PVC caps, 3" L/R	Tapaderas De PVC De 3" izq/der
PVC caps, 3" L/R	Tapaderas De PVC De 3" izq/der
PVC female cap 1/2" without thread for drinking water	Tapon hembra PVC 1/2" sin rosca para agua potable
PVC female cap 3/4" without thread for drinking water	Tapon hembra PVC 3/4" sin rosca para agua potable
Aluminum cap for toilet 2"	Tapon inodoro de aluminio de 2" resumidero
Aluminum cap for pila 2"	Tapon pila de aluminio de 2"
4" PVC cap, female with thread	Tapon PVC 4" hembra con rosca
Aluminum Tee for ceiling 4ft	Tee de aluminio para cielo falso, alumino natural de 4 pies
PVC Tee 1/2" without thread for drinking water	Tee de PVC de 1/2" sin rosca para agua potable
PVC Tee 3/4" without thread for drinking water	Tee de PVC de 3/4" sin rosca para agua potable
PVC Tee 4" for black water	Tee de PVC de 4" para agua negra
PVC Tee 6" for black water	Tee de PVC de 6" para agua negra
PVC Tee 8" for black water	Tee de PVC de 8" para agua negra
Metallic Fabric	Tela Cedazo
Roll of cyclone mesh 9 x 72", 30 yard rolls, original	Tela ciclon de 9 x 72", rollo de 30 yardas, original
Forceps holder appliances	Tenaza porta electrodo
Masking Tape	Tirro
Outlet, double, integrated type, polarized	Toma corriente doble tipo integrado
Tapping screws 5/16" x 1" conic type for sheet/polin	Tornillo autorroscante de 5/16" x 1" tipo conico para lamina/polin
Tapping screw 5/16" x 3/4" conic type for sheet/sheet	Tornillo autorroscante de 5/16" x 3/4" tipo conico para lamina/lamina
Screw for drywall, 8 x 1 1/2"drill tip	Tornillo para pared seca, punta de broca de 8 x 1 1/2"
Stud bolt	Tornillos Punta Broca
Stud bolt	Tornillos Punta Broca
Anchor leg, galvanized, 5" with washer	Tramo de anclaje, galvanizado, 5" con arandela asfaltica
Anchor leg, galvanized, 5" with washer	Tramo de anclaje, galvanizado, 5" con arandela asfaltica
Squared iron pipe 1 1/2" x 1 1/2" structural	Tubo de hierro cuadrado de 1 1/2" x 1 1/2" estructural
PVC pipe 1/2" for drinking water 315 PSI	Tubo de PVC de 1/2" para agua potable de 315 PSI
PVC pipe 2" for black water 100 PSI	Tubo de PVC de 2" para agua negra de 100 PSI
PVC pipe 3/4" for drinking water 250 PSI	Tubo de PVC de 3/4" para agua potable de 250 PSI
PVC pipe 4" for black water 100 PSI	Tubo de PVC de 4" para agua negra de 100 PSI
PVC pipe 6" for black water 100 PSI	Tubo de PVC de 6" para agua negra de 100 PSI
PVC pipe 8" for black water 100 PSI	Tubo de PVC de 8" para agua negra de 100 PSI
Fluorescent tube, 40 W T12 6200k	Tubo fluorescente 40 W T12 6200k
Fluorescent tube, 40 W T12 6200k	Tubo fluorescente 40 W T12 6200k
Galvanized tube of 1 1/2" heavy type	Tubo galvanizado de 1 1/2" tipo pesado

Galvanized tube 4" heavy type	Tubo galvanizado de 4" tipo pesado
Industrial pipe, iron, rectangular, 2x1"	Tubo industrial de hierro, rectangular, 2x1"
Industrial pipe, iron, rectangular, 2x1"	Tubo industrial de hierro, rectangular, 2x1"
Black iron pipe, square	Tubo Cuadrado de hierro nedro
Black iron pipe, round, 1/2"	Tubo redondo de hierro negro de 1/2"
Black iron pipe, round, 1/2"	Tubo redondo de hierro negro de 1/2"
Black iron round pipe 5/8"	Tubo redondo de hierro negro de 5/8"
PVC pipe, 3" diameter	Tubos De PVC De 3"
PVC pipe, 3" diameter	Tubos De PVC De 3"
Joint for PVC duct Gran Caudal type	Union para canal de PVC tipo Gran Caudal
1/2" ball valve, 150 pounds red white	Valvula de bola de 1/2", 150 lb rojo blanco
3/4" ball valve, 150 pounds red white	Valvula de bola de 3/4", 150 lb rojo blanco
Control valve of 3/8" x 1/2", to the wall	Valvula de control a la pared de 3/8" x 1/2"
Shower valve 1/2", methal chromed handle with rod and changable sit	Valvula para ducha de 1/2", maneral metalico cromado, vastago y asiento cambiabile, incluye ducha metalica cromada
Straight iron rod 1/4", standar	Varilla de hierro liso 1/4" bajo norma
Straight iron rod 3/4", standar grade 60	Varilla de hierro liso 3/4" bajo norma grado 60
Straight iron rod 5/8", standar	Varilla de hierro liso 5/8" bajo norma
Corrugated iron rod 1/2", standard	Varillas de hierro corrugado 1/2" bajo norma
Corrugated iron rod 1/2", standard	Varillas de hierro corrugado 1/2" bajo norma
Corrugated iron rod 1/4", standard	Varillas de hierro corrugado 1/4" bajo norma
Corrugated iron rod 1/4", standard,	Varillas de hierro corrugado 1/4" bajo norma
Corrugated iron rod 1/4", standard grade 60	Varillas de hierro corrugado 1/4" bajo norma grado 60
Corrugated iron rod 1/4", standard grade 60	Varillas de hierro corrugado 1/4" bajo norma grado 60
Corrugated iron rod 3/8", standar	Varillas de hierro corrugado 3/8" bajo norma
Corrugated iron rod 3/8", standard grade 60	Varillas de hierro corrugado 3/8" bajo norma grado 60
Corrugated iron rod 3/8", standard grade 60	Varillas de hierro corrugado 3/8" bajo norma grado 60
Corrugated iron rod 3/8", standard, hundredweight	Varillas de hierro corrugado 3/8" bajo norma, quintales
Corrugated iron rod 3/8", standard, hundredweight	Varillas de hierro corrugado 3/8" bajo norma, quintales
Corrugated iron rod 5/8", standar grade 60	Varillas de hierro corrugado 5/8" bajo norma grado 60
Corrugated iron rod 1/2", standar grade 60	Varillas de hierro corrugado bajo norma grado 60
Squared iron rod 1/2", standar grade 60	Varillas de hierro cuadrado 1/2" bajo norma grado 60
Corrugated iron rod 1/4", standar grade 60	Vavarillas de hierro corrugado 1/4" bajo norma grado 60
Window "solaire" 0.80 meters wide x 0.560 meters high, standar natural aluminum frame, frosted glass, 1 body	Ventana tipo solaire de 0.80 mt de ancho por 0.560 mt de alto, estandar aluminio natural, vidrio nevado, un cuerpo
Window "solaire" 1.40 meters wide x 0.916 meters high, standar natural aluminum frame, frosted glass, 2 bodies	Ventana tipo solaire de 1.40 mt de ancho por 0.916 mt de alto, estandar aluminio natural, vidrio nevado, dos cuerpos