

EXHIBIT 1 LIST

ITEM	Name	DESCRIPTION	SUGESTED BRAND	VENDOR P/N	QUANTITY PER SITE		TOTAL QUANTITY	UNIT OF ISSUE	UNIT PRICE	TOTAL PRICE
					SANTA ELENA PETEN	PORT SAN JOSE				
1	Pump, Fuel	Skid mounted Diesel driven Yanmar engine w/gorman-Rupp self prime pump; for flammable liquids	Yanmar w/ GormanRupp	82D1-1B20-X	1	1	2	Each		
2	Filter/Separator	2 Inches diam; 100 gpm; Velcon, Aluminium; skid.	Velcon	AVV162OC115	0	0	0	Each		
3	Flow Meter, Fuel	M-7; POS displacement; 0-100 gpm; aluminum	Liquid Controls	M-7-A-2	0	0	0	Each		
4	Nozzle, Overwing	1 1/2 Inc., Straight Spout	OPW	295SA-0138 1 1/2"	0	0	0	Each		
5	Hose, Suction	2 inches X 10 Ft long, aviation Grade, API 1529, Type II, Grade C	Goodyear	200X10WING	8	8	16	Each		
6	Hose, Suction	2" X 25' Fueling Hose (MxM), aviation Grade, API 1529, Type II, Grade C, SUCTION	Good Year	200X25WING	4	4	8	Each		
7	Hose, Discharge	1 1/2 inches X 100 Ft long, aviation Grade, API 1529, Type II, Grade C	Good Year	150X50WING	2	2	4			
8	Valve, Ball	Chrome-Plated Brass Ball Valve Lockable Lever Handle, 2" NPT Female Connections	McMaster-Carr	4749K18	8	8	16	Each		
9	Valve, Ball	Chrome-Plated Brass Ball Valve Lockable Lever Handle, 1 1/2" NPT Female Connections	McMaster-Carr		2	2	4	Each		
10	Tee Assembly	Aluminum	McMaster-Carr	44705K352	3	3	6	Each		
11	F Coupler	Alum, 2 inch Male plug X 2 inch male thread	McMaster-Carr	2084T45	15	15	30	Each		
12	B Coupler	Alum, Female socket 2 inch X male thread 2 inch	McMaster-Carr	51415K15	10	10	20	Each		
13	A Adapter	Alum, male Plug 2 inch X female thread 2 inch	McMaster-Carr	2084T5	10	10	20	Each		
14	D Coupler	Alum, female socket 2 inch X female thread 2 inch	McMaster-Carr	51415K25	10	10	20	Each		
15	D Coupler	Alum, female socket 1.5 inch X female thread 1.5 inch	McMaster-Carr	2005T24	4	4	8	Each		

ITEM	Name	DESCRIPTION	SUGESTED BRAND	VENDOR P/N	QUANTITY PER SITE		TOTAL QUANTITY	UNIT OF ISSUE	UNIT PRICE	TOTAL PRICE
					SANTA ELENA PETEN	PORT SAN JOSE				
16	A Adapter	Alum, male plug 1.5 inch X female thread 1.5 inch	McMaster-Carr	2084T54	4	4	8	Each		
17	F Adapter	Alum, Male plug 1.5 inch X male thread 1.5 inch	McMaster-Carr	2084T44	4	4	8	Each		
18	B Coupler	Alum, female socket 1.5 inch X male thread 1.5 inch	McMaster-Carr	51415K14	4	4	8	Each		
19	Bushings	Stainless Steel, 2 inch Male X 1 1/2 inch Female	McMaster-Carr		4	4	8	Each		
20	Tip, electric	Stainless Steel Ground Plug		GTP-1097S 22	3	3	6	Each		
21	Clip, electric	Military Style		GTP-1101	8	8	16	Each		
22	API Gravity Calculator	API Gravity Calculator	Gammon	GTP-3012-1A	2	2	4	Each		
23	Hydrometer Jar (Plastic)	Hydrometer Jar (Plastic)	Gammon	GTP-1073	2	2	4	Each		
24	Thermohydrometer	Jet Fuel	Gammon Tech products	GTP-915	2	2	4	Each		
25	Male plugs	2 inches ID, Aluminum, cam-and-groove coupling		51415K75	8	8	16	Each		
26	Female caps	2 inches ID, Aluminum, cam-and-groove coupling		51415K85	8	8	16	Each		
27	Male plugs	1 1/2 inches ID, Aluminum, cam-and-groove coupling		51415K74	4	4	8	Each		
28	Female caps	1 1/2 inches ID, Aluminum, cam-and-groove coupling		51415K84	4	4	8	Each		
29	Check Valve	2 inches ID, steel, Class 800, high use, female thread , NPT connections		4895K68	1	1	2	Each		
30	Gate Valve	4 Holes, 2" ID, 150# Carbon Steel FLG Gate Valve Stockham 15-OF-U	Stockham		3	3	6	Each		
31	Flange	4 holes, carbon steel 2"-150# RF threaded (female NPT) flanges			3	3	6	Each		
32	Gasket	2"-150# 304FG flexitallic style gasket for petroleum service			6	6	12	Each		
33	stud bolts with 2 nuts	.063x 3-1/4 stud bolts with 2 nuts		Stud/Bolts	24	24	48	Sets		

ITEM	Name	DESCRIPTION	SUGESTED BRAND	VENDOR P/N	QUANTITY PER SITE		TOTAL QUANTITY	UNIT OF ISSUE	UNIT PRICE	TOTAL PRICE
					SANTA ELENA PETEN	PORT SAN JOSE				
34	Filter Separator	For Beta System Filter, 125 GPM	Velcon	SO-420V	3	3	6	N/A		
35	Filter Coalescer	For Beta System Filter, 125 GPM	Velcon	I-62287TB	1	1	2	N/A		
TOTAL										