

Tegucigalpa, Honduras
April 4, 2016

To: Prospective Bidders

Subject: Request for Quotations number SHO80016Q0024

Enclosed is a Request for Quotations (RFQ) to build stairs and handrails at US Embassy compound and Warehouse. If you would like to submit a quotation, follow the instructions in Section 3 of the solicitation, complete the required portions of the attached documents, and submit it to the following address:

American Embassy
Portón 3
Col. San Carlos
Tegucigalpa, Honduras

Please submit your quotation in a sealed envelope marked "Enclosed Quote" to the above address. The deadline for receipt of quotations is on or before **10:00 am local time on April 19, 2016**. No quotations will be accepted after this time.

In order for a quotation to be considered, you must also complete and submit the following:

1. Standard Form SF-18
2. Pricing Section
3. Instructions to Offerors

A site visit will be held on **April 8, 2016** at US Embassy, Col. San Carlos, and Tegucigalpa. Interested vendors must submit the name and ID of their representative no later than **April 7, 2016** to the e-mail proctgu@state.gov

The U.S. Government intends to award a Contract to the responsible company submitting an acceptable quotation at the lowest price. We intend to award a contract based on initial quotations, without holding discussions, although we may hold discussions with companies in the competitive range if there is a need to do so.

Sincerely,



Ryan Ruta
Contracting Officer

Enclosure

Enclosure:

TABLE OF CONTENTS

Section 1 - The Schedule

- SF 18 cover sheet
- Pricing Section
- Description/Specifications/Work Statement

Section 2 - Contract Clauses

- Contract Clauses
- Addendum to Contract Clauses - FAR and DOSAR Clauses not Prescribed in Part 12

Section 3

- Solicitation Provisions

- Solicitation Provisions

Section 4 - Evaluation Factors

- Evaluation Factors
- Addendum to Evaluation Factors - FAR and DOSAR Provisions not Prescribed in Part 12

**REQUEST FOR QUOTATION
(THIS IS NOT AN ORDER)**

THIS RFQ _ IS x IS NOT A SMALL BUSINESS SET-ASIDE

| | | | | | | | | | |
|--|--|---------------|-------------|--|--|--|--|-------------|--|
| 1 REQUEST NO. SHO80016Q0024 | | 2 DATE ISSUED | | 3 REQUISITION/PURCHASE REQUEST NO.PR5038809 | | 4. CERT. FOR NAT. DEF UNDER BDSA REG. 2 AND/OR DMS REG. 1 | | RATING | |
| 5a. ISSUED BY AMERICAN EMBASSY TEGUCIGALPA GSO, ACQUISITIONS UNIT, ATTN. GSO TEGUCIGALPA, | | | | | | 6. DELIVER BY (Date) | | | |
| 5b. FOR INFORMATION CALL (NO COLLECT CALLS) | | | | | | | | | |
| NAME Fatyma Lorenzana | | | | TELEPHONE NUMBER | | | | | |
| 8. TO: | | | | | | 7 DELIVERY _ FOB DESTINATION _ OTHER (See Schedule) | | | |
| a. NAME N/A | | | | b. COMPANY NOVENDOR | | 9. DESTINATION a. NAME OF CONSIGNEE AMERICAN EMBASSY TEGUCIGALPA | | | |
| c. STREET ADDRESS | | | | | | b. STREET ADDRESS FINAL AVE. LOS PROCERES, ATTN: LOCAL EMBASSY WAREHOUSE | | | |
| d. CITY | | | | | | c. CITY TEGUCIGALPA | | | |
| e. STATE | | | f. ZIP CODE | | | d. STATE | | e. ZIP CODE | |
| 10 PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5A ON OR BEFORE CLOSE OF BUSINESS (Date) | | | | IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5A. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter. | | | | | |

11. SCHEDULE (Include applicable Federal, State and local taxes)

| ITEM NO. (a) | SUPPLIES/SERVICES (b) | QUANTITY (c) | UNIT (d) | UNIT PRICE (e) | AMOUNT (f) |
|-----------------|--------------------------|-----------------|-------------|-------------------|---------------|
| | SEE LINE ITEMS | | | | |

| | | | | | |
|---------------------------------|-------------------------|-------------------------|-------------------------|------------------|------------|
| 12. DISCOUNT FOR PROMPT PAYMENT | a. 10 CALENDAR DAYS (%) | b. 20 CALENDAR DAYS (%) | c. 30 CALENDAR DAYS (%) | d. CALENDAR DAYS | |
| | | | | NUMBER | PERCENTAGE |

NOTE: Additional provisions and representations [] are [] are not attached.

| | | | | | | |
|--------------------------------|----------|-------------|--|--|-----------------------|--|
| 13. NAME AND ADDRESS OF QUOTER | | | 14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION | | 15. DATE OF QUOTATION | |
| a. NAME OF QUOTER | | | 16. SIGNER | | b. TELEPHONE | |
| STREET ADDRESS | | | | | | |
| c. COUNTY | | | a. NAME (Type or print) | | AREA CODE | |
| d. CITY | e. STATE | f. ZIP CODE | c. TITLE (Type or print) | | NUMBER | |

AUTHORIZED FOR LOCAL REPRODUCTION
Previous edition not usable

STANDARD FORM 18 (REV. 6-95)
Prescribed by GSA - FAR (48 CFR) 53.215-1(a)

SECTION 1 - THE SCHEDULE
CONTINUATION TO SF-18
RFQ NUMBER SHO80016Q0024
PRICES, BLOCKs 11(c-e)

I. Scope of Services

- A. The Contractor shall construct two sets of stairs and handrails at the US Embassy Warehouse as detailed in the statement of work and shown in the drawings.
- B. This is a firm-fixed price type of purchase order.
- C. The price listed below shall include all labor, materials, overhead, profit, and transportation necessary to deliver the required items to the American Embassy.
- D. All prices are in Lempiras.

II. Pricing

| Line Item | Description | Unit | Unit of Measure | Unit Price (Lps.) | Total Price (Lps.) |
|--------------|--|------|-----------------|-------------------|--------------------|
| 1 | Build Handrail at Mango Garden | 1 | EA | | |
| 2 | Build handrail at Rose Garden | 1 | EA | | |
| 3 | Build and install stair with handrail for cistern Access | 1 | EA | | |
| 4 | Demolish existing wooden staircase and build metal staircase No. 1 | 1 | EA | | |
| 5 | Demolish existing metal access ladder and build metal staircase No. 2 | 1 | EA | | |
| 6 | Build and install handrail around entire perimeter of existing mezzanine | 1 | EA | | |
| TOTAL | | | | Lps. | |

STATEMENT OF WORK
RFQ SHO80016Q0024

Building of handrail and stairs for FM workshop located at US Embassy compound and Warehouse

1.0 INTRODUCTION

- 1.1 The U.S. Embassy requires the services of a qualified contractor for the building of one metal staircase and two individual handrails at various locations inside the US Embassy compound and two metal staircases and handrails at the FM workshops located at the US Embassy Warehouse. The project intent at the Embassy compound is to eliminate safety concerns for maintenance employees accessing these areas and improve on the access means to reach these work areas. At the Warehouse, is to eliminate the current access means and install two new metal staircases that will serve as the new access means for these storage areas. Additionally, one of the mezzanine areas does not have a handrail system around its perimeter. The handrail systems must be built and installed to comply with safety requirements of the Safety and Health Manual EM 385-1-1.
- 1.2 The US Embassy compound is located on the Avenida Los Proceres and the Warehouse is located at the end of Avenida Los Proceres.
- 1.3 Work shall be completed as expeditiously as possible. The property where the activities will take place will be occupied by embassy and other contracted employees. The Contractor shall coordinate with Contracting Officer Representative (COR) for work phasing and job sequencing; minimum disturbance of regular operations will be allowed during the execution of this project. The Contractor shall submit a phasing plan with building schedule for review and approval prior to commencement of work at the site.

2.0 GENERAL REQUIREMENTS

- 2.1 The Contractor shall provide personnel, equipment, materials, tools and supervision as needed to complete the services that meet the technical requirements in this Statement of Work [SOW]. Contractor shall partner closely with Embassy personnel to assure all phases of the work are planned and executed per U.S. Department of State security regulations, applicable codes and safety standards.
- 2.2 The work shall be executed in a diligent manner in accordance with a negotiated firm fixed price and performance period. The period of performance for all Phases of the project shall be completed within **60 (sixty) calendar days from Contract Notice to Proceed.**
- 2.3 The Contractor shall be aware that they will have limited access to the Embassy compound, even if escorted by Embassy personnel, and will not be admitted into any area outside of those designated to execute the project, except with permission by the Authorized Embassy Contractor Officer Representative (COR). The Contractor shall take all means necessary to provide that the Government employees maintain a continuing level of operation during the contract performance period.
- 2.4 The Contractor must provide a list with all their required employees and vehicles required to execute this project (i.e.: Complete Names, ID Numbers, license plates, make and model, etc.) to properly request Security Access to the Embassy compound, which will be subject to review and approval by the Regional Security Office (RSO).
- 2.5 All the work required to execute this project must be completed in a professional, expeditious and efficient manner. The FM workshop will be occupied by Embassy employees; therefore, minimum disturbance of their regular operations will be expected and permitted during the execution of this project.

- 2.6 Due to the nature of this project, the contractor may be asked to work after hours and on weekends to minimize the disturbance on regular Embassy operations.
- 2.7 Contractor and the Contracting Officer Representative shall hold a meeting before the commencement of work. All personnel that will be involved in the demolition and building process are required to attend. The meeting agenda will include discussion on the use of proper attire, tools, and supplies. Safety and proposed work procedures will be reviewed at the meeting. The Contracting Officer Representative (COR) will schedule this meeting with Contractor.
- 2.8 The Contractor shall be required to prepare and submit reports, submittals providing product data, shop drawings, quality control plan, schedule, safety plan, and activity hazard analysis. These documents shall provide the necessary interfaces, coordination, and communication between the Embassy and Contractor for the delivery of a completed project. No work shall commence without having an approved safety and activity hazard analysis plan.

3.0 CONTRACT ADMINISTRATION

- 3.1 The Contractor shall not conduct any work that is beyond this Statement of Work and accompanying specifications unless directed in writing by the Contracting Officer [CO]. Any work done by the Contractor beyond this SOW and accompanying specifications without direction from the CO will be at the Contractor's own risk and at no cost to the Embassy.
- 3.2 The Contracting Officer shall provide a Notice to Proceed [NTP] to the Contractor. No work shall be initiated until the NTP is issued by the CO.
- 3.3 The Contracting Officer may designate more than one individual to serve as the Contracting Officer's Representative [COR]. The Contractor will be furnished evidence of COR appointments, including explicit authority delegated to each COR and their responsibilities.
- 3.4 The Embassy does not make representations or warranties of whatsoever kind or nature, either expressed or implied, as to the quality, level of completion, accuracy, extent of compliance with the standards, codes and requirements described or referred to in this SOW, or the extent of coordination between or among the documents provided to the Contractor.
- 3.5 The Embassy's review, approval, or acceptance of, nor payment for the services required under this contract shall be construed to operate as a waiver of any rights under this contract or any cause of action against the Contractor arising out of the performance of this contract.
- 3.6 The Embassy has the right to inspect and test all services called for by the contract, to the extent practicable at all times and places during the term of the contract. The Office of Overseas Buildings or the facility management office may perform quality assurance inspections [QAI] and tests during the period of performance to confirm the work is installed according to the SOW.
- 3.7 The Contracting Officer has the authority to issue a temporary stop order during the execution of any particular phase of this SOW. This authority may be executed when the Embassy requires time for official functions, or is in possession of specific credible information indicating that the lives of Embassy personnel are immediately threatened and that the execution of the project will increase the Embassy's vulnerability. The Contractor shall promptly notify the CO that work has been stopped.
- 3.8 If any of the Contractor's services do not conform to the contract requirements, the COR may require the

Contractor to perform the services again in conformity with the contract requirements. The Embassy may by contract or otherwise, perform the services and charge the Contractor any cost incurred by the Embassy that is directly related to the performance of such service or terminate the contract for default.

3.9 The Embassy has the right to terminate this contract of convenience at any time in whole, or from time to time, if the Contracting Officer determines it is in the interest of the Embassy.

4.0 RESPONSIBILITY OF THE CONTRACTOR

- 4.1 The Contractor shall be responsible for the professional quality, technical accuracy, and the coordination of all building and other services furnished under this contract. The Contractor shall, without additional compensation, correct or revise any errors or deficiencies in its building and other services.
- 4.2 The Contractor shall identify a project site manager who shall be responsible for the overall management of the project and shall represent the Contractor on the site from the time of the site survey / visit and the pre-award meeting and if selected, during the building and installation. The Project Site Manager shall be on site during any meetings, prepare status reports on the project and other pertinent information required to report the progress of performance.
- 4.3 The Contractor shall identify a Project Site Manager who shall be responsible for the overall management of the project and shall represent the Contractor on the site during the work is performed. The Project Site Manager shall be approved by the COR.
- 4.4 The Project Site Manager shall attend all project meetings, prepare Status Reports on the project and submit them to the COR. Status Reports shall contain meeting minutes, accomplishments, arising concerns and proposed solutions, any proposed changed orders, and any other pertinent information required to report the progress of performance.
- 4.5 All documentation produced for this project will become the ownership of the Embassy at the completion of this project.
- 4.6 The Contractor shall verify that all materials, equipment, and systems provide operational dependability. The Contractor assures the completed building shall be easily maintained or replaced with readily available materials and services.
- 4.7 Any cost associated with services subcontracted by the Contractor shall be borne by and be the complete responsibility of the Contractor under the fixed price of this contract.
- 4.8 The Contractor is responsible for safety and shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety and similar matters. The Contractor shall promptly report all accidents resulting in lost time, disabling, or fatal injuries to the COR. The Contractor shall also comply with the Safety and Health Manual 385-1-1 for all activities performed under this contract.
- 4.9 The Contractor shall be and remain liable to the Embassy in accordance with applicable law for all damages to the Embassy caused by the Contractor's negligent performance of any of the services furnished under this contract. The rights and remedies for the Embassy provided for under this contract are in addition to any other rights and remedies provided by law.

5.0 POST AWARD REQUIREMENTS

- 5.1** The Contractor shall examine all the documents and visit the site to fully inform themselves of all the conditions and limitations applied to the work and submit a firm fixed price cost proposal for all the work. No subsequent cost allowance will be made to the Contractor for neglect of the existing conditions.
- 5.2** Provide a statement that the Contractor's company and all personnel are experienced in constructing and specifically welding metal structures similar to the type and scope required for the work. Provide welders certification indicating what level of welding they are capable of performing.
- 5.3** The Contractor shall prepare and submit a Quality Control Schedule [QCS] and Project Safety Plan [PSP] that includes an Activity Hazard Analysis [AHA] to address each definable feature of work of the project. The QCS and PSP are intended to document the entire project from beginning to end.
- 5.4** A Hazard Analysis Plan, as described in Section 1, Article 01.A.05 of the Corps of Engineers Safety and Health Requirements Manual, EM 385-1-1, current edition, is required for this contract.
- 5.5** Submit a copy of a Contractor's Installation Guarantee covering the work, labor and equipment for a period of ONE [1] year at no cost to the Embassy signed by the Contractor.
- 5.6** Submit a Bill of Materials [BOM], product literature, samples and tests reports of all materials to be used in the project provided by the contractor. These documents will be used by the Embassy to approve all equipment and materials.

6.0 JOB REQUIREMENTS

- 6.1** No work shall begin until approvals of the Submittals are accepted by the COR.
- 6.2** The Contractor shall be responsible for all required materials not provided by the Embassy, equipment and personnel to manage, administer, and supervise the project. All workmanship shall be of good quality and performed in a skillful manner as determined by the COR.
- 6.3** All materials and equipment incorporated into the project shall be new unless noted otherwise. The Contractor shall transport and safeguard all materials and equipment required for the job.
- 6.4** Equipment and materials shall be carefully handled, properly stored, and adequately protected to prevent damage before and during installation, in accordance with the manufacturer's recommendations. Damaged or defective items shall be replaced. The contractor will be responsible for security of all materials and equipment.
- 6.5** Receipt Of Materials - Shipment of equipment, materials, and supplies shall be addressed to the Contractor - not the Embassy. The Contractor must be on hand to accept shipments; the Embassy will not accept shipments.
- 6.6** The Contractor will be provided with a storage and staging area as determined by the COR. The Contractor shall be responsible for restoring the area to its original condition at the completion of the work. The Contractor shall be responsible for repair of any damage incurred to buildings or pavement as a result of storage activities. The Contractor is responsible for obtaining any additional off compound storage areas as required.

- 6.7 The Contractor shall at all times keep the work area free from accumulation of waste materials. Upon completing the job, the Contractor shall remove all temporary facilities and leave the project site in a clean and orderly condition acceptable to the COR.
- 6.8 The Contractor shall perform the work at the site during the Embassy's normal workday hours (Monday through Thursday from 0730 to 1630hrs, and Friday from 0800 to 1500hrs), unless agreed upon with the COR. No work shall be performed during weekends or Honduras national or US holidays without first being coordinated with the COR.
- 6.9 The Contractor shall be responsible for connection of temporary utilities to existing utilities including water and power lines. All temporary connections to local water and power lines shall be coordinated with the COR. The Contractor shall pay all costs incurred in connecting, converting, and transferring the utilities to the work. The Contractor shall be responsible for making connections including providing back flow preventer devices on connections to domestic water lines, providing transformers, and for disconnections.
- 6.10 At the end of each work day, or notification of a temporary stop order, the Contractor shall lower and fixed all temporary work platforms and/or harnesses. Contractor shall notify the COR of the temporary barricade locations. Beginning the next workday, the contractor shall remove the temporary barricades before continuing the project.
- 6.11 Storm Protection - Should warnings of wind of gale force or stronger be issued, the Contractor shall take every practicable precaution to minimize danger to person, the work and adjacent property. Precautions shall include, but not be limited to, closing all openings, removing all loose materials, tools and equipment from exposed locations, and other temporary work. The Contractor shall also provide precautions to avoid erosion due to rainfall.
- 6.12 Cleanup - The Contractor shall keep the work area, including storage areas, free from accumulations of waste materials on a daily basis and comply with all federal, state and local regulations pertaining to the storage, transport and disposal of wastes. The Contractor shall not use Embassy waste disposal facilities including garbage cans, trash piles or dumpsters.
- 6.13 Landscape Restoration - The surfaces of all unpaved areas disturbed by the activities shall be sodded with an approved grass native to the sodded area as approved by the COR. These shall include areas which existing pavement is removed, areas where excavation takes place, and areas where existing sod is killed or compacted by the work activities. Landscape shrubs killed or damaged by the work activities shall be replaced with same species and size.

7.0 CRITERIA

- 7.1 The Contractor work shall in accordance with U.S. codes and standards. The COR will review and comment on the Contractor's submissions using the following codes and standards:

American Society for Testing & Materials,
2003 International Building Code
2003 International Mechanical Code
2003 International Plumbing Code
2002 National Electrical Code (NFPA)
2010 American Concrete Institute (ACI)
American Institute of Steel Construction (AISC)
American Welding Society (AWS)

Statement of Work for the services requested.

8.0 DELIVERABLE SCHEDULE

8.1 The Contractor shall commence work under this contract promptly, execute the work diligently, and achieve final completion and acceptance including final cleanup of the premises within the period specified.

8.2 Milestones:

- i. Contractor Pre-Proposal Site Visit shall be coordinated with procurement office as indicated in RFQ letter.
- ii. Post award Submittals Within 7 days of NTP
- iii. Embassy Submittal Review 5 days
- iv. Work Begins Within 12 days of NTP
- v. Work shall be completed within 60 calendar days after NTP

8.3 Project Completion: Furnish one copy of maintenance and operating information, Contractor's one year workmanship guarantee and product literature of all items installed.

9.0 PROJECT SECURITY

9.1 The work to be performed under this contract requires that the Contractor, its employees and sub-contractors submit corporate, financial and personnel information for review by the Embassy. Information submitted by the Contractor will not be disclosed beyond the Embassy.

9.2 The Contractor shall submit personnel and vehicle information requirements within 7 days of the Notice to Proceed.

9.3 No Contractor worker may be present at the Embassy without proper identification and escorted by US Embassy personnel.

10.0 PAYMENTS

10.1 The Contractor shall provide a fixed priced lump sum proposal to the Contracting Officer. The Contractor may submit requests for progress payments at monthly intervals to cover the value of labor and materials completed to date. In making progress payments, there shall be retained 10% of the amount due until final completion.

10.2 The Contractor shall submit one copy of all payment invoices, with the appropriate backup documents to the COR. The COR will determine if the invoice is complete and proper as submitted. The COR also will determine if billed services have been satisfactorily performed and if expenses billed are correct. If it is determined that the amount billed is incorrect, the COR will within seven days, request the Contractor to submit a revised invoice.

10.3 The Contractor shall specifically identify his last invoice "Final Invoice." The Final invoice shall include the remaining payment claimed to be due under the basic contract and all modifications issued, if any. The final invoice shall also have the Contractor's Release of Claims Certificate attached.

SPECIFIC PROJECT CRITERIA

METAL STAIRS

I. PRODUCTS

1.1 GENERAL REQUIREMENTS

Submit complete and detailed fabrication drawings for all iron and steel shapes, plates, bars and strips used in accordance with the specifications referenced herein.

Pre-assemble items in the shop to the greatest extent possible. Disassemble units only to the extent necessary for shipping and handling. Clearly mark units for reassembly and coordinated installation.

For the fabrication of work exposed to view, use only materials that are smooth and free of surface blemishes, including pitting, seam marks, roller marks, rolled trade names, and roughness. Remove blemishes by grinding, or by welding and grinding, prior to cleaning, treating, and application of surface finishes, including zinc coatings.

1.2 STRUCTURAL STEEL PLATES, SHAPES AND BARS

Structural-size shapes and plates, conforming to ASTM A36/A36M, unless otherwise noted, except bent or cold-formed plates. Steel plates - bent or cold-formed, conforming to ASTM A283/A283M, Grade C.

1.3 STRUCTURAL STEEL TUBING

Structural steel tubing, hot-formed, welded or seamless, conforming to ASTM A500/A500M, Grade B, unless otherwise noted.

1.4 STEEL PIPE

Steel pipe conforming to ASTM A53/A53M, type as selected, Grade B; primed finish, unless galvanizing is required; standard weight (Schedule 40).

1.5 MASONRY ANCHORAGE DEVICES

Provide masonry anchorage devices consisting of expansion shields complying with AASHTO M 314, ASTM E488/E488M and ASTM C514 as follows:

- a. Lead expansion shields for machine screws and bolts 6 millimeter 1/4 inch and smaller; head-out embedded nut type, single unit class, Group I, Type 1, Class 1.
- b. Lead expansion shields for machine screws and bolts larger than 6 millimeter 1/4 inch in size; head-out embedded nut type, multiple unit class, Group I, Type 1, Class 2.

1.6 GENERAL FABRICATION

Prepare and submit metal stair system shop drawings with detailed plans and elevations at not less than 1 to 12 scale 1 inch to 1 foot with details of sections and connections at not less than 1 to 4 scale 3 inches to 1 foot. Also detail placement drawings, diagrams, templates for installation of anchorage, including but not limited to, concrete inserts, anchor bolts, and miscellaneous metal items having integral anchorage devices.

Use materials of size and thicknesses indicated or, if not indicated, of required size and thickness to produce adequate strength and durability in finished product for intended use. Work materials to dimensions indicated on approved detail drawings, using proven details of fabrication and support. Use type of materials indicated or specified for the various components of work.

Form exposed work true to line and level with accurate angles and surfaces and straight sharp edges. Ease exposed edges to a radius of approximately 0.8 millimeter 1/32 inch, and bend metal corners to the smallest radius possible without causing grain separation or otherwise impairing the work.

Continuously weld corners and seams in accordance with the recommendations of AWS D1.1/D1.1M. Grind smooth exposed welds and flush to match and blend with adjoining surfaces.

Form exposed connections with hairline joints that are flush and smooth, using concealed fasteners wherever possible. Use exposed fasteners of the type indicated or, if not indicated, use Phillips flathead (countersunk) screws or bolts.

Provide and coordinate anchorage of the type indicated with the supporting structure. Fabricate anchoring devices, space as indicated and required to provide adequate support for the intended use of the work.

Use hot-rolled steel bars for work fabricated from bar stock unless work is indicated or specified as fabricated from cold-finished or cold-rolled stock.

1.7 PROTECTIVE COATING

Shop prime steelwork with red oxide primer in accordance with SSPC Paint 25.

1.8 STEEL PAN STAIRS

1.8.1 General

Use welding for joining pieces together. Fabricate units so that bolts and other fastenings do not appear on finish surfaces. Make joints true and tight, and connections between parts lightproof tight. Grind smooth continuous welds where exposed.

Construct metal stair units to sizes and arrangements indicated to support a minimum live load of 500 kilogram per square meter 100 pounds per square foot. Provide framing, hangers, columns, struts, clips, brackets, bearing plates, and other components as required for the support of stairs and platforms.

1.8.2 Stair Framing

Fabricate stringers of structural steel channels, or plates, or a combination thereof as indicated. Provide closures for exposed ends of strings. Construct platforms of structural steel channel headers and miscellaneous framing members as indicated. Bolt headers to stringers and newels and framing members to stringers and headers.

1.8.3 Riser, Subtread, And Subplatform Metal Pans

Form metal pans of 1/8" thick structural steel sheets, conforming to ASTM A1011/A1011M, Grade 36. Shape pans to configuration indicated.

1.8.4 Steel Floor Plate Treads And Platforms

Fabricate platforms of steel floor plate to thickness indicated. Provide nosing that match treads at landings. Secure floor plates to platform framing members with welds.

II. EXECUTION

2.1 STEEL STAIRS

Provide anchor bolts, grating fasteners, washers, and all parts or devices necessary for proper installation. Provide lock washers under nuts.

2.2 FIELD WELDING

Execute procedures of manual shielded metal arc welding, appearance and quality of welds made, and methods used in correcting welding work in compliance with AWS D1.1/D1.1M

2.3 TOUCHUP PAINTING

Immediately after installation, clean all field welds, bolted connections, and abraded areas of the shop painted material, and repaint exposed areas with the same paint used for shop painting. Apply paint by brush or spray to provide a minimum dry-film thickness of 0.051 millimeter (2 mils).

METAL RAILINGS

I. PRODUCTS

1.1 FABRICATION

Pre-assemble items in the shop to the greatest extent possible. Disassemble units only to the extent necessary for shipping and handling. Clearly mark units for reassembly and coordinated installation.

For the fabrication of work exposed to view, use only materials that are smooth and free of surface blemishes, including pitting, seam marks, roller marks, rolled trade names, and roughness. Remove blemishes by grinding, or by welding and grinding, prior to cleaning, treating, and application of surface finishes, including zinc coatings.

Provide railings and handrails detail plans and elevations at not less than 1 to 12 scale 1-inch to 1-foot. Provide details of sections and connections at not less than 1 to 4 scale 3-inches to 1-foot. Also detail setting drawings, diagrams, templates for installation of anchorages, including concrete inserts, anchor bolts, and miscellaneous metal items having integral anchors.

Use materials of size and thicknesses indicated or, if not indicated, of required size and thickness to produce adequate strength and durability in finished product for intended use. Work materials to dimensions indicated on approved detail drawings, using proven details of

fabrication and support. Use type of materials indicated or specified for the various components of work.

Form exposed work true to line and level with accurate angles and surfaces and straight sharp edges. Ensure all exposed edges are eased to a radius of approximately 0.8 millimeter 1/32-inch. Bend metal corners to the smallest radius possible without causing grain separation or otherwise impairing the work.

Weld corners and seams continuously and in accordance with the recommendations of AWS D1.1/D1.1M. Grind exposed welds smooth and flush to match and blend with adjoining surfaces.

Form exposed connections with hairline joints that are flush and smooth, using concealed fasteners wherever possible. Use exposed fasteners of the type indicated or, if not indicated, use Phillips flathead (countersunk) screws or bolts.

Provide anchorage of the type indicated and coordinated with the supporting structure. Fabricate anchoring devices and space as indicated and as required to provide adequate support for the intended use of the work.

Use hot-rolled steel bars for work fabricated from bar stock unless work is indicated or specified to be fabricated from cold-finished or cold-rolled stock.

1.2 STEEL HANDRAILS

Fabricate joint posts, rail, and corners by the following method:
Mitered and welded joints made by fitting post to top rail and intermediate rail to post, mitering corners, groove welding joints, and grinding smooth. Butt railing splices and reinforce them by a tight fitting interior sleeve not less than 150 mm 6 inches long.

Railings may be bent at corners in lieu of jointing, provided bends are made in suitable jigs and the pipe is not crushed.

1.3 PROTECTIVE COATING

1.3.1 Prepare New Metal Surfaces

Ferrous Surfaces including Shop-coated Surfaces and Small Areas That Contain Rust, Mill Scale and Other Foreign Substances: Solvent clean or detergent wash in accordance with SSPC SP 1 to remove oil and grease.

Surfaces with more than 20 Percent Rust, Mill Scale, and Other Foreign Substances: Clean entire surface in accordance with SSPC SP 6 to remove all rust.

1.3.2 Coating Systems for Metal

- a. Apply specified ferrous metal primer on the same day that surface is cleaned, to surfaces that meet all specified surface preparation requirements at time of application.
- b. Inaccessible Surfaces: Prior to erection, use one coat of specified primer on metal surfaces that will be inaccessible after erection.

- c. Shop-primed Surfaces: Touch up exposed substrates and damaged coatings to protect from rusting prior to applying field primer.
- d. Exposed Nails, Screws, Fasteners, and Miscellaneous Ferrous Surfaces. On surfaces to be coated with water thinned coatings, spot prime exposed nails and other ferrous metal with latex primer MPI 107.

1.3.3 Ferrous Surface Paint Coatings

New Steel that has been hand or power tool cleaned to SSPC SP 2 or SSPC SP 3 1. Alkyd

New; MPI EXT 5.1Q-G5 (Semigloss) Existing; MPI REX 5.1D-G5

Primer: MPI 23 (Surface Tolerant Metal Primer)

Intermediate: MPI 94 (Exterior Alkyd, Semi-Gloss, MPI Gloss Level 5)

Topcoat: MPI 94 (Exterior Alkyd, Semi-Gloss, MPI Gloss Level 5)

System DFT: 131 microns 5.25 mils

1.4 COMPONENTS

1.4.1 Structural Steel Plates, Shapes and Bars

Provide structural-size shapes and plates, except plates to be bent or cold-formed, conforming to ASTM A36/A36M, unless otherwise noted. Provide steel plates, to be bent or cold-formed, conforming to ASTM A283/A283M, Grade C. Provide steel bars and bar-size shapes conforming to ASTM A36/A36M, unless otherwise noted.

1.4.2 Structural Steel Tubing

Provide structural steel tubing, hot-formed, welded or seamless, conforming to ASTM A500/A500M, Grade B, unless otherwise noted.

1.4.3 Masonry Anchorage Devices

Provide masonry anchorage devices consisting of expansion shields complying with AASHTO M 314, ASTM E488/E488M and ASTM C514 as follows:

Provide lead expansion shields for machine screws and bolts 6 millimeter 1/4-inch and smaller; head-out embedded nut type, single unit class, Group I, Type 1, Class 1.

Provide lead expansion shields for machine screws and bolts larger than 6 millimeter 1/4 inch in size; head-out embedded nut type, multiple unit class, Group I, Type 1, Class 2.

1.4.4 Steel Railings And Handrails

Designed handrails shall resist a concentrated load of 200 lbs in any direction at any point of the top of the rail or 50 lbs per foot applied horizontally to top of the rail, whichever is more severe. Provide the same size rail and post. Provide pipe collars of the same material and finish as the handrail and posts.

Provide steel handrails, including inserts in concrete, steel pipe conforming to ASTM A53/A53M or structural tubing conforming to ASTM A500/A500M, Grade A or B of equivalent strength. Provide steel railings of 1-1/2-inches nominal size, shop painted. Provide kickplates between railing posts where indicated, and consisting of 1/8-inch

cold rolled channels not less than 4-inches high. Secure kickplates to posts by tack welding them to each post.

II. EXECUTION

2.1 PREPARATION

Adjust stair railings and handrails prior to securing in place to ensure proper matching at butting joints and correct alignment throughout their length. Space posts not more than 8-feet on center. Plumb posts in each direction.

2.2 INSTALLATION

Install on masonry with expansion shields and bolts or toggle bolts. Use base plates bolted to stringers or structural steel frame work. Secure rail ends by steel pipe flanges anchored by expansion shields and bolts to structure wall.

2.3 TOUCHUP PAINTING

Immediately after installation, clean field welds, bolted connections, abraded areas of the shop paint, and exposed areas painted with the paint used for shop painting. Apply paint by brush or spray to provide a minimum dry-film thickness of 0.051 millimeter 2-mils.

--End of Section--

Section 2
RFQ SHO80016Q0024

**CLAUSES FOR PURCHASE ORDERS AND BLANKET PURCHASE AGREEMENTS AWARDED BY
OVERSEAS CONTRACTING ACTIVITIES
(Current thru FAC 2005-75-83)**

COMMERCIAL ITEMS

FAR 52.252-2 Clauses Incorporated By Reference (FEB 1998)

This purchase order or BPA incorporates the following clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <https://www.acquisition.gov/far>
DOSAR clauses may be accessed at: <http://www.statebuy.state.gov/dosar/dosartoc.htm>

FEDERAL ACQUISITION REGULATION (48 CFR Chapter 1) CLAUSES

| NUMBER | TITLE | DATE |
|-----------|--|----------|
| 52.204-9 | Personal Identity Verification of Contractor Personnel (if contractor requires physical access to a federally-controlled facility or access to a Federal information system) | JAN 2011 |
| 52.212-4 | Contract Terms and Conditions – Commercial Items (Alternate I (MAY 2014) of 52.212-4 applies if the order is time-and-materials or labor-hour) | MAY 2015 |
| 52.225-19 | Contractor Personnel in a Diplomatic or Consular Mission Outside the United States (applies to services at danger pay posts only) | MAR 2008 |
| | | |
| 52.227-19 | Commercial Computer Software License (if order is for software) | DEC 2007 |
| 52.228-3 | Workers' Compensation Insurance (Defense Base Act) (if order is for services and contractor employees are covered by Defense Base Act insurance) | JUL 2014 |
| 52.228-4 | Workers' Compensation and War-Hazard Insurance (if order is for services and contractor employees are <u>not</u> covered by Defense Base Act insurance) | APR 1984 |

The following clause is provided in full text:

52.212-5 CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS – COMMERCIAL ITEMS (MAY 2015)

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

(1) 52.209-10, Prohibition on Contracting with Inverted Domestic Corporations (Dec 2014)

(2) 52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).

(3) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004)(Public Laws 108-77 and 108-78 (19 U.S.C. 3805 note)).

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

[Contracting Officer check as appropriate.]

- __ (1) 52.203-6, Restrictions on Subcontractor Sales to the Government (Sept 2006), with Alternate I (Oct 1995) (41 U.S.C. 4704 and 10 U.S.C. 2402).
- __ (2) 52.203-13, Contractor Code of Business Ethics and Conduct (Apr 2010) (41 U.S.C. 3509)).
- __ (3) 52.203-15, Whistleblower Protections under the American Recovery and Reinvestment Act of 2009 (June 2010) (Section 1553 of Pub. L. 111-5). (Applies to contracts funded by the American Recovery and Reinvestment Act of 2009.)
- _X_ (4) 52.204-10, Reporting Executive Compensation and First-Tier Subcontract Awards (Jul 2013) (Pub. L. 109-282) (31 U.S.C. 6101 note).
- __ (5) [Reserved].
- __ (6) 52.204-14, Service Contract Reporting Requirements (Jan 2014) (Pub. L. 111-117, section 743 of Div. C).
- __ (7) 52.204-15, Service Contract Reporting Requirements for Indefinite-Delivery Contracts (Jan 2014) (Pub. L. 111-117, section 743 of Div. C).
- _X_ (8) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment. (Aug 2013) (31 U.S.C. 6101 note).
- __ (9) 52.209-9, Updates of Publicly Available Information Regarding Responsibility Matters (Jul 2013) (41 U.S.C. 2313).
- __ (10) [Reserved].
- __ (11)(i) 52.219-3, Notice of HUBZone Set-Aside or Sole-Source Award (Nov 2011) (15 U.S.C. 657a).
- __ (ii) Alternate I (Nov 2011) of 52.219-3.
- __ (12)(i) 52.219-4, Notice of Price Evaluation Preference for HUBZone Small Business Concerns (OCT 2014) (if the offeror elects to waive the preference, it shall so indicate in its offer) (15 U.S.C. 657a).
- __ (ii) Alternate I (JAN 2011) of 52.219-4.
- __ (13) [Reserved]
- __ (14)(i) 52.219-6, Notice of Total Small Business Set-Aside (Nov 2011) (15 U.S.C. 644).
- __ (ii) Alternate I (Nov 2011).
- __ (iii) Alternate II (Nov 2011).
- __ (15)(i) 52.219-7, Notice of Partial Small Business Set-Aside (June 2003) (15 U.S.C. 644).
- __ (ii) Alternate I (Oct 1995) of 52.219-7.
- __ (iii) Alternate II (Mar 2004) of 52.219-7.
- __ (16) 52.219-8, Utilization of Small Business Concerns (Oct 2014) (15 U.S.C. 637(d)(2) and (3)).
- __ (17)(i) 52.219-9, Small Business Subcontracting Plan (Oct 2014) (15 U.S.C. 637(d)(4)).
- __ (ii) Alternate I (Oct 2001) of 52.219-9.
- __ (iii) Alternate II (Oct 2001) of 52.219-9.
- __ (iv) Alternate III (Oct 2014) of 52.219-9.
- __ (18) 52.219-13, Notice of Set-Aside of Orders (Nov 2011)(15 U.S.C. 644(r)).
- __ (19) 52.219-14, Limitations on Subcontracting (Nov 2011) (15 U.S.C. 637(a)(14)).
- __ (20) 52.219-16, Liquidated Damages-Subcontracting Plan (Jan 1999) (15 U.S.C. 637(d)(4)(F)(i)).
- __ (21) 52.219-27, Notice of Service-Disabled Veteran-Owned Small Business Set-Aside (Nov 2011) (15 U.S.C. 657 f).
- __ (22) 52.219-28, Post Award Small Business Program Rerepresentation (Jul 2013) (15 U.S.C. 632(a)(2)).
- __ (23) 52.219-29, Notice of Set-Aside for Economically Disadvantaged Women-Owned Small Business (EDWOSB) Concerns (Jul 2013) (15 U.S.C. 637(m)).
- __ (24) 52.219-30, Notice of Set-Aside for Women-Owned Small Business (WOSB) Concerns Eligible Under the WOSB Program (Jul 2013) (15 U.S.C. 637(m)).
- _X_ (25) 52.222-3, Convict Labor (June 2003) (E.O. 11755).
- __ (26) 52.222-19, Child Labor-Cooperation with Authorities and Remedies (Jan 2014) (E.O. 13126).
- __ (27) 52.222-21, Prohibition of Segregated Facilities (Apr 2015).
- __ (28) 52.222-26, Equal Opportunity (Apr 2015) (E.O. 11246).
- __ (29) 52.222-35, Equal Opportunity for Veterans (Jul 2014)(38 U.S.C. 4212).
- __ (30) 52.222-36, Equal Opportunity for Workers with Disabilities (Jul 2014) (29 U.S.C. 793).

- __ (31) 52.222-37, Employment Reports on Veterans (JUL 2014) (38 U.S.C. 4212).
- __ (32) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496).
- X (33)(i) 52.222-50, Combating Trafficking in Persons (Mar 2015) (22 U.S.C. chapter 78 and E.O. 13627).
 - __ (ii) Alternate I (Mar 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O. 13627).
- __ (34) 52.222-54, Employment Eligibility Verification (AUG 2013). (Executive Order 12989). (Not applicable to the acquisition of commercially available off-the-shelf items or certain other types of commercial items as prescribed in 22.1803.)
- __ (35)(i) 52.223-9, Estimate of Percentage of Recovered Material Content for EPA–Designated Items (May 2008) (42 U.S.C. 6962(c)(3)(A)(ii)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
 - __ (ii) Alternate I (May 2008) of 52.223-9 (42 U.S.C. 6962(i)(2)(C)). (Not applicable to the acquisition of commercially available off-the-shelf items.)
- __ (36)(i) 52.223-13, Acquisition of EPEAT®-Registered Imaging Equipment (JUN 2014) (E.O.s 13423 and 13514).
 - __ (ii) Alternate I (Jun 2014) of 52.223-13.
- __ (37)(i) 52.223-14, Acquisition of EPEAT®-Registered Televisions (JUN 2014) (E.O.s 13423 and 13514).
 - __ (ii) Alternate I (Jun 2014) of 52.223-14.
- __ (38) 52.223-15, Energy Efficiency in Energy-Consuming Products (DEC 2007) (42 U.S.C. 8259b).
- __ (39)(i) 52.223-16, Acquisition of EPEAT®-Registered Personal Computer Products (JUN 2014) (E.O.s 13423 and 13514).
 - __ (ii) Alternate I (Jun 2014) of 52.223-16.
- X (40) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging While Driving (AUG 2011) (E.O. 13513).
- __ (41) 52.225-1, Buy American-Supplies (May 2014) (41 U.S.C. chapter 83).
- __ (42)(i) 52.225-3, Buy American-Free Trade Agreements-Israeli Trade Act (May 2014) (41 U.S.C. chapter 83, 19 U.S.C. 3301 note, 19 U.S.C. 2112 note, 19 U.S.C. 3805 note, 19 U.S.C. 4001 note, Pub. L. 103-182, 108-77, 108-78, 108-286, 108-302, 109-53, 109-169, 109-283, 110-138, 112-41, 112-42, and 112-43).
 - __ (ii) Alternate I (May 2014) of 52.225-3.
 - __ (iii) Alternate II (May 2014) of 52.225-3.
 - __ (iv) Alternate III (May 2014) of 52.225-3.
- __ (43) 52.225-5, Trade Agreements (NOV 2013) (19 U.S.C. 2501, et seq., 19 U.S.C. 3301 note).
- __ (44) 52.225-13, Restrictions on Certain Foreign Purchases (June 2008) (E.O.'s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
- __ (45) 52.225-26, Contractors Performing Private Security Functions Outside the United States (Jul 2013) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. 2302 Note).
- __ (46) 52.226-4, Notice of Disaster or Emergency Area Set-Aside (Nov 2007) (42 U.S.C. 5150).
- __ (47) 52.226-5, Restrictions on Subcontracting Outside Disaster or Emergency Area (Nov 2007) (42 U.S.C. 5150).
- X (48) 52.232-29, Terms for Financing of Purchases of Commercial Items (Feb 2002) (41 U.S.C. 4505, 10 U.S.C. 2307(f)).
- __ (49) 52.232-30, Installment Payments for Commercial Items (Oct 1995) (41 U.S.C. 4505, 10 U.S.C. 2307(f)).
- X (50) 52.232-33, Payment by Electronic Funds Transfer-System for Award Management (Jul 2013) (31 U.S.C. 3332).
- __ (51) 52.232-34, Payment by Electronic Funds Transfer-Other than System for Award Management (Jul 2013) (31 U.S.C. 3332).
- __ (52) 52.232-36, Payment by Third Party (May 2014) (31 U.S.C. 3332).
- __ (53) 52.239-1, Privacy or Security Safeguards (Aug 1996) (5 U.S.C. 552a).

___ (54)(i) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631).

___ (ii) Alternate I (Apr 2003) of 52.247-64.

(c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

[Contracting Officer check as appropriate.]

___ (1) 52.222-17, Nondisplacement of Qualified Workers (May 2014)(E.O. 13495).

___ (2) 52.222-41, Service Contract Labor Standards (May 2014) (41 U.S.C. chapter 67).

___ (3) 52.222-42, Statement of Equivalent Rates for Federal Hires (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).

___ (4) 52.222-43, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (Multiple Year and Option Contracts) (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).

___ (5) 52.222-44, Fair Labor Standards Act and Service Contract Labor Standards-Price Adjustment (May 2014) (29 U.S.C. 206 and 41 U.S.C. chapter 67).

___ (6) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) (41 U.S.C. chapter 67).

___ (7) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (May 2014) (41 U.S.C. chapter 67).

___ (8) 52.222-55, Minimum Wages Under Executive Order 13658 (Dec 2014)(E.O. 13658).

___ (9) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (May 2014) (42 U.S.C. 1792).

___ (10) 52.237-11, Accepting and Dispensing of \$1 Coin (Sept 2008) (31 U.S.C. 5112(p)(1)).

(d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records-Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e)(1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause-

(i) 52.203-13, Contractor Code of Business Ethics and Conduct (Apr 2010) (41 U.S.C. 3509).

(ii) 52.219-8, Utilization of Small Business Concerns (Oct 2014) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$650,000 (\$1.5 million for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(iii) 52.222-17, Nondisplacement of Qualified Workers (May 2014) (E.O. 13495). Flow down required in accordance with paragraph (l) of FAR clause 52.222-17.

(iv) 52.222-21, Prohibition of Segregated Facilities (Apr 2015)

- (v) 52.222-26, Equal Opportunity (Apr 2015) (E.O. 11246).
 - (vi) 52.222-35, Equal Opportunity for Veterans (Jul 2014) (38 U.S.C. 4212).
 - (vii) 52.222-36, Equal Opportunity for Workers with Disabilities (Jul 2014) (29 U.S.C. 793).
 - (viii) 52.222-37, Employment Reports on Veterans (Jul 2014) (38 U.S.C. 4212)
 - (ix) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (Dec 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause 52.222-40.
 - (x) 52.222-41, Service Contract Labor Standards (May 2014) (41 U.S.C. chapter 67).
 - (xi)
 - __ (A) 52.222-50, Combating Trafficking in Persons (Mar 2015) (22 U.S.C. chapter 78 and E.O 13627).
 - __ (B) Alternate I (Mar 2015) of 52.222-50 (22 U.S.C. chapter 78 and E.O 13627).
 - (xii) 52.222-51, Exemption from Application of the Service Contract Labor Standards to Contracts for Maintenance, Calibration, or Repair of Certain Equipment-Requirements (May 2014) (41 U.S.C. chapter 67).
 - (xiii) 52.222-53, Exemption from Application of the Service Contract Labor Standards to Contracts for Certain Services-Requirements (May 2014) (41 U.S.C. chapter 67).
 - (xiv) 52.222-54, Employment Eligibility Verification (AUG 2013).
 - (xv) 52.222-55, Minimum Wages Under Executive Order 13658 (Dec 2014) (Executive Order 13658).
 - (xvi) 52.225-26, Contractors Performing Private Security Functions Outside the United States (Jul 2013) (Section 862, as amended, of the National Defense Authorization Act for Fiscal Year 2008; 10 U.S.C. 2302 Note).
 - (xvii) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (May 2014) (42 U.S.C. 1792). Flow down required in accordance with paragraph (e) of FAR clause 52.226-6.
 - (xviii) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (Feb 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.
- (2) While not required, the contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.
- (End of clause)

DEPARTMENT OF STATE ACQUISITION REGULATION (48 CFR Chapter 6) CLAUSES

| NUMBER | TITLE | DATE |
|------------|---|----------|
| 652.225-71 | Section 8(a) of the Export Administration Act of 1979, As Amended (if order exceeds simplified acquisition threshold) | AUG 1999 |
| 652.229-70 | Excise Tax Exemption Statement for Contractors Within the United States (for supplies to be delivered to an overseas post) | JUL 1988 |
| 652.229-71 | Personal Property Disposition at Posts Abroad | AUG 1999 |
| 652.237-72 | Observance of Legal Holidays and Administrative Leave (for services where performance will be on-site in a Department of State facility) | APR 2004 |
| 652.239-71 | Security Requirements for Unclassified Information Technology Resources (for orders that include information technology resources or services in which the contractor will have physical or electronic access to Department information that directly supports the mission of the Department) | SEP 2007 |
| 652.242-70 | Contracting Officer's Representative (if a COR will be named for the order) Fill-in for paragraph b: "The COR is INL Program Assistant " | AUG 1999 |
| 652.242-71 | Notice of Shipments (for overseas shipment of supplies) | JUL 1988 |
| 652.242-73 | Authorization and Performance | AUG 1999 |

The following clause is provided in full text, and is applicable for orders for services that will require contractor employees to perform on-site at a DOS location and/or that require contractor employees to have access to DOS information systems:

652.204-70 Department of State Personal Identification Card Issuance Procedures (MAY 2011)

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor's employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm>.

Section 3
RFQ SHO80016Q0024
SUMMARY OF INSTRUCTIONS

Each offer must consist of the following:

Information demonstrating the offeror's/quoter's ability to perform, including:

- (1) Complete the first page of the **Standard Form 18 (pg.1)**. The name, address and telephone number of the offeror. Include the point of contact and prices for all the items described in every line item from SF-18 page 2. SF-18 is the form after the letter
- (2) Evidence that the offeror/quoter has all licenses and permits required by local including; Permiso de Operación , RTN (current)
- (3) A complete description of the items offered in sufficient detail to evaluate compliance with the requirements of the solicitation.
- (4) Acknowledgment of solicitation amendments.
- (5) Past performance information, to include recent and relevant contracts for the same or similar items and other references (including contract numbers, points of contact with telephone numbers and other relevant information

52.214-34 Submission of Offers in the English Language (APR 1991)

Offers submitted in response to this solicitation shall be in the English language. Offers received in other than English shall be rejected.

Section 4
RFQ SHO80016Q0024
EVALUATION FACTORS

- The Government intends to award a Purchase Order resulting from this RFQ to the lowest priced, technically acceptable offeror who is a responsible Contractor. Offeror must submit all the information stated in **SUMMARY OF INSTRUCTIONS**.
- The Government reserves the right to reject incomplete proposals, and proposals that are unreasonably low or high in price.
- Offers received after the date and the time established on the **SF-18** will not be considered.
- The Government will determine quoter responsibility by analyzing whether the apparent successful quoter complies with the requirements of FAR 9.1, including:
 - ✓ Adequate financial resources or the ability to obtain them;
 - ✓ Ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;
 - ✓ Satisfactory record of integrity and business ethics;
 - ✓ Necessary organization, experience, and skills or the ability to obtain them;
 - ✓ Necessary equipment and facilities or the ability to obtain them; and
be otherwise qualified and eligible to receive an award under applicable laws and regulations.


Section 5
Attachments

1. 2016 Handrail Detail
2. 2016 Mango Garden handrail detail
3. 2016 OBC Mango Garden handrail
4. 2016 OBC Rose Garden handrail
5. 2016 Cistern stair layout
6. 2016 Cistern stair
7. 2016 stairs 1 Warehouse
8. 2016 Stairs 2 and handrails Warehouse
9. 2016 Stairs detail Warehouse

Detalle típico de Pasamanos


TUBO DE HIERRO NEGRO DE 1-1/2"

Attachment 1




NOTAS

1. Utilizar tubo de hierro negro sch 40 pintado con anticorrosivo y pintura esmalte o utilizar tubo galvanizado sch 40
2. Proveer apoyos de pasamanos en losa o sobre pared de apoyo con placa empernada



SIDE VIEW

MANGO GARDEN HANDRAIL DETAIL



TOP VIEW

MANGO GARDEN HANDRAIL TO BE FABRICATED PER ATTACHED DETAIL

MANGO GARDEN HANDRAIL


CHANCERY COURTYARD

Rose Garden Handrail

Fabricate and Install Handrail per detail drawing

19.70


23.90




CISTERN STAIR EMBASSY COMPOUND

NOTAS

1. Altura de muro de cisterna aproximadamente 1.75m. Usar 9 contrahuellas de 0.19m de alto cada una.
2. Altura entre descanso y losa de cisterna es aproximadamente 0.65m. Usar 3 contrahuellas de 0.21m de alto cada una.
3. fabricar pasamanos de grada según detalle de pasamanos




Detalle de grada en cisterna




NOTAS


1. Gradass de 19.05cm (7-1/2") de altura de contrahuella
2. Gradass de 1.20m (4ft) de ancho y 25cm (10") de profundo
3. Utilizar lamina anti-derrapante de 1/8" de grosor para construir los pasos,
4. Utilizar canaleta estructural galvanizada de 10" ó 2 tubos estructurales de 2"x6" CHAPA 16 para larguero de gradass
5. Utilizar Tubo estructural de 4"x4" CHAPA 14 para columnas
6. El descanso de la grada no debe apoyar en la pared de la cisterna

Nuevas Gradadas Metalicas 1





Detalle típico de gradas 1 & 2



NOTAS

1. Gradas de 19.05cm (7-1/2") de altura de contrahuella
2. Gradas de 1.50m (5ft) de ancho y 25cm (10") de profundo
3. Utilizar lamina anti-derrapante de 1/8" de grosor para construir los pasos,
4. Utilizar canaleta estructural galvanizada de 10" ó 2 tubos estructurales de 2"x6" CHAPA 16 para larguero de gradas
5. Utilizar Tubo estructural de 4"x4" CHAPA 14 para columnas