



*American Embassy  
Chanakyapuri, New Delhi-110021  
Phone No. 91-11-24198473  
Fax No. 91-11-24198278*

**Solicitation No. S-IN650-13-Q-0049**

**Date: April 26, 2013**

**Name & address of Offeror**

**Issued by: ADM/GSO/Contracting**

You are invited to submit your lowest prices for the listed services, no later than 1200 hours on May 13, 2013. The offeror shall submit their bid via email at [newdelhibids@state.gov](mailto:newdelhibids@state.gov). GSO/Procurement & Contracting shall provide additional information and/or clarifications concerning this solicitation.

**Services - Description**

1. Supply plumbing hardware as per list (1 thru 87) enclosed as Annexure-A.

<b>Commodity</b>	:	<b>Rs.</b> _____
<b>VAT /CST</b>	:	<b>Rs.</b> _____
<b>Freight &amp; Unloading</b>	:	<b>Rs.</b> _____
<b>Total Amount</b>	:	<b>Rs.</b> _____

2. In order to enable the Government to claim VAT refunds, the offerors shall indicate VAT separately. If VAT is indicated separately, the contractor shall furnish tax invoices in accordance with Delhi VAT regulations.
3. **Period of Delivery: Delivery within 30days of receipt of the confirm order.**
4. This purchase shall be bound by the FAR & DOSAR clauses enclosed as Annexure-B. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://www.acqnet.gov/far>

DOSAR clauses may be accessed at: <http://www.statebuy.state.gov/dosar/dosartoc.htm>

➤ **Important:** The Embassy reserves the right to reject any or all offers and to delete any portion/or items of the solicitation. Your offer should be valid for at least 90 days from the submission date. Once the Purchase Order is awarded the prices shall hold good till the order is 100% fulfilled. Award will be made to the **“technically acceptable lowest offer”**. The U. S. Govt. reserves the right to reject any offer which is very low or high.

Name of the Offeror \_\_\_\_\_  
Signature \_\_\_\_\_ Dated \_\_\_\_\_  
Telephone # \_\_\_\_\_  
Fax # \_\_\_\_\_

Sincerely  
  
Steven M. Kenoyer  
Contracting Officer

Annexure-A.

S.NO.	DESCRIPTION	Qty.	Unit	unit price	EX. PRICE
1	Pipe G.I. 2" Class C	160	FT		
2	Elbow G.I. 2", 90 degree,	5	ea		
3	Socket G.I. 2"	10	ea		
4	Tee - 2" G.I.	15	ea		
5	Union - 2" G.I.	10	ea		
6	Ball Valve - 2", Brass	10	ea		
7	Plug - 2" Square Head G.I.	2	ea		
8	R.Tee - 2"X1" G.I.	6	ea		
9	Elbow 2"X1-1/2"	2	ea		
10	R.Socket- 2"X1" G.I.	2	ea		
11	Nipple2"X6" GI MADE OF 'C' CLASS	20	ea		
12	Nipple 2"X4" GI MADE OF 'C' CLASS	20	ea		
13	Hex Nipple 2"	8	ea		
14	Pipe G.I. 1 1/2" Class C	160	ft		
15	Elbow G.I. 1 1/2", 90 degree,	25	ea		
16	Socket G.I. 1 1/2"	25	ea		
17	Tee - 1 1/2" G.I.	8	ea		
18	Union - 1 1/2" G.I.	10	ea		
19	Ball Valve - 1 1/2", Brass	2	ea		
20	Plug - 1 1/2" Square Head G.I.	2	ea		
21	R.Tee - 1 1/2"X1" G.I.	2	ea		
22	Plug - 1 1/2" Square Head G.I.	2	ea		
23	Bush 1 1/2"X1" HEAVY DUTY	2	ea		
24	Check valve 1-1/2" LEADER	2	ea		
25	Nipple 1-1/2"X6" GI MADE OF 'C' CLASS	20	ea		
26	Nipple 1-1/2"X4" GI MADE OF 'C' CLASS	20	ea		
27	Hex Nipple 1 1/2"	20	ea		
28	Pipe 1" G.I. 'C' CLASS TATA	360	ft		
29	Elbow 1" GI	35	ea		
30	TEE 1" GI	10	ea		
31	Union 1"GI	30	ea		
32	Socket 1"GI	40	ea		
33	Ball Valve 1" BRASS (LEADER)	13	ea		
34	R.Socket- 1"X3/4" G.I.	6	ea		
35	Nipple 1"X6" GI MADE OF 'C' CLASS	30	ea		
36	Nipple 1"X4" GI MADE OF 'C' CLASS	30	ea		
37	Hex Nipple 1"	10	ea		
38	R. Elbow 1"X 1/2"	12	ea		
39	Plug 1" Square Head G.I.	4	ea		
40	Check valve 1" (LEADER)	2	ea		

41	Thread Seal (CHAMPION)	300	ea		
42	Old Dhoti	20	ea		
43	Gloves Cotton	20	ea		
44	Dash Fastner Dia- 1/2", Length - 3"	100	ea		

45	CPVC PIPE 2-1/2" 80 SCH	600	ft		
46	CPVC ELBOW 2 1/2" 80 SCH	24	ea		
47	CPVC BUSH 2-1/2" X 1" 80 SCH	6	ea		
48	COUPLING 2-1/2 " 80 SCH	60	ea		
49	CPVC 2-1/2"X2" BUSH 80 SCH	10	ea		
50	CPVC 2-1/2"X 1-1/2" BUSH 80 SCH	6	ea		
51	CPVC TEE 2-1/2" 80 SCH	20	ea		
52	CPVC UNION 2-1/2" 80 SCH	25	ea		
53	MALE ADAPTER(PVC THREAD) 2 1/2"	20	ea		
54	MALE ADAPTER(BRASS THREAD) 2 1/2"	12	ea		
55	FEMALE ADAPTER (PVC THREAD) 2 1/2"	20	ea		
56	FEMALE ADAPTER (BRASS THREAD) 2 1/2"	12	ea		
57	BALL VALVE 2"	6	ea		
58	CAP END 2 1/2"	5	ea		
59	ELBOW 80 SCH 45 DEGREE 2 1/2"	5	ea		
60	ADHESIVE SOLUTION (YELLOW)	4	ltr		
61	CPVC PIPE 2" 80 SCH	60	ft		
62	CPVC ELBOW 2 " 80 SCH	10	ea		
63	CPVC BUSH 2" X 1" 80 SCH	5	ea		
64	CPVC UNION 2" 80 SCH	10	ea		
65	CPVC COUPLING 2"	10	ea		
66	VANSTONE FLANGE 80 SCH 2-1/2"	15	pair		
67	BUTER FLY VALVE 2-1/2"	8	ea		
68	MALE ADAPTER(PVC THREAD) 2"	15	ea		
69	MALE ADAPTER(BRASS THREAD) 2"	15	ea		
70	FEMALE ADAPTER (PVCTHREAD) 2"	15	ea		
71	FEMALE ADAPTER (BRASS THREAD) 2"	15	ea		
72	PRIMER P70	4	ltr		
73	CPVC PIPE 1 1/2" 80sch	40	ft		

74	SEAT AND HEAVY U; ; CLAMP	200	ea		
75	CPVC ELBOW 1 1/2" 80 SCH	8	ea		
76	CPVC BUSH 1-1/2" X 1" 80 SCH	6	ea		
77	COUPLING 1-1/2 " 80 SCH	10	ea		
78	CPVC UNION 1-1/2" 80 SCH	6	ea		
79	MALE ADAPTER(PVC THREAD) 1 1/2"	10	ea		
80	FEMALE ADAPTER (BRASS THREAD) 1 1/2"	10	ea		
81	CPVC PIPE 1" 80sch	20	ea		
82	CPVC ELBOW 1" 80 SCH	10	ea		
83	COUPLING 1" 80 SCH	10	ea		
84	CPVC UNION 1" 80 SCH	10	ea		
85	MALE ADAPTER(PVC THREAD) 1"	10	ea		
86	FEMALE ADAPTER (PVC THREAD) 1"	10	ea		
87	TANK CONNECTOR 2 1/2" CPVC	8	ea		
				<b>Total Rs.</b>	
				<b>VAT /CST: Rs</b>	
				<b>Freight &amp; Unloading: Rs.</b>	
				<b>Total Amount: Rs.</b>	

**Specifications of CPVC & GI pipe National sanitation foundation (NSF) & Bureau of Indian standards (BIS)**

**STANDARDS & SPECIFICATION:**

Standard Specification for Rigid poly (Vinyl Chloride (PVC) Compounds & Chlorinated poly (Vinyl Chloride (CPVC) Compounds.

Specification for Chlorinated poly (Vinyl Chloride) CPVC plastic Hot & Cold water Distribution systems.

Underground installation of Thermoplastic pipes.

Standard Specification for Chlorinated poly (Vinyl Chloride (CPVC) plastic pipe SCH 80

Pipes & fittings made from CPVC shall be clearly marked with the manufacturer's trade mark material designation SDR -11 & SCH80

	Temperature C	Pressure rating	
		PSI	Kg/Cm2
SDR 11	23	400	28.1
SDR 11	82	100	7.00
SCH 80	23	420	29.53

The pressure rating varies with schedule pipe size & temperature.

The CPVC Design stress of 2000 PSI & maximum service temperature up to 93 C

**SOLVENT CEMENTS PROVIDE THE FOLLING**

High Quality Performance with excellent installation properties.

NSF, UPC & /OR CSA Listed.

NSF approved IPS weld on solvent cement for reliable & leak proof joints between cpvc pipes & fittings.

**TRENCHING**

The Following trenching should be used to protect the piping system

1. The trench should be excavated to ensure the sides will be stable under all working conditions.
2. The trench should be wide enough to provide adequate room for the following:
  - A. Joining the pipe in the trench.
  - B. Snaking the pipe from side or side to compensate for expansion & contraction.
  - C. Filling & compacting the side fills.

The space between the pipe & trench wall must be wider than the compaction equipment used in the compaction of the backfill. Minimum width shall not be less than the greater of either the pipe outside diameter plus 16 inch or the pipe outside diameter times 1.25 plus 12 inches.

3.The trench bottom should be smooth , free of rocks & debris, continuous & provide the support if ledge rock, hardpan or large boulders are encountered, the trench bottom should be padded with bedding of compacted granular material to a thickness of at least 4 inches

**Galvanized pipes are synonymous with excellence in quality and product**

**features:- Manufacturer's 'C' class Tata, Zenith, Jindal, Lloyds, Etc.**

**G.I. Fitting ISI having Unik, Kirti, M.G.and etc Product Features**

Galvanized pipes are synonymous with excellence in quality and product features:-

- Higher durability and longevity
- Weld consistency and integrity
- Amenable to rigorous fabrication
- Superior finish and anti - rust coating
- Greater resistance to corrosion
- Superior bend ability, ease of cutting and threading
- Strict adherence to quality standards
- **Features:**
  - Flexible
  - Durable
  - Corrosion resistant

- Long-term corrosion resistance
- Exhibits high metallurgical properties

**Technical Specifications:**

- **Class & Thickness:** C Class
- **Specification :** IS 1239
- **Manufacturer:** Tata, Zenith, Jindal, Lloyds, Etc.
- **Material:** G. I.
- **Class & Thickness:** 4.85 mm To 12.7 mm Thk.
- **Specification:** IS 3589 (Fe 330, Fe 410)

**Galvanized Iron Pipes (GI)**

These pipes are widely used for conveying raw water & distribution of treated. Water in majority water supply schemes, where the requirement of water is less. Mostly medium quality GI pipes are used. These pipes are manufactured conforming to IS-1239 (pt-I) 1990. Generally screwed & Socketed pipes are used.

**Indian Standards**

1. Indian Standards: Specification IS: 1239 (Part-I) 1990 (Light, Medium & Heavy Series) Black galvanized, screwed and socketed up to 100 mm NB all series, 125 & 150 mm NB.

**British Standards**

1. British Standards: Specification BS: 1387-1985 (Light, Medium & Heavy Series) black & galvanized, screwed and socketed up to 100 mm NB all series, 125 & 150 mm NB.

**Note :**

- 1) IS : 1239 & BS : 1387 covers sizes upto sizes upto 100 mm NB all series, heavy series, Screwed and Socketed ends.
- 2) Hydro test Pressure - 5 MPa (IS: 1161 Hydro Test not required)

Nominal Bore in mm	Outside Diameter in Mm		Thickness in mm	Mass of Screwed & Socketted tube.(kg/m)
	Maximum	Minimum		
15mm	21.8	21.0	2.6	1.22
20mm	27.3	26.5	2.6	1.57
25 mm	34.2	33.3	3.2	2.43
32 mm	42.9	42.0	3.2	3.13
40 mm	48.8	47.90	3.2	3.60
50 mm	60.8	59.7	3.6	5.10
65 mm	76.6	75.3	3.6	6.54
80mm	89.5	88.0	4.0	8.53
100mm	115.0	113.10	4.5	12.50
125mm	140.8	138.5	4.8	16.40
150mm	166.50	163.90	4.80	19.50

## BASIC PHYSICAL PROPERTIES



PROPERTY	TEST	CONDITION	ENGLISH UNITS	SI UNITS
<b>GENERAL</b>				
• Specific Gravity	ASTM D792	73°F / 23°C	1.55 g/cm <sup>3</sup>	1.55 g/cm <sup>3</sup>
• Specific Volume		73°F / 23°C	0.645 cm <sup>3</sup> /g	0.645 cm <sup>3</sup> /g
• Water Absorption	ASTM D570	73°F / 23°C	+0.03%	+0.03%
		212°F/100°C	+0.55%	+0.55%
• Rockwell Hardness	ASTM D785	73°F / 23°C	119	
• Cell class	ASTM D1784		23447-B	
<b>MECHANICAL</b>				
• Izod Impact	ASTM D256	73°F / 23°C	1.5 ft lbs/in o.n	80 J/m o.n.
• Tensile Strength	ASTM D638	73°F / 23°C	8000 psi	55 N/mm <sup>2</sup>
• Tensile Modulus	ASTM D638	73°F / 23°C	360,000 psi	2500 N/mm <sup>2</sup>
• Flexural Strength	ASTM D790	73°F / 23°C	15,100 psi	104 N/mm <sup>2</sup>
• Flexural Modulus	ASTM D790	73°F / 23°C	415,000 psi	2860 N/mm <sup>2</sup>
• Compressive Strength	ASTM D695	73°F / 23°C	10,100 psi	70 N/mm <sup>2</sup>
• Compressive Modulus	ASTM D695	73°F / 23°C	196,000 psi	1350 N/mm <sup>2</sup>
<b>THERMAL</b>				
• Coefficient of Thermal Expansion	ASTM D696		3.4x10 <sup>-5</sup> in/in <sup>2</sup> /F	6.3x10 <sup>-5</sup> m/m <sup>2</sup> /K
• Thermal Conductivity	ASTM C177		0.95 BTU in/hr/ft <sup>2</sup> /F	0.14 Wm <sup>2</sup> /K/m <sup>2</sup>
• Heat Distortion Temperature	ASTM D638		217°F	103°C
• Heat Capacity	DSC	73°F / 23°C	0.21 BTU/lb°F	0.90 J/g <sup>o</sup> K
		212°F / 100°C	0.26 BTU/lb°F	1.10 J/g <sup>o</sup> K
<b>FLAMMABILITY</b>				
• Flammability Rating	UL 94	0.062 in/0.157 cm	V-0, 5VB, 5VA	
• Flame Spread	ASTM E84		15	
• Smoke Developed	ASTM E84		70-125	
• Limiting Oxygen Index	ASTM D2863		80%	
<b>ELECTRICAL</b>				
• Dielectric Strength	ASTM D147		1250 V/mil	492,000 V/cm
• Dielectric Constant	ASTM D150	60 Hz, 30°F/-1°C	3.70	± 3.70
• Volume Resistivity	ASTM D149	1000 Hz	0.0078	0.0078

Annexure-B  
**CLAUSES FOR PURCHASE ORDERS AND BLANKET PURCHASE AGREEMENTS AWARDED BY  
OVERSEAS CONTRACTING ACTIVITIES  
(Current thru FAC 2005-55)**

**COMMERCIAL ITEMS**

**FAR 52.252-2 Clauses Incorporated By Reference (FEB 1998)**

This purchase order or BPA incorporates the following clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <https://www.acquisition.gov/far>

DOSAR clauses may be accessed at: <http://www.statebuy.state.gov/dosar/dosartoc.htm>

**FEDERAL ACQUISITION REGULATION (48 CFR Chapter 1) CLAUSES**

NUMBER	TITLE	DATE
52.204-9	Personal Identity Verification of Contractor Personnel (if contractor requires physical access to a federally-controlled facility or access to a Federal information system)	JAN 2011
52.212-4	Contract Terms and Conditions – Commercial Items (Alternate I (OCT 2008) of 52.212-4 applies if the order is time-and-materials or labor-hour)	Feb 2012
52.225-19	Contractor Personnel in a Diplomatic or Consular Mission Outside the United States (applies to services at danger pay posts only)	MAR 2008
52.225-25	Prohibition on Contracting with Entities Engaging in Sanctioned Activities Relating to Iran – Representation and Certification (applies to acquisitions above the micropurchase threshold)	NOV 2011
52.227-19	Commercial Computer Software License (if order is for software)	DEC 2007
52.228-3	Workers' Compensation Insurance (Defense Base Act) (if order is for services and contractor employees are covered by Defense Base Act insurance)	APR 1984
52.228-4	Workers' Compensation and War-Hazard Insurance (if order is for services and contractor employees are <u>not</u> covered by Defense Base Act insurance)	APR 1984

The following clause is provided in full text:

**52.212-5 Contract Terms and Conditions Required to Implement Statutes or Executive Orders -- Commercial Items (MAY 2012)**

(a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

(1) 52.222-50, Combating Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g)).  
(applies for all orders)

\_\_\_\_ Alternate I (AUG 2007) of 52.222-50 (22 U.S.C. 7104(g)).

(2) 52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).

(3) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Pub. L. 108-77, 108-78).

(Alternate I (AUG 2007) [if the contracting officer has been notified of specific U.S. directives or notices regarding combating trafficking in persons that apply to contractor employees])

(b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items:

	<b>Clause Number and Title</b>
	(1) 52.203-6, Restrictions on Subcontractor Sales to the Government (SEP 2006), with Alternate I (Oct 1995) (41 U.S.C. 253g and 10 U.S.C. 2402). [Check if order exceeds \$150,000]
√	(2) 52.203-13, Contractor Code of Business Ethics and Conduct (APR 2010) (Pub. L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note).
	(3) [Reserved].
	(4) 52.204-10, Reporting Executive Compensation and First-Tier Subcontract Awards (FEB 2012) (Pub. L. 109-282) (31 U.S.C. 6101 note). (in all solicitations and contracts of \$25,000 or more)
	(5) [Reserved].
	(6) 52.209-6, Protecting the Government's Interest When Subcontracting with Contractors Debarred, Suspended, or Proposed for Debarment (DEC 2010) (31 U.S.C. 6101 note). (if contract value exceeds \$30,000)
	(7) 52.209-9, Updates of Publicly Available Information Regarding Responsibility Matters (FEB 2012) (41 U.S.C. 2313). (contract value exceed \$500,000 and offeror's total federal contracts value are over \$10,000,000)
	(8) – (26) [Reserved].
√	(27) 52.222-19, Child Labor – Cooperation with Authorities and Remedies (MAR 2012) (E.O. 13126).
	(28) 52.222-21, Prohibition of Segregated Facilities (FEB 1999). [Check if the following apply: for supplies, the order exceeds \$10,000 and is awarded to a U.S. firm. For services, the order exceeds \$10,000 and is awarded to a U.S. firm whose employees who will be performing the work were recruited within the U.S.]
	(29) 52.222-26, Equal Opportunity (MAR 2007) (E.O. 11246).
	(30) 52.222-35, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212).
	(31) 52.222-36, Affirmative Action for Workers with Disabilities (OCT 2010) (29 U.S.C. 793).
	(32) 52.222-37, Employment Reports Veterans (SEP 2010) (38 U.S.C. 4212).
	(33) – (37) [Reserved].
√	(38) 52.223-18, Encouraging Contractor Policies to Ban Text Messaging while Driving (AUG 2011) (E.O. 13513).
	(39) – (40) [Reserved].
	(41) 52.225-5, Trade Agreements (MAY 2012) (19 U.S.C. 2501, <i>et seq.</i> , 19 U.S.C. 3301 note).
√	(42) 52.225-13, Restrictions on Certain Foreign Purchases (JUN 2008) (E.O.s, proclamations, and statutes administered by the Office of Foreign Assets Control of the Department of the Treasury).
	(43) – (46) [Reserved].
√	(47) 52.232-33, Payment by Electronic Funds Transfer – Central Contractor Registration (OCT 2003) (31 U.S.C. 3332).
	(48) 52.232-34, Payment by Electronic Funds Transfer – Other than Central Contractor Registration (MAY 1999) (31 U.S.C. 3332).
	(49) 52.232-36, Payment by Third Party (FEB 2010) (31 U.S.C. 3332).
	(50) 52.239-1, Privacy or Security Safeguards (AUG 1996) (5 U.S.C. 552a).
	(51)(i) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631).
	(ii) Alternate I (APR 2003) of 52.247-64.

(c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial items, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial Items:

Clause Number and Title	
(1) – (6)	[Reserved].
(7)	52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (MAR 2009) (Public Law 110-247).
(8)	52.237-11, Accepting and Dispensing of \$1 Coin (SEP 2008) (31 U.S.C. 5112(p)(1)).

(d) *Comptroller General Examination of Record.* The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records -- Negotiation.

(1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.

(2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.

(3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.

(e)(1) *[This paragraph applies only if award is made to a U.S. firm, except for item (vii) which applies to all orders.]* Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in this paragraph (e)(1) in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause—

(i) 52.203-13, Contractor Code of Business Ethics and Conduct (APR 2010) (Pub. L. 110-252, Title VI, Chapter 1 (41 U.S.C. 251 note)).

(ii) 52.219-8, Utilization of Small Business Concerns (JAN 2011) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$650,000 (\$1.5 million for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.

(iii) [Reserved]

(iv) 52.222-26, Equal Opportunity (MAR 2007) (E.O. 11246).

(v) 52.222-35, Equal Opportunity for Veterans (SEP 2010) (38 U.S.C. 4212).

(vi) 52.222-36, Affirmative Action for Workers with Disabilities (OCT 2010) (29 U.S.C. 793).

(vii) 52.222-40, Notification of Employee Rights Under the National Labor Relations Act (DEC 2010) (E.O. 13496). Flow down required in accordance with paragraph (f) of FAR clause 52.222-40.

(viii) [Reserved].

(ix) 52.222-50, Combating Trafficking in Persons (FEB 2009) (22 U.S.C. 7104(g)).

Alternate I (AUG 2007) of 52.222-50 (22 U.S.C. 7104(g)).

(x) – (xii) [Reserved].

(xiii) 52.226-6, Promoting Excess Food Donation to Nonprofit Organizations (MAR 2009) (Pub. L. 110-247). Flow down required in accordance with paragraph (e) of FAR clause 52.226-6.

(xiv) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx. 1241(b) and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.

(2) While not required, the contractor may include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

#### DEPARTMENT OF STATE ACQUISITION REGULATION (48 CFR Chapter 6) CLAUSES

NUMBER	TITLE	DATE
652.225-71	Section 8(a) of the Export Administration Act of 1979, As Amended (if order exceeds simplified acquisition threshold)	AUG 1999

652.228-71	Workers Compensation Insurance (Defense Base Act) – Services (for services to be performed overseas when the contract includes covered contractor employees as defined in paragraph (a) of the clause) Fill-in for paragraph (c): “(c) The current rate under the Department of State contract is of compensation for services.”	JUN 2006
652.229-70	Excise Tax Exemption Statement for Contractors Within the United States (for supplies to be delivered to an overseas post)	JUL 1988
652.229-71	Personal Property Disposition at Posts Abroad	AUG 1999
652.237-72	Observance of Legal Holidays and Administrative Leave (for services where performance will be on-site in a Department of State facility)	APR 2004
652.239-71	Security Requirements for Unclassified Information Technology Resources (for orders that include information technology resources or services in which the contractor will have physical or electronic access to Department information that directly supports the mission of the Department)	SEP 2007
652.242-70	Contracting Officer’s Representative (if a COR will be named for the order) Fill-in for paragraph b: “The COR is _____”	AUG 1999
652.242-71	Notice of Shipments (for overseas shipment of supplies)	JUL 1988
652.242-73	Authorization and Performance	AUG 1999
652.243-70	Notices	AUG 1999

The following clause is provided in full text, and is applicable for orders for services that will require contractor employees to perform on-site at a DOS location and/or that require contractor employees to have access to DOS information systems:

**652.204-70 Department of State Personal Identification Card Issuance Procedures (MAY 2011)**

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor’s employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm> .

(End of clause)