

**Requirement for FSM-60R12 (Cleaver, Stripper, Battery)**  
**Ref: PR1699470**

**I. SCOPE OF SERVICES**

This solicitation is to provide the following item with specification as below, for US Embassy Jakarta. The provider should have an established business and be an authorized dealer/partner of the goods/services concerned.

ITEM NO. (a)	SUPPLIES OR SERVICES (b)	QUANTITY ORDERED (c)	UNIT (d)
0001	FSM-60R12 (Cleaver, Stripper, Battery)	1.00	each

**II. PRICING** The Contractor shall provide a firm fixed price in **USD** currency. Please provide information on currency exchange rate if you are using other than USD currency and it must be a fix exchange rate for at least thirty (30) days from the date of your quotation.

**FSM-60R12 (Cleaver, Stripper, Battery) (PR1699470)**

When submitting your quotation, please use the following/similar format of Quotation document:

Name of Company & logo:

Address & Phone number:

Contract Person:

E-mail address:

**Customer Ref: PR#.....**

No.	Description of Goods/Services	Quantity	Unit Price (USD)	Sub Total	Discount, if any	Total (USD)	Stock Availability status
<b>TOTAL</b>							
VAT Tax, if any (for Indonesian vendor only)							
Shipping (Should be door to door service), Packing Cost, and Insurance, if any							
Grand Total in USD							

**Below are details of required goods:**

**One (1) each of FSM-60R12 (Cleaver, Stripper, Battery) (PR1699470)**

For reference only, bellow is the weblink of the required goods. Contractor may quote on alternative brand/series with the same functionality:

<http://www.fiberoptic.com/itemdesc.asp?ic=S014563&eq=&Tp=&in=FSM%2D60R12+%28Cleaver%2C+Stripper%2C+Battery%29>

### Product Description

#### **FSM-60R12 Fusion Splicer Kit (with Cleaver, Stripper, Battery and Charge Cord)**

The FSM-60R12 Fusion Splicer offers unmatched versatility and reliability. The new ribbon splicer withstands a drop test of up to 30" and continues to splice. And enhanced, robust features enable the FSM-60R12 to resist shock, dust, and rain so that unfortunate environmental conditions do not negatively impact productivity.

Equipped with a user-friendly interface and precision fixed V-groove, the FSM-60R12 offers 2 to 12 fiber ribbon splicing, as well as, single fiber splicing capability. Automated features such as auto-start splicing, auto-start tube heater operation, automatic ribbon fiber identification, and auto-arc calibration reduce operational steps and improve splicing performance. Additional improvements include automatic image orientation when switching the dual position monitor, a large capacity battery option and the ability to charge the battery during splicer operation.

New software included provides the ability to download splice data to a PC for splice data reporting, download splicer operating software via the internet to maintain peak performance, and download video images from the splicer to enhance technical support.

#### **Features**

- Rugged construction providing shock, dust and moisture resistance
- Dual monitor position with automatic image orientation
- Automatic arc calibration and fiber identification
- Auto-start tube heater feature
- Color LCD display with anti-reflective coating for excellent visibility in bright sunlight
- Simultaneous battery charge and splicer operation
- Long life battery (up to 90 splice/heat cycles per charge)
- Detachable work table incorporated into the transit case
- Data and video download software and splicer upgrade software included; software upgrades through PC application via the internet
- Green friendly – RoHS & WEEE compliant

#### **FSM-60R12 Fusion Splicer Kit Includes (with cleaver, stripper, battery and cord)**

- CT-30 Cleaver
- HJS-02 Hot Jacket Stripper
- FH-50-12 Fiber Holders (pair)
- BTR-08 Battery
- DCC-14 Battery Charge Cord

- ADC-13 AC Adapter
- ACC-14 AC Cord
- Magnifier
- JP-05 Splice Sleeve Cooling Tray
- USB Cable
- Splicer Carrying Strap
- Spare Electrodes (pair)
- Quick Reference Guide
- Video Instruction Manual
- Transit Case with Carrying Strap
- 2 Year Warranty

Note: Please read *Section I* for details of equipment and supplies, items, schedules, and the proposed type of function room/s, facilities and services provided.

**III. CLAUSES.** ([Download in PDF](#), size 153KB)

<http://photos.state.gov/libraries/indonesia/502679/pdf/Clauses%20-%20Commercial%20item%20-%20Goods.pdf>

**IV. SUBMISSION OF QUOTE.** Each offer/quotation must consist of the following:

- A. *Completed Section II* to include pricing (based on *Section I*).
- B. *Detailed specification and stock availability/delivery schedule of each items.*

Please follow instructions in *Section III* for a quotation to be considered and email to [HappyDR@state.gov](mailto:HappyDR@state.gov) or fax the quotation to (62.21) 34359910 or 3524303 (less preferred). Please note that your quotation price should be valid for thirty (30) days from the deadline of this RFQ submission date stated above.

The **deadline** to submit your quotation is on **8 April 2012 at 16:00 WIB**. Any quotation received after stipulated date will be ignored.

**V. EVALUATION FACTORS**

The Government intends to award a contract resulting from this solicitation to the lowest priced, technically acceptable offeror/quoter. The evaluation process shall include the following:

- a) Compliance Review. The Government will perform an initial review of proposals/quotations received to determine compliance with the terms of the solicitation. The Government may reject as unacceptable proposals/quotations which do not conform to the solicitation.
  
- b) Technical Acceptability. Technical acceptability will include a review of items listed under Article B in Section 3.
  
- c) Price Evaluation. The lowest price will be determined by price comparison among the technically acceptable and responsible offerors. The Government reserves the right to reject proposals that are unreasonably low or high in price.
  
- d) Term of Payment. US Government term of payment is thirty (30) days after all goods/services has been received and proper invoice.

For other bidding opportunities, please visit our official website:  
<http://jakarta.usembassy.gov/bidding.html>

--End of page--