

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE		PAGE OF PAGES 1/3	
2. AMENDMENT/MODIFICATION NO. A0001		3. EFFECTIVE DATE 12/24/2015		4. REQUISITION/PURCHASE REQ. NO. PR4856768		5. PROJECT NO. (If applicable)
6. ISSUED BY American Consulate General 18 Agron Road Jerusalem 9419001		CODE		7. ADMINISTERED BY (If other than Item 6) Contracting Officer 4 Hagalgal Street Talpiot, Jerusalem		CODE
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)				9a. AMENDMENT OF SOLICITATION NO. SIS400-16-Q-4856768		
				9b. DATED (SEE ITEM 11) 12/10/2015		
				10a. MODIFICATION OF CONTRACT/ORDER NO.		
				10b. DATED (SEE ITEM 13)		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<p><input type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended</p> <p>Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers.</p> <p>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF: Mutual Agreement of Parties						
X D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return <u> </u> copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)						
This Solicitation is hereby amended to reflect the following additions/changes to Section B- Scope of Work.						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME OF CONTRACTING OFFICER Keith Thrasher		
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY <u>Keith A. Thrasher</u> (Signature of Contracting Officer)		16C. DATE SIGNED 12/24/2015	

Amendment #001
SF 30 – Continuation Sheet

1) **A- Demo:**

#1: is hereby amended to read that the Consulate will be responsible for removing all furniture and equipment before the start of the project.

#4: is hereby amended to read that any work related to the smoke detectors should abide the Israeli fire code and should be added to the building fire alarm system.

2) **C- Wall repair:**

The following points are added:

12- All new walls must have internal sound insulation.

13- The new wall between the existing conference room and the new offices must be double layered sheetrock on each side with sound insulation inside.

14- The contractor must modify the window frame or wall as necessary to accommodate the new floor plan. (A shop drawing should be provided and approved by the Consulate before the work can begin.

3) **D- Carpentry Work – D.2 – Replacemnt of Window shades:**

Custom made shades/blinds are required with the following specifications:

- a. Color to match existing
- b. Fabric should comply with Israeli Standard 5093 for fire proofing.
- c. Shade should stop at the bottom of the window. The shade at the door should go all the way down to just past the glass.
- d. **Right side metal** chain with chain weight.
- e. Chain to hang down 2/3 of the shade length except for the shade at the doors. The chain for the door shades will stop above the door frame.
- f. Shade can roll-up by reversing the direction of the chain.
- g. Hidden bottom rail/weight.
- h. Top cassette in grey or dark metal color to hide rolling mechanism.
- i. Provide 1 year warranty on parts.

4) **Drawings:**

1- A clear Electrical legend drawing is attached.

2- AutoCAD drawing showing the new floorplan is attached .

(End of Amendment #0001)

SYMBOL	DESCRIPTION	H# (cm) o.e.f.f.	
	LIGHTING FIXTURE & SWITCHES		
	EMERGENCY LED light Fixture 3V		
	2x13V PL GLOBE LIGHT FOR STAIR & BATH		
	WALL MOUNTED LIGHTING POINT / FIXTURE		
	WALL MOUNTED LIGHTING FIXTURE FOR INTERNAL/EXTERNAL USE		
	2x18V PL DL, RECESSED LIGHTING FIXTURE		
	2x18V PL DL, FAUL-CEILING RECESSED LIGHTING FIXTURE		
	CEILING RECESSED MOUNTED 4x5V T8 LED LIGHTING FIXTURE OPTIMA cool white		
	2x35V T5 CEILING MOUNT PARABOLIC LIDOVER LIGHTING FIXTURE		
	2x35V CEILING MOUNT VP, FLUORESCENT LIGHTING FIXTURE		
	LED TYPE WITH EXIT SIGN AND ARROWS EMERGENCY LIGHTING FIX.		
	EMERGENCY KIT INSIDE LIGHTING FIX. (KH FOR 9-36V FL. LAMPS)		
	SINGLE POLE ONE GANG SWITCH / VP.		130
	SINGLE POLE TWO GANG SWITCH / VP.		130
	SINGLE POLE THREE GANG SWITCH / VP.		130
	SINGLE POLE FOUR GANG SWITCH / VP.		130
	TWO WAY SWITCH / VP.		130
	INTERMEDIATE SWITCH		130
	PUSH BUTTON		

CONDUIT COLORS & WIRING DETAILS

DESC.	Color	CONDUIT Size	Cable / Wires
COMPUTER	Blue	1x1/6 CONDUIT	CAT6 SHIELDED CABLE, RJ45
POWER	Green	1x1/6 CONDUIT	3x2.5 mm2 wires or XLPE Cable
UPS	Green	1x1/6 CONDUIT	3x2.5 mm2 wires or XLPE Cable
TELEPHONE	Brown	1x1/6 CONDUIT	CAT6 SHIELDED CABLE
LIGHTING	Green	1x1/6 CONDUIT	3x1.5 mm2 wires or XLPE Cable
FIRE	Red	1x1/6 CONDUIT	4x0.8 mm2 FIRE CABLE(RED)
CAMERA, Access Control	White	1x1/6 CONDUIT	As per codes & Manuf. Requirements
TV/Sat.	White	1x1/6 CONDUIT	As per codes & Manuf. Requirements
Public Address Speakers	White	1x1/6 CONDUIT	2x1 mm2 multicore speaker cable

*All Conduits used shall be fire rated "Self Extinguishing"

SYMBOL	DESCRIPTION	H# (cm) o.e.f.f.	
	POWER SOCKETS		
	16A 3 PIN SOCKET OUTLET / VP.		40/130
	16A 3 PIN SOCKET OUTLET CEILING MOUNTED		ceiling
	16A 3 PIN TVM SOCKET OUTLET / VP.		40/130
	16A 3 PIN TRIPLE SOCKET OUTLET		40
	SINGLE PHASE (4POLE) ISOLATOR, Rate As Indicated		220
	THREE PHASE (4POLE) ISOLATOR, Rate As Indicated		220
	DOUBLE POLE SWITCH WITH INDICATOR LAMP / VP.		160
	JUNCTION BOX		220
	EMERGENCY TRIP PUSH BUTTON		160
	THERMOSTATE		150
	UP-DOWN SWITCH FOR SHUTTERS		130
	SHUTTER MOTOR		220
	L.V. SOCKETS		
	TELEPHONE SOCKET OUTLET		100
	T.V. SOCKET OUTLET		100
	INTERCOM SPEAKER		100
	CONNECTION BOX		100
	DATA SOCKET OUTLET		100
	LOW VOLTAGE BOX		
	COMPUTER PATCH PANEL		
	CCTV SYSTEM		
	INDOOR CAMERA* CEILING, MURAL		
	FIXED INDOOR COLORED CAMERA		
	DOME INDOOR COLORED CAMERA		
	FIXED OUTDOOR COLORED CAMERA DAY/NIGHT		
	SPLIT SCREEN MONITOR		
	CCTV CENTRAL MONITOR		
	School Bell		

Wireless access point
 Micro Office Computer CAT6 Telephone CAT6

SYMBOL	DESCRIPTION	H# (cm) o.e.f.f.	
	SOUND SYSTEM		
	6WATT RECESSED LIQUID SPEAKER		
	25V WALL MOUNTED ADJUSTABLE HORN		
	END OF THE LINE		
	VOLUME CONTROL		
	16 BUTTON CALL STATION		
	PUBLIC ADDRESS AND VOICE ALARM RACK		
	FIRE ALARM SYSTEM		
	PHOTO SMOKE SENSOR		
	HEAT DETECTOR		
	BREAK GLASS		150
	INTERNAL SIREN		220
	CONTROL MODULE		
	EXTERNAL SIREN WITH FALSHER		220
	Bean Detector-Receiver		
	Bean Detector-Transmitter		
	DETECTOR INDICATION LAMP		
	PIRELECTRIC SMOKE DET. ABOVE FAULSCEILING		
	FIRE ALARM CONTROL PANEL		
	REPEATER PANEL WITH CONTROL		
	INTRUSION SYSTEM		
	DUAL TECH IR/MICROWAVE MOTION DETECTOR		
	VIBRATION DETECTOR		
	MAGNET DETECTOR		
	LEG PANIC BUTTON		
	KEYPAD		
	BURGLER ALARM CONTROL PANEL		
	ACCESS CONTROL PANEL		
	CARD READER		
	PROJECTOR		