

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1/2
2. AMENDMENT/MODIFICATION NO. 001	3. EFFECTIVE DATE July 15, 2013	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO. (If applicable)
6. ISSUED BY Contracting Officer Department of State American Embassy Islamabad		CODE GSO	7. ADMINISTERED BY (If other than Item 6) CODE	
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code) Offerors			9a. AMENDMENT OF SOLICITATION NO. SPK330-13-Q-5688	
			X 9b. DATED (SEE ITEM 11) June 28, 2013	
			10a. MODIFICATION OF CONTRACT/ORDER NO.	
			10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copy of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input checked="" type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of this amendment is to revise the SOW in order to amend the existing items and add new items. Solicitation is amended as follows: (1) Attachment # 3 "Scope of Work (SOW)" clauses # 1.1 is revised to reflect total roof area as 4,600 Sqft. (2) Attachment#3, Scope of Work (SOW) item#2.3 is included "Projected overhanging shades shall also be repaired with same water proofing layers but top layer shall have aluminum profile" (3) Attachment#3 Scope of work item 2.4 is added "Gutters at servant quarters shall be replaced with 20SWG galvanized sheet and 6"Ø schedule 40 down spout shall be installed on the same locations" (4) Attachment#3 Scope of work item 3.3-1 is revised to include "The bottom layer shall be 4mm thick HY-GRIP plastomat Suntan PP-4000 plain and 4.5mm thick plastomat suntan PP4000 granular and aluminum profile" Note: Replace page#23 and page#24 with attached page. Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME OF CONTRACTING OFFICER Mike M. Pitts	
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)	
			16C. DATE SIGNED 7/15/13	

SF30

Amendment 001 - Solicitation # SPK330-13-Q-5688 – Roof repair of a residence located in F-6/3, Islamabad.

ADDENDUM/CHANGES TO THE SCOPE OF WORK.

1.0 BACKGROUND AND PURPOSE

1.1 The American Embassy in Islamabad has a requirement to repair the Government Owned Residence roof. The portion of the roof project requires a qualified Roof Contractor to perform a replacement according to US standard roof industry practices. The approximate two roofs area is **4,600 Sq.ft.**

1.2 The residence is a double-story structure consisting of brick walls with reinforced concrete roof slabs. There are several different roof levels. Servant quarters roof is also part of this repair.

2.0 GENERAL REQUIREMENTS

2.1 The Contractor shall provide personnel, material, equipment, and supervision to complete the technical requirements in this Statement of Work. The Contractor shall be responsible for hiring labor, equipment vendors and shall follow security and safety directives provided by the Embassy during execution of the job.

2.2 The Contractor shall have limited access to or be admitted into the residence outside the areas designated for the project except with permission by the COR.

2.3 Projected overhanging shades shall also be repaired with same water proofing layers but top layer shall have aluminum profile.

2.4 Gutters at servant quarters shall be replaced with 20SWG galvanized sheet and 6"Ø schedule 40 down spout shall be installed on the same locations

3.0 SCOPE OF WORK

3.1 The Contractor shall be required to prepare reports, bill of materials, quality control schedules and construction costs. These documents shall provide the necessary interfaces, coordination, and communication between the Embassy and Contractor for the delivery of a complete roof project. The work consists of the following, but is not limited to the following:

3.2 Logistics:

- 1. All materials shall be delivered, hoisted on the exterior and stored on the roof**
- 2. Debris removal shall be via a construction chute**
- 3. Electrical 220v 50Hz available**
- 4. Water source available**
- 5. Labor shall have original Pakistani IDs with them while working on project site.**

3.3 Roof Level Design Base System: Protected Membrane Roof [PMR]

- 1. Membrane: 2 plies 4.0 mm smooth face modified bitumen, polyester or fiberglass reinforced. **The bottom layer shall be 4mm thick HY-GRIP plastomat Suntan PP-4000 plain and 4.5mm thick plastomat suntan PP4000 granular and aluminum profile.****
- 2. Base Flashing: 1 ply 4.0 mm smooth and top ply 4.5 mm granular modified bitumen**
- 3. Termination Bar: 3 mm x 25 mm aluminum bar stock with fasteners holes 150 mm on center**
- 4. Metal Flashing: .8 mm thickness aluminum, alloy 3003, clear anodized finish**