

August 30, 2014

Dear Offerors,

SUBJECT: RFQ Number S-PK330-14-Q-5735, Balcony Enclosure of a house in F-6/2, Islamabad

The Embassy of the United States of America invites you to submit a quotation for Balcony enclosure of a house located in F-6/2, Islamabad as described in Scope of Work (SOW).

If you are interested in submitting a quotation on this project, read the instructions in Section J and L of the attached Request for Quotation (RFQ). You should thoroughly examine all documents contained in the contract solicitation package. The Embassy intends to conduct a site visit (see J. C, 52.236-27). **The site visit will be held on September 08, 2014 at 10:00 a.m.** Offerors interested in attending must e-mail: RizviAA@state.gov and LatifM@state.gov on or before **12.00 noon** September 03, 2014. A maximum of two persons from one firm may participate in the site visit/ pre-proposal conference. Interested offerors must provide full name of participant(s) (as written on NIC), NIC number and particulars of vehicle to be used such as make, model, color and registration number.

Your quotation must be submitted in a sealed envelope marked "**Quotation Enclosed (SPK-330-14-Q-5735)**" to **GSO Procurement, American Embassy, Ramna-5, Islamabad on or before 1500 hrs on September 15, 2014.** No quotation will be accepted after this time.

Complete the OFFER portion of the Standard Form 1442, including all blank spaces, and have the form signed by an authorized representative of your company, or the proposal may be considered unacceptable and may be rejected.

In order for a quotation to be considered, you must also complete and submit the following:

1. Section B and Attachment 2: Quotation Breakdown by Divisions.
2. Section K, Representations and Certifications;
3. Bar Chart illustrating sequence of work to be performed;
4. Additional information as required in Section L.

Please direct any questions regarding this solicitation to **Faybein Moy** by letter or by telephone **92-51-208-2288** during regular business hours.

Sincerely,

Shaila Contractor
Contracting Officer

SOLICITATION, OFFER, AND AWARD <i>(Construction, Alteration, or Repair)</i>	1. SOLICITATION NO. S-PK-330-14-Q-5735	2. TYPE OF SOLICITATION <input type="checkbox"/> SEALED BID (IFB) <input checked="" type="checkbox"/> NEGOTIATED (RFQ)	3. DATE ISSUED August 30, 2014	PAGE OF PAGES 1 of 54
	IMPORTANT - The "offer" section on the reverse must be fully completed by offeror.			

4. CONTRACT NO.	5. REQUISITION/PURCHASE REQUEST NO. PR#3633166	6. PROJECT NO. Balcony Enclosure of a house in Islamabad
7. ISSUED BY Contracting Officer, GSO-Procurement & Contracting Office American Embassy, Islamabad Diplomatic Enclave, Ramna-5 Islamabad, Pakistan	CODE	8. ADDRESS OFFER TO Contracting Officer, GSO-Procurement & Contracting Office American Embassy, Islamabad Diplomatic Enclave, Ramna-5 Islamabad, Pakistan
9. FOR INFORMATION CALL: →	A. NAME Shaila Contractor	B. TELEPHONE NO. <i>(Include area code) (NO COLLECT CALLS)</i> (92) 051-208-2288

SOLICITATION

NOTE: In sealed bid solicitations "offer" and "offeror" mean "bid" and "bidder."

10. THE GOVERNMENT REQUIRES PERFORMANCE OF THE WORK DESCRIBED IN THESE DOCUMENTS *(Title, identifying no., date):*

TABLE OF CONTENTS

- A. Price
- B. Scope of Work
- C. Packaging and Marking
- D. Inspection and Acceptance
- E. Deliveries/Performance
- F. Administrative Data
- G. Special Requirements
- H. Clauses
- I. List of Attachments
- J. Quotation Information
- K. Evaluation Criteria
- L. Representations, Certifications, and other Statements of Offerors or Quoters

Attachments

- Attachment 1: Sample Bank Letter of Guarantee (1 page)
- Attachment 2: Breakdown of Price by Divisions of Specifications (1 page)
- Attachment 3: Scope of Work (SOW) including the appendixes 1,2 and 3 (24 pages)

11. The Contractor shall begin performance within **10** calendar days and complete it within **45 Calendar days** after receiving
 award, notice to proceed. This performance period is mandatory, negotiable. *(See Section 3.1 of SOW)*

12A. THE CONTRACTOR MUST FURNISH ANY REQUIRED PERFORMANCE AND PAYMENT BONDS?
(If "YES," indicate within how many calendar days after award in Item 12B.)
 YES NO

12B. CALENDAR DAYS

10 days after Award

13. ADDITIONAL SOLICITATION REQUIREMENTS:

- A. Sealed offers in original and 2 copies to perform the work required are due at the place specified in Item 8 by **1500** (hour) local time **September 15, 2014**. If this is a sealed bid solicitation, offers must be publicly opened at that time. Sealed envelopes containing offers shall be marked to show the offeror's name and address, the solicitation number, and the date and time offers are due.
- B. An offer guarantee is, is not required.
- C. All offers are subject to the (1) work requirements, and (2) other provisions and clauses incorporated in the solicitation in full text or by reference.
- D. Offers providing less than **60** calendar days for Government acceptance after the date offers are due will not be considered and will be rejected.

OFFER (Must be fully completed by offeror)

14. NAME AND ADDRESS OF OFFEROR (Include ZIP Code)		15. TELEPHONE NO. (Include area code)
		16. REMITTANCE ADDRESS (Include only if different than Item 14)
CODE	FACILITY CODE	

17. The offeror agrees to perform the work at the prices specified below in strict accordance with the terms of this solicitation, if this offer is accepted by the Government within _____ calendar days after the date offers are due. (Insert any number equal to or greater than the minimum requirement stated in Item 13D. Failure to insert any number means the offeror accepts the minimum in Item 13D.

AMOUNTS ➔

18. The offeror agrees to furnish any required performance and payment bonds.

19. ACKNOWLEDGMENT OF AMENDMENTS

The offeror acknowledges receipt of amendments to the solicitation -- give number and date of each

AMENDMENT NO.										
DATE										

20A. NAME AND TITLE OF PERSON AUTHORIZED TO SIGN OFFER (Type or print)	20B. SIGNATURE	20C. OFFER DATE
---	----------------	-----------------

AWARD (To be completed by Government)

21. ITEMS ACCEPTED:

22. AMOUNT	23. ACCOUNTING AND APPROPRIATION DATA
------------	---------------------------------------

24. SUBMIT INVOICES TO ADDRESS SHOWN IN (4 copies unless otherwise specified)	ITEM ➔	25. OTHER THAN FULL AND OPEN COMPETITION PURSUANT TO <input type="checkbox"/> 10 U.S.C. 2304(c)() <input type="checkbox"/> 41 U.S.C. 253(c)()
--	-----------	--

26. ADMINISTERED BY Contracting Officer, U.S Embassy, Diplomatic Enclave, Ramna-5 Islamabad	CODE GSO	27. PAYMENT WILL BE MADE BY Financial Management Officer (FMO) U.S Embassy, Diplomatic Enclave, Ramna-5 Islamabad
---	--------------------	---

CONTRACTING OFFICER WILL COMPLETE ITEM 28 OR 29 AS APPLICABLE

<input type="checkbox"/> 28. NEGOTIATED AGREEMENT (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all work, requisitions identified on this form and any continuation sheets for the consideration slated in this contract. The rights and obligations of the parties to this contract shall be governed by (a) this contract award, (b) the solicitation, and (c) the clauses, representations, certifications, and specifications or incorporated by reference in or attached to this contract.	<input type="checkbox"/> 29. AWARD (Contractor is not required to sign this document.) Your offer on this solicitation is hereby accepted as to the items listed. This award consummates the contract, which consists of (a) the Government solicitation and your offer, and (b) this contract award. No further contractual document is necessary.
---	---

30A. NAME AND TITLE OF CONTRACTOR OR PERSON AUTHORIZED TO SIGN (Type or print)	31A. NAME OF CONTRACTING OFFICER (Type or print)		
30B. SIGNATURE	30C. DATE	31B. UNITED STATES OF AMERICA BY	31C. AWARD DATE

Computer Generated
BACK (REV. 4-85)

STANDARD FORM 1442

REQUEST FOR QUOTATIONS - CONSTRUCTION

A. PRICE

The Contractor shall complete all work, including furnishing all labor, material, equipment and services required under this purchase order for the following firm fixed price and within the time specified. This price shall include all labor, materials, all insurances, overhead and profit.

Total Price (including all labor, materials, overhead and profit)	PKR
---	-----

A.1 VALUE ADDED TAX

Since Value Added Tax (VAT) is not levied in Pakistan so should not be applicable to this contract and shall not be included in the CLIN rates.

B. SCOPE OF WORK

The character and scope of the work are set forth in the contract. The Contractor shall furnish and install all materials required by this contract.

In case of differences between small and large-scale drawings, the latter will govern. Where a portion of the work is drawn in detail and the remainder of the work is indicated in outline, the parts drawn in detail shall apply also to all other portions of the work.

C. PACKAGING AND MARKING

RESERVED

D. INSPECTION AND ACCEPTANCE

The COR, or his/her authorized representatives, will inspect from time to time the services being performed and the supplies furnished to determine whether work is being performed in a satisfactory manner, and that all supplies are of acceptable quality and standards.

The Contractor shall be responsible for any countermeasures or corrective action, within the scope of this contract, which may be required by the Contracting Officer as a result of such inspection.

D.1 Substantial Completion

(a) "*Substantial Completion*" means the stage in the progress of the work as determined and certified by the Contracting Officer in writing to the Contractor, on which the work (or a portion designated by the Government) is sufficiently complete and satisfactory. Substantial completion means that the property may be occupied or used for the purpose for which it is

intended, and only minor items such as touch-up, adjustments, and minor replacements or installations remain to be completed or corrected which:

- (1) do not interfere with the intended occupancy or utilization of the work, and
- (2) can be completed or corrected within the time period required for final completion.

(b) The "date of substantial completion" means the date determined by the Contracting Officer or authorized Government representative as of which substantial completion of the work has been achieved.

Use and Possession upon Substantial Completion - The Government shall have the right to take possession of and use the work upon substantial completion. Upon notice by the Contractor that the work is substantially complete (a Request for Substantial Completion) and an inspection by the Contracting Officer or an authorized Government representative (including any required tests), the Contracting Officer shall furnish the Contractor a Certificate of Substantial Completion. The certificate will be accompanied by a Schedule of Defects listing items of work remaining to be performed, completed or corrected before final completion and acceptance. Failure of the Contracting Officer to list any item of work shall not relieve the Contractor of responsibility for complying with the terms of the contract. The Government's possession or use upon substantial completion shall not be deemed an acceptance of any work under the contract.

D.2 Final Completion and Acceptance

D.2.1 "Final completion and acceptance" means the stage in the progress of the work as determined by the Contracting Officer and confirmed in writing to the Contractor, at which all work required under the contract has been completed in a satisfactory manner, subject to the discovery of defects after final completion, and except for items specifically excluded in the notice of final acceptance.

D.2.2 The "*date of final completion and acceptance*" means the date determined by the Contracting Officer when final completion of the work has been achieved, as indicated by written notice to the Contractor.

D.2.3 Final Inspection and Tests -The Contractor shall give the Contracting Officer at least five (5) days advance written notice of the date when the work will be fully completed and ready for final inspection and tests. Final inspection and tests will be started not later than the date specified in the notice unless the Contracting Officer determines that the work is not ready for final inspection and so informs the Contractor.

D.2.4 Final Acceptance - If the Contracting Officer is satisfied that the work under the contract is complete (with the exception of continuing obligations), the Contracting Officer shall issue to the Contractor a notice of final acceptance and make final payment upon:

- Satisfactory completion of all required tests,

- A final inspection that all items by the Contracting Officer listed in the Schedule of Defects have been completed or corrected and that the work is finally complete (subject to the discovery of defects after final completion), and
- Submittal by the Contractor of all documents and other items required upon completion of the work, including a final request for payment (Request for Final Acceptance).

E. DELIVERIES OR PERFORMANCE

52.211-10 COMMENCEMENT, PROSECUTION, AND COMPLETION OF WORK
(APR 1984)

The Contractor shall be required to:

- (a) commence work under this contract within 10 calendar days after the date the Contractor receives the notice to proceed,
- (b) prosecute the work diligently, and,
- (c) complete the entire work ready for use not later than 45 work days after issuance of Notice to Proceed.

The time stated for completion shall include final cleanup of the premises and completion of punch list items.

52.211-12 LIQUIDATED DAMAGES - CONSTRUCTION (SEP 2000)

(a) If the Contractor fails to complete the work within the time specified in the contract, or any extension, the Contractor shall pay liquidated damages to the Government in the amount of **PKR 10,000** for each calendar day of delay until the work is completed or accepted.

(b) If the Government terminates the Contractor's right to proceed, liquidated damages will continue to accrue until the work is completed. These liquidated damages are in addition to excess costs of repurchase under the Default clause.

CONTRACTOR'S SUBMISSION OF CONSTRUCTION SCHEDULES

(a) The time for submission of the schedules referenced in FAR 52.236-15, "Schedules for Construction Contracts", paragraph (a), is hereby modified to reflect the due date for submission as " Ten (10)" calendar days after receipt of an executed contract".

(b) These schedules shall include the time by which shop drawings, product data, samples and other submittals required by the contract will be submitted for approval.

(c) The Contractor shall revise such schedules (1) to account for the actual progress of the work, (2) to reflect approved adjustments in the performance schedule, and (3) as required by the Contracting Officer to achieve coordination with work by the Government and any separate contractors used by the Government. The Contractor shall submit a schedule, which sequences work so as to minimize disruption at the job site.

(d) All deliverables shall be in the English language and any system of dimensions (English or metric) shown shall be consistent with that used in the contract. No extension of time shall be allowed due to delay by the Government in approving such deliverables if the Contractor has failed to act promptly and responsively in submitting its deliverables. The Contractor shall identify each deliverable as required by the contract.

(e) Acceptance of Schedule: When the Government has accepted any time schedule; it shall be binding upon the Contractor. The completion date is fixed and may be extended only by a written contract modification signed by the Contracting Officer. Acceptance or approval of any schedule or revision thereof by the Government shall not:

- (1) Extend the completion date or obligate the Government to do so,
- (2) Constitute acceptance or approval of any delay, or
- (3) Excuse the Contractor from or relieve the Contractor of its obligation to maintain the progress of the work and achieve final completion by the established completion date.

Notice Of Delay

If the Contractor receives a notice of any change in the work, or if any other conditions arise which are likely to cause or are actually causing delays which the Contractor believes may result in late completion of the project, the Contractor shall notify the Contracting Officer. The Contractor's notice shall state the effect, if any, of such change or other conditions upon the approved schedule, and shall state in what respects, if any, the relevant schedule or the completion date should be revised. The Contractor shall give such notice promptly, not more than ten (10) days after the first event giving rise to the delay or prospective delay. Only the Contracting Officer may make revisions to the approved time schedule.

Notice to Proceed

(a) After receiving and accepting any bonds or evidence of insurance, the Contracting Officer will provide the Contractor a Notice to Proceed. The Contractor must then prosecute the work, commencing and completing performance not later than the time period established in the contract.

(b) It is possible that the Contracting Officer may elect to issue the Notice to Proceed before receipt and acceptance of any bonds or evidence of insurance. Issuance of a Notice to Proceed by the Government before receipt of the required bonds or insurance certificates or policies shall not be a waiver of the requirement to furnish these documents.

Working Hours

All work shall be performed during **0800 – 1630 hrs, from Monday through Friday**. Other hours, if requested by the Contractor, may be approved by the Contracting Officer's Representative (COR). The Contractor shall give 24 hours in advance to COR who will consider any deviation from the hours identified above. Changes in work hours, initiated by the Contractor, will not be a cause for a price increase.

Preconstruction Conference

A preconstruction conference may be held 10 days after contract award at **U.S. Embassy, Diplomatic Enclave, Ramna-5 Islamabad** to discuss the schedule, submittals, notice to proceed, mobilization and other important issues that effect construction progress. See FAR 52.236-26, Preconstruction Conference.

Deliverables - The following items shall be delivered under this contract:			
<u>Description</u>	<u>Quantity</u>	<u>Deliver Date</u>	<u>Deliver To</u>
Section G. Securities/Insurance	1	10 days after award	CO
Section E. Construction Schedule	1	10 days after award	COR
Section E. Preconstruction Conference	1	10 days after award	COR
Section G. Personnel Biographies	1	10 days after award	COR
Section F. Payment Request	1	Last calendar day of each month	COR
Section D. Request for Substantial Completion	1	15 days before inspection	COR
Section D. Request for Final Acceptance	1	5 days before inspection	COR

F. ADMINISTRATIVE DATA

652.242-70 CONTRACTING OFFICER'S REPRESENTATIVE (COR) (AUG 1999)

(a) The Contracting Officer may designate in writing one or more Government employees, by name or position title, to take action for the Contracting Officer under this contract. Each designee shall be identified as a Contracting Officer's Representative (COR). Such designation(s) shall specify the scope and limitations of the authority so delegated; provided, that the designee shall not change the terms or conditions of the contract, unless the COR is a warranted Contracting Officer and this authority is delegated in the designation.

(b) The COR for this contract is ***Senior Facilities Engineer.***

Payment: The Contractor's attention is directed to Section H, 52.232-5, "Payments Under Fixed-Price Construction Contracts". The following elaborates on the information contained in that clause.

Requests for payment, may be made no more frequently than monthly. Payment requests shall cover the value of labor and materials completed and in place, including a prorated portion of overhead and profit.

After receipt of the Contractor's request for payment, and on the basis of an inspection of the work, the Contracting Officer shall make a determination as to the amount, which is then due. If the Contracting Officer does not approve payment of the full amount applied for, less the retainage allowed by in 52.232-5, the Contracting Officer shall advise the Contractor as to the reasons.

(2) record shop drawings and other submittals, in the number and form as required by the specifications.

G.4.0 Laws and Regulations - The Contractor shall, without additional expense to the Government, be responsible for complying with all laws, codes, ordinances, and regulations applicable to the performance of the work, including those of the host country, and with the lawful orders of any governmental authority having jurisdiction. Host country authorities may not enter the construction site without the permission of the Contracting Officer. Unless otherwise directed by the Contracting Officer, the Contractor shall comply with the more stringent of the requirements of such laws, regulations and orders and of the contract. In the event of a conflict between the contract and such laws, regulations and orders, the Contractor shall promptly advise the Contracting Officer of the conflict and of the Contractor's proposed course of action for resolution by the Contracting Officer.

G.4.1 The Contractor shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety, and similar matters, to the extent that such compliance is not inconsistent with the requirements of this contract.

G.4.2 The Contractor shall give written assurance to the Contracting Officer that all subcontractors and others performing work on or for the project have obtained all requisite licenses and permits.

G.4.3 The Contractor shall submit proper documentation and evidence satisfactory to the Contracting Officer of compliance with this clause.

G.5.0 Construction Personnel - The Contractor shall maintain discipline at the site and at all times take all reasonable precautions to prevent any unlawful, riotous, or disorderly conduct by or among those employed at the site. The Contractor shall ensure the preservation of peace and protection of persons and property in the neighborhood of the project against such action. The Contracting Officer may require, in writing that the Contractor remove from the work any employee that the Contracting Officer deems incompetent, careless, insubordinate or otherwise objectionable, or whose continued employment on the project is deemed by the Contracting Officer to be contrary to the Government's interests.

G.5.1 If the Contractor has knowledge that any actual or potential labor dispute is delaying or threatens to delay the timely performance of this contract, the Contractor shall immediately give notice, including all relevant information, to the Contracting Officer.

G.5.2 After award, the Contractor has ten calendar days to submit to the Contracting Officer a list of workers and supervisors assigned to this project for the Government to conduct all necessary security checks. It is anticipated that security checks will take 7 days to perform. For each individual the list shall include:

Full Name
Place and Date of Birth
Current Address

Copy of Valid Computerized National Identity Card issued by GOP

Failure to provide any of the above information may be considered grounds for rejection and/or resubmittal of the application. Once the Government has completed the security screening and approved the applicants a badge will be provided to the individual for access to the site. This badge may be revoked at any time due to the falsification of data, or misconduct on site.

G.5.3 The Contractor shall provide an English speaking supervisor on site at all times. This position is considered as key personnel under this purchase order.

G.6.0 Materials and Equipment - All materials and equipment incorporated into the work shall be new and for the purpose intended, unless otherwise specified. All workmanship shall be of good quality and performed in a skillful manner that will withstand inspection by the Contracting Officer.

G.7.0 Special Warranties

G.7.1 Any special warranties that may be required under the contract shall be subject to the stipulations set forth in 52.246-21, "Warranty of Construction", as long as they are not in conflict.

G.7.2 The Contractor shall obtain and furnish to the Government all information required to make any subcontractor's, manufacturer's, or supplier's guarantee or warranty legally binding and effective. The Contractor shall submit both the information and the guarantee or warranty to the Government in sufficient time to permit the Government to meet any time limit specified in the guarantee or warranty, but not later than completion and acceptance of all work under this contract.

G.8.0 Equitable Adjustments

Any circumstance for which the contract provides an equitable adjustment that causes a change within the meaning of paragraph (a) of the "Changes" clause shall be treated as a change under that clause; provided, that the Contractor gives the Contracting Officer prompt written notice (within 20 days) stating:

- (a) the date, circumstances, and applicable contract clause authorizing an equitable adjustment and
- (b) that the Contractor regards the event as a changed condition for which an equitable adjustment is allowed under the contract

The Contractor shall provide written notice of a differing site condition within 10 calendar days of occurrence following FAR 52.236-2, Differing Site Conditions.

G.9.0 Zoning Approvals and Permits

The Government shall be responsible for:

- obtaining proper zoning or other land use control approval for the project
- obtaining the approval of the Contracting Drawings and Specifications
- paying fees due for the foregoing; and,
- for obtaining and paying for the initial building permits.

H. CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es): <http://www.acquisition.gov/far/> or <http://farsite.hill.af.mil/vffara.htm>. Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <http://www.statebuy.state.gov/> to access links to the FAR. You may also use an internet “search engine” (for example, Google, Yahoo, Excite) to obtain the latest location of the most current FAR.

The following Federal Acquisition Regulation clause(s) is/are incorporated by reference (48 CFR CH. 1):

<u>CLAUSE</u>	<u>TITLE AND DATE</u>
52.202-1	DEFINITIONS (NOV 2013)
52.204-9	PERSONAL VERIFICATION OF CONTRACTOR PERSONNEL (JAN 2011)
52.204-10	REPORTING EXECUTIVE COMPENSATION AND FIRST-TIER SUBCONTRACT AWARDS (JUL 2013)
52.204-12	DATA UNIVERSAL NUMBERING SYSTEM NUMBER MAINTENANCE (DEC 2012)
52.204-13	SYSTEM FOR AWARD MANAGEMENT MAINTENANCE (JUL 2013)
52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED OR PROPOSED FOR DEBARMENT (AUG 2013)
52.209-9	UPDATES OF INFORMATION REGARDING RESPONSIBILITY MATTERS (JUL 2013)
52.213-4	TERMS AND CONDITIONS –SIMPLIFIED ACQUISITIONS (OTHER THAN COMMERCIAL ITEMS) (JAN 2014)

- 52.216-7 ALLOWABLE COST AND PAYMENT (JUNE 2013)
- 52.222-1 NOTICE TO THE GOVERNMENT OF LABOR DISPUTES (FEB 1997)
- 52.222-19 CHILD LABOR – COOPERATION WITH AUTHORITIES AND REMEDIES (JAN 2014)
- 52.222-27 PROMPT PAYMENT CONSTRUCTION (JUL 2013)
- 52.222-50 COMBATING TRAFFICKING IN PERSONS (FEB 2009)
- 52.223-18 ENCOURAGING CONTRACTOR POLICIES TO BAN TEXT MESSAGING WHILE DRIVING (AUG 2011)
- 52.225-13 RESTRICTIONS ON CERTAIN FOREIGN PURCHASES (JUNE 2008)
- 52.225-14 INCONSISTENCY BETWEEN ENGLISH VERSION AND TRANSLATION OF CONTRACT (FEB 2000)
- 52.225-19 CONTRACTOR PERSONNEL IN A DESIGNATED OPERATIONAL AREA OR SUPPORTING A DIPLOMATIC MISSION OUTSIDE THE UNITED STATES (MAR 2008)
- 52.228-4 WORKERS’ COMPENSATION AND WAR-HAZARD INSURANCE OVERSEAS (APR 1984)
- 52.228-5 INSURANCE - WORK ON A GOVERNMENT INSTALLATION (JAN 1997)
- 52.228-11 PLEDGES OF ASSETS (JAN 2012)
- 52.228-13 ALTERNATIVE PAYMENT PROTECTION (JUL 2000)
- 52.229-6 TAXES - FOREIGN FIXED-PRICE CONTRACTS (FEB 2013)
- 52.229-7 TAXES- FIXED PRICE CONTRACTS WITH FOREIGN GOVERNMENTS (FEB 2013)
- 52.232-5 PAYMENTS UNDER FIXED-PRICE CONSTRUCTION CONTRACTS (SEP 2002)
- 52.232-8 DISCOUNTS FOR PROMPT PAYMENT (FEB 2002)
- 52.232-11 EXTRAS (APR 1984)
- 52.232-18 AVAILABILITY OF FUNDS (APR 1984)

- 52.236-26 PRECONSTRUCTION CONFERENCE (FEB 1995)
- 52.242-14 SUSPENSION OF WORK (APR 1984)
- 52.243-4 CHANGES (JUNE 2007)
- 52.243-5 CHANGES AND CHANGED CONDITIONS (APR 1984)
- 52.244-6 SUBCONTRACTS FOR COMMERCIAL ITEMS (DEC 2013)
- 52.245-2 GOVERNMENT PROPERTY INSTALLATION OPERATION SERVICES (APR 2012)
- 52.245-9 USE AND CHARGES (APR 2012)
- 52.246-12 INSPECTION OF CONSTRUCTION (AUG 1996)
- 52.246-17 WARRANTY OF SUPPLIES OF A NONCOMPLEX NATURE (JUNE 2003)
- 52.246-21 WARRANTY OF CONSTRUCTION (MAR 1994)
- 52.249-2 TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE) (APR 2012) *Alternate I (SEP 1996)*
- 52.249-10 DEFAULT (FIXED-PRICE CONSTRUCTION) (APR 1984)
- 52.249-14 EXCUSABLE DELAYS (APR 1984)

652.204-70 DEPARTMENT OF STATE PERSONAL IDENTIFICATION CARD ISSUANCE PROCEDURES (MAY 2011)

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor's employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm> .

(End of clause)

CONTRACTOR IDENTIFICATION (JULY 2008)

Contract performance may require contractor personnel to attend meetings with government personnel and the public, work within government offices, and/or utilize government email.

Contractor personnel must take the following actions to identify themselves as non-federal employees:

- 1) Use an e-mail signature block that shows name, the office being supported and company affiliation (e.g. "John Smith, Office of Human Resources, ACME Corporation Support Contractor");
- 2) Clearly identify themselves and their contractor affiliation in meetings;
- 3) Identify their contractor affiliation in Departmental e-mail and phone listings whenever contractor personnel are included in those listings; and
- 4) Contractor personnel may not utilize Department of State logos or indicia on business cards.

(End of clause)

652.236-70 ACCIDENT PREVENTION (APR 2004)

(a) *General.* The Contractor shall provide and maintain work environments and procedures which will safeguard the public and Government personnel, property, materials, supplies, and equipment exposed to contractor operations and activities; avoid interruptions of Government operations and delays in project completion dates; and, control costs in the performance of this contract. For these purposes, the Contractor shall:

- (1) Provide appropriate safety barricades, signs and signal lights;
- (2) Comply with the standards issued by any local government authority having jurisdiction over occupational health and safety issues; and,
- (3) Ensure that any additional measures the Contracting Officer determines to be reasonably necessary for this purpose are taken.
- (4) For overseas construction projects, the Contracting Officer shall specify in writing additional requirements regarding safety if the work involves:
 - (i) Scaffolding;
 - (ii) Work at heights above two (2) meters;
 - (iii) Trenching or other excavation greater than one (1) meter in depth;
 - (iv) Earth moving equipment;
 - (v) Temporary wiring, use of portable electric tools, or other recognized electrical hazards. Temporary wiring and portable electric tools require the use of a ground fault circuit interrupter (GFCI) in the affected circuits; other electrical hazards may also require the use of a GFCI;
 - (vi) Work in confined spaces (limited exits, potential for oxygen less than 19.5 percent or combustible atmosphere, potential for solid or liquid engulfment, or other hazards considered to be immediately dangerous to life or health such as water tanks, transformer vaults, sewers, cisterns, etc.);
 - (vii) Hazardous materials – a material with a physical or health hazard including but not limited to, flammable, explosive, corrosive, toxic, reactive or unstable, or any operations which creates any kind of contamination inside an occupied building such as dust from demolition activities, paints, solvents, etc.; or
 - (viii) Hazardous noise levels.

(b) *Records.* The Contractor shall maintain an accurate record of exposure data on all accidents incident to work performed under this contract resulting in death, traumatic injury, occupational disease, or damage to or theft of property, materials, supplies, or equipment. The Contractor shall report this data in the manner prescribed by the Contracting Officer.

(c) *Subcontracts.* The Contractor shall be responsible for its subcontractors' compliance with this clause.

(d) *Written program.* Before commencing work, the Contractor shall:

(1) Submit a written plan to the Contracting Officer for implementing this clause. The plan shall include specific management or technical procedures for effectively controlling hazards associated with the project; and,

(2) Meet with the Contracting Officer to discuss and develop a mutual understanding relative to administration of the overall safety program.

(e) *Notification.* The Contracting Officer shall notify the Contractor of any non-compliance with these requirements and the corrective actions required. This notice, when delivered to the Contractor or the Contractor's representative on site, shall be deemed sufficient notice of the non-compliance and corrective action required. After receiving the notice, the Contractor shall immediately take corrective action. If the Contractor fails or refuses to promptly take corrective action, the Contracting Officer may issue an order suspending all or part of the work until satisfactory corrective action has been taken. The Contractor shall not be entitled to any equitable adjustment of the contract price or extension of the performance schedule on any suspension of work order issued under this clause.

(End of clause)

652.242-73 AUTHORIZATION AND PERFORMANCE (AUG 1999)

(a) The Contractor warrants the following:

- (1) That it has obtained authorization to operate and do business in the country or countries in which this contract will be performed;
- (2) That it has obtained all necessary licenses and permits required to perform this contract; and,
- (3) That it shall comply fully with all laws, decrees, labor standards, and regulations of said country or countries during the performance of this contract.

(b) If the party actually performing the work will be a subcontractor or joint venture partner, then such subcontractor or joint venture partner agrees to the requirements of paragraph (a) of this clause.

652.243-70 NOTICES (AUG 1999)

Any notice or request relating to this contract given by either party to the other shall be in writing. Said notice or request shall be mailed or delivered by hand to the other party at the address provided in the schedule of the contract. All modifications to the contract must be made in writing by the Contracting Officer.

652.229-71 PERSONAL PROPERTY DISPOSITION AT POSTS ABROAD (AUG 1999)

Regulations at 22 CFR Part 136 require that U.S. Government employees and their families do not profit personally from sales or other transactions with persons who are not themselves entitled to exemption from import restrictions, duties, or taxes. Should the Contractor experience importation or tax privileges in a foreign country because of its contractual relationship to the United States Government, the Contractor shall observe the requirements of 22 CFR Part 136 and all policies, rules, and procedures issued by the chief of mission in that foreign country.

I. LIST OF ATTACHMENTS

ATTACHMENT NUMBER	DESCRIPTION OF ATTACHMENT	NUMBER OF PAGES
Attachment 1	Sample Bank Letter of Guaranty	1
Attachment 2	Breakdown of Price by Divisions of Specifications	1
Attachment 3	Statement of work including Appendix # 1,2 and 3	22

ATTACHMENT # 1

SAMPLE LETTER OF BANK GUARANTY

Place []
Date []

Contracting Officer
U.S. Embassy, [Post name]
[Mailing Address]

Letter of Guaranty No. _____

SUBJECT: Performance and Guaranty

The Undersigned, acting as the duly authorized representative of the bank, declares that the bank hereby guarantees to make payment to the Contracting Officer by check made payable to the Treasurer of the United States, immediately upon notice, after receipt of a simple written request from the Contracting Officer, immediately and entirely without any need for the Contracting Officer to protest or take any legal action or obtain the prior consent of the Contractor to show any other proof, action, or decision by another authority, up to the sum of [Amount equal to 20% of the contract price in U.S. dollars during the period ending with the date of final acceptance and 10% of the contract price during contract guaranty period], which represents the deposit required of the contractor to guarantee fulfillment of his obligations for the satisfactory, complete, and timely performance of the said contract [contract number] for [description of work] at [location of work] in strict compliance with the terms, conditions and specifications of said contract, entered into between the Government and [name of contractor] of [address of contractor] on [contract date], plus legal charges of 10% per annum on the amount called due, calculated on the sixth day following receipt of the Contracting Officer's written request until the date of payment.

The undersigned agrees and consents that said contract may be modified by Change Order or Supplemental Agreement affecting the validity of the guaranty provided, however, that the amount of this guaranty shall remain unchanged.

The undersigned agrees and consents that the Contracting Officer may make repeated partial demands on the guaranty up to the total amount of this guaranty, and the bank will promptly honor each individual demand.

This letter of guaranty shall remain in effect until 3 months after completion of the guaranty period of Contract requirement.

Depository Institution: [Name]
Address: _____ Location: _____
Representative(s): _____ State of Inc.: _____
_____ Corporate Seal:

Certificate of Authority is attached evidencing authority of the signer to bind the bank to this document.
Solicitation # S-PK330-14-Q-5735 20
Balcony Enclosure of a house in F-6/2, Islamabad

ATTACHMENT # 2

**UNITED STATES DEPARTMENT OF STATE
BREAKDOWN OF PRICE BY DIVISIONS OF SPECIFICATIONS**

(1) DIVISION/ DESCRIPTION	(2) LABOR	(3) MATERIALS	(4) OVERHEAD	(5) PROFIT	(6) TOTAL
1. General Requirements/ Mobilization					
2. Site Work					
3. Concrete					
4. Masonry					
5. Metals					
6. Wood and Plastic					
7. Thermal and Moisture					
8. Doors and Windows					
9. Finishes					
10. Specialties					
11. Equipment					
12. Furnishings					
13. Special Construction					
14. Conveying Systems					
15. Mechanical					
16. Electrical					
TOTAL Pak Rs.					

Allowance Items:

PROPOSAL PRICE TOTAL PAK Rs.: _____

Alternates (list separately do not total)

Offeror:

Date

ATTACHMENT # 3
STATEMENT OF WORK

1.0 BACKGROUND AND PURPOSE:

US Embassy Islamabad requires the repairs of Government Owned residences in the city, this project consists of: improvement and covering of 2nd floor back terrace to meet specified standards and in accordance with the drawings and specifications.

2.0 LOCATION:

Contractor shall carry out the required work at a residence located in sector F-6/2, Islamabad (exact address will be mentioned in the contract). The existing residential building structures consist of brick masonry load bearing walls and reinforced concrete floor and roof slabs.

3.0 GENERAL REQUIREMENTS:

- 3.1 Contractor shall execute the required work in a diligent manner in accordance with a fixed performance period of forty (45) working days, or such time frame as requested/advised by Contractor and approved by COR.
- 3.2 Contractor shall submit evidence of previous work that demonstrates their knowledge and expertise in constructing similar work, as stated in Scope of Services, which shall be required as part of the Technical Evaluation.
- 3.3 Contractor shall be required to prepare Timeline Schedules of planning/phasing of work, and cost estimates. These documents, shall be required as part of Technical Evaluation, and shall provide the necessary interfaces, coordination and communication between the COR and the Contractor.
- 3.4 In addition, Contractor shall be required to prepare reports, bill of materials, quality control schedules and construction costs to provide the necessary interfaces, coordination, and communication between the COR and Contractor for the delivery of completed terrace covering project.
- 3.5 Contractor shall ensure that all work is performed at the appropriate time and that no work completed is hindering other aspects of the job or being impacted (damaged, dirtied, etc.) by any subsequent phase of work.
- 3.6 Contractor shall repair any damage to existing infrastructure caused as a result of construction.
- 3.7 Contractor shall be responsible for field verifying all dimensions and spot elevations of existing and proposed work during pre-bid meeting and/or site visit, at which time COR will point out further specifics of the job.
- 3.8 Contractor shall submit an access request for all personnel, equipment and vehicles, to COR in order to get security access approval, and shall obey RSO's security directives at all times.
- 3.9 The Contractor shall have limited access and not be admitted into the actual residence outside the areas designated for the project, except with permission by the COR.
- 3.10 Contractor shall provide a site Project Manager who is fluent in English.

- 3.11 Contractor shall perform the job in accordance with U.S. Codes and Standards, and shall comply with all local host-country Codes, Ordinances and Regulations for Construction, Labor and Safety Practices.
- 3.12 Contractor shall comply with all Accident Prevention requirements which include:
 - a. Workers are required to wear hardhats and steel toed shoes on the job site at all times.
 - b. See APPENDIX #3 for complete list of all safety requirements on all Overseas Construction Projects.
- 3.13 Contractor shall perform the construction in accordance with the provided Specifications, Drawings and Details as listed in the APPENDIX #1. However, any discrepancies between existing conditions and proposed construction shall be brought to the attention of the COR for immediate resolution.
- 3.14 Contractor shall prepare all shop drawings, plans, details as follows:
 - a. Existing Conditions Plan showing site existing condition, equipment, lighting, fans, electrical outlets, appliances, fixtures, conduits, and plumbing piping etc.
 - b. Proposed Layout Plans (fully dimensioned) showing proposed improvements including, prefab columns, beams, roof structure, drop ceiling, lighting, wall outlets, wall finishes, windows, doors, pre-fab roof sheet and electrical layout.
 - c. All drawings must be submitted for approval and coordination with COR, prior to proceeding.
- 3.15 Contractor shall have a current marked, complete set of the Contract documents, including Scope of Work, Drawings and Specifications, approved Submittals, Progress Reports and Schedule, available on the job site at all times.
- 3.16 The project start date is to be made as soon as possible and is expected to begin upon receipt of NTP.
- 3.17 After final completion of the work, but before final acceptance thereof, the Contractor shall provide:
 - a. A complete set of “as built” drawings, based upon the record set of drawings, marked to show the details of construction as actually accomplished.
 - b. Record shop drawings and other submittals, in the number and form as required by specifications.

4.0 SCOPE OF SERVICES:

Contractor shall provide all construction/fabrication, furnishing of materials, labor, equipment and supervision necessary to complete the technical requirements in this statement of work in accordance with GENERAL REQUIREMENTS Paragraphs 3.13 and 3.14 as stated above, pertaining to drawings and specifications. The work consists of, but is not limited to, the following:

4.1 *LOGISTICS, SITE PROTECTION, DEMOLITION and DISPOSAL:*

4.1.1 *LOGISTICS:*

- a. Electrical 220v 50Hz available
- b. Water source available

- c. Contractor shall provide proper means for delivering all construction materials on to the job site as well as providing proper storage/ protection for said deliveries as may be required.

4.1.2 SITE PROTECTION:

- a. Contractor shall protect all the building surrounds including the existing paving (driveway, terraces and walkways) and the existing surrounding garden (lawn areas, plants and planting beds), and shall maintain the site free of debris at all times.
- b. Contractor shall protect the existing exterior and interior finishes (walls, floors, ceilings, etc.) to remain, throughout the entire construction period, and ensure they are returned in same condition as at the beginning of project.
- c. Contractor shall provide plastic, drop cloths and /or cardboard for protection of all existing doors, windows etc. to remain as may be required.
- d. Contractor shall provide and keep Fire extinguishers on site at all times during welding operations, or as may be required.
- e. Contractor shall provide all necessary scaffolding and appropriate body harnesses, etc. in compliance with all Accident Prevention requirements, as stated previously in Paragraph 3.12, and/or as may be required.

4.1.3 DEMOLITION/REMOVAL, CLEANING and DISPOSAL:

- a. Contractor shall temporarily relocate any existing installation and or tightly protect/cover them with plastic and /or drop cloths for the duration of the project, as required.
- b. Removal of all electrical fixtures (lights, fans, exhausts, ductwork, etc. as required), switches, outlets (including GFCI), plate covers, and exterior conduit/wiring, etc. breaker box, and all exposed wires shall be safely capped, etc. as required.
- c. Any removal necessary (as mentioned above) shall be performed by using jack hammers, chisels, wire brushing or other effective means to get the required results.
- d. All construction debris removal shall be via a construction chute, nothing shall be tossed from heights.
- e. Contractor shall dispose of debris from the site on a daily basis, in accordance with Local, State and Federal regulations. All permits required are Contractor's responsibility.
- f. The entire work site, ground areas, external utilities, etc. shall be kept clean and accessible at all times.

4.2 EXCAVATION:

- a. All excavation for footings shall be done using jack hammer and manual labor.
- b. Excavation shall be done carefully to minimize the nearby area damage.
- c. Excavation shall be 2'-4" deep from ground surface. It shall be wide enough to accommodate steel form work.
- d. The excavated base shall be compacted to make a firm ground.
- e. All debris shall be dispose off from site as per item 4.1.3.

4.3 REINFORCED CONCRETE FOUNDATION:

- a. Provide and install gravel stone 4" thick under the foundation.
- b. Provide and lay reinforced cement concrete (1:1½:3) using approved Portland cement, screened graded aggregate ¾" thick and down gauge and approved sand in footings including compacting with vibrator, curing, scaffolding, steel form work and its removal labor and material, mechanical mixing etc complete as per drawings and instructions of the COR. Pre-mix concrete shall only be accepted. Onsite mix is not allowed.
- c. Provide and apply bitumen coating all around the footing.

4.4 REINFORCEMENT AND MS BOLTS:

- a. Provide, fabricate and install deformed steel reinforcement bars of minimum 60,000 Psi yield strength of Ithad or Fazal make or equivalent and placed as per drawings and instructions of the COR including the cost of cutting, binding, bending straightening, wastage, placing, carriage to site, laps not shown in drawings/ lengths less than bar size, steel chairs, spacers, binding wire 18 SWG in foundations.
- b. Re-bar size ½" @5"OC top, bottom and sides that makes a box of re-bars.
- c. Provide and install in plumb, 1" thick MS bolts have J-hook (6" long) at bottom and threads (6" long) at top, four in each footing, tie in with footing reinforcement. The length of bolt shall be 2'-10".
- d. Provide and install MS plate 18"x18"x½" thick on the footing.

4.5 MS STEEL FRAMING STRUCTURE:

- a. Provide and install pre-fab MS steel columns 6"x6"x1/8" thick. A 12"x12"x½" thick steel plate shall be welded at the bottom of the column and shall be installed over the footing through footing anchors as shown on the drawing.
- b. Provide and install pre-fab MS steel tube 4"x4"x1/8" thick at top and middle of the frame structure as shown on the drawing.
- c. All longitudinal and distribution roof framing shall be 4"x4"x1/8", 3"x3"x1/8" thick steel tubes as shown on top view steel frame plan.
- d. All welding shall be continuous weld without any flaw.
- e. The roof framing shall be tie in with existing roof and walls.
- f. A 4"x4"x1/8" thick MS angle shall be installed along existing wall and tie in with the wall through anchors bolts (1" thick) @2'OC with HILTI anchor system HY-150.
- g. The roof frame shall rest and tie in with the angle.
- h. All steel shall be primed with rust preventive paint before installation.
- i. Provide MS steel plate 12"x12"x½" and anchor at any location where the steel tube contact with slab or the wall surface.
- j. Provide and apply two coats of approved paint before installation of roof panels.
- k. Provide and install 2" thick polyurethane sandwich roofing type panels on roof including j-hook, nuts, screws, water tight washers, sealant under the overlaps complete is all respects and as per instruction of manufacturer.
- l. Contractor shall provide 15 years of warranty for any water leak through the roofing

panels. In case of evidence of leak, contractor shall replace roofing panels. No repair shall be accepted in this case.

- m. A minimum of 5% slope shall be maintained on the roof panels.
- n. All edges of the roofing panels shall be covered with metal sheet of roofing panel matching color.
- o. Contractor shall submit shop drawing showing all fabricating and installation details for approval prior to start the job.

4.6 WINDOWS:

- a. Contractor shall provide and install uPVC – “thermal” double glazed windows of approved section and frame, and with mini-blinds, as specified or otherwise directed, of Win-Pak make or equivalent to be approved by COR.
- b. Window types shall be fixed or sliding, tilt-top or double hung windows, to match existing conditions and/or as required to make any necessary improvements as directed and/or as approved by COR.
- c. Contractor shall submit shop drawings for all windows for final approval by COR, prior to ordering.
- d. All operable windows shall include operable/sliding fly/insect mesh screens to be approved by COR.
- e. Thermal - double glazing shall be 6 mm thick imported tempered glass inside and outside, with 10 to 20 mm cavity in between.
- f. Tempering shall be verified by locating the etched label that so certifies. Embassy shall check tempering with instrument.
- g. All hardware shall be matching and approved by COR, including handles, locking arrangements, opening arrangements, stays, etc., except rollers shall be MATIX (Japanese make). All hardware shall be fixed with HILTI stainless steel screws.
- h. All windows/frames shall be properly leveled, shimmed as may be required, and secured to the window openings in accordance with manufacturer’s specifications and with appropriate screws, bolts or anchors as required. Any gaps within tolerance limits shall be filled with insulation foam as required.
- i. All fixed joints between uPVC window sections and adjoining surfaces shall be sealed with transparent exterior grade silicone sealant both inside and outside (applied in smooth strips and without smearing), and all operable sections shall have weather stripping, as required and in accordance with American standards, complete in all respects, as directed by the COR.
- j. If required, as in conditions where the windows are not recessed within the window openings and are to be installed flush with exterior face of walls, all windows shall be entirely flashed, in accordance with American Architectural Manufacturers Association (AAMA), American Society for Testing and Materials (ASTM), and window manufacturer’s recommendations, as follows: Always and first, install sill flashing, with the bottom edge remaining loose so that succeeding weather barriers can be tucked under.
- k. Jambs are flashed next, with flashing tails extending over and just below the sill flashing. This flashing should be at least 6 in. above the window head opening.
- l. Heads are flashed last, with the flashing extending horizontally over and just beyond the jamb flashing.

- m. After flashing is complete, apply a generous amount of window manufacturer's approved caulking. Always leave the bottom sill flashing open so that any water that gets past the jamb caulking can drain out.
- n. If required, after setting and fastening the window in place, install self-adhesive flashing over the window fins in the same sequence as the flashing.

4.7 NEW GUTTERS AND DOWNSPOUTS INSTALLATION:

4.7.1 Contractor shall install a new gutter system with downspouts, in accordance with: the specifications, or per standard U.S. practice, which shall be connected the nearest storm drain system.

4.7.2 Contractor shall choose fabricate gutters from 20 gauge galvanized steel sheet metal including all necessary connectors/adaptors as required. Consideration may be made for an alternate all- PVC solution, to be approved by COR.

4.7.3 Contractor shall submit shop drawings showing in detail the specifications of all the required materials and the required assembly components and with clear instructions on the placement and method of installation of each component, as part of the Technical Evaluation requirements. Final (and/or revised) shop drawings shall be approved by COR prior to start of the project in order for Contractor to ensure the timely purchase of the selected and approved materials.

4.7.4 **STANDARD GUTTER SYSTEM** shall consist of the following:

- a. Lengths of continuous gutter sections
- b. Typical gutter corner fittings - for both exterior and interior corners, as required.
- c. Typical gutter horizontal connectors as required, to set high points of gutter slope required for proper drainage.
- d. Typical gutter downspout adaptor as required, to set the low points of gutter slope required for proper drainage.
- e. Typical gutter end caps as required, to close the open ends.
- f. All gutter parts shall be joined as required in accordance to standard practice, and all joints shall be sealed with appropriate waterproof sealant.
- g. All gutter components shall be securely fastened to the existing roof and/or overhang as required to ensure that they don't blow off or the weight of full gutters will pull down gutters.
- h. All straps and/or hardware required shall be installed with appropriate water tight concrete anchors and washers to maintain the structural integrity of the structure.
- i. See attached drawing for gutter system.

4.7.5 **STANDARD DOWNSPOUT SYSTEM** shall consist of the following:

- a. Typical connector to gutter downspout adaptor: "S" - usually for tight connections to a wall, and elbows - as required with extended overhangs.
- b. All downspout parts shall be joined as required in accordance to standard practice, and all joints shall be sealed with appropriate waterproof sealant

- c. All downspout components shall be securely fastened to the structure as required to ensure that they don't blow off or fall down.
- d. Use uPVC class-E schedule-40, Fittings: use uPVC class E schedule-80 for downspout.

4.8 ELECTRICAL WORK:

4.8.1 GENERAL ELECTRICAL REQUIREMENTS:

- a. All old wiring shall be removed; absolutely no old wiring shall remain.
- b. Samples of all required fixtures, accessories and materials shall be submitted to COR for approval. Nothing shall be used on site prior to the approval of sample.
- c. Contractor shall supply and install all necessary conduit work and wiring (including phase, neutral and ground), receptacles, outlets, boxes, distribution boards (DBs), panels, switchboards, switch plates, switches, dimmers, light fixtures, accessories, and/ or fans as required, at new locations in ceiling and walls as required and approved by COR.
- d. Contractor shall provide all labor, vehicles, tools, cables, wires, conduit, fittings, brackets, lugs, nuts, bolts, etc. as specified and required.
- e. Any other materials, accessories and/or services, which are not listed here but are required for the project completion, shall be the responsibility of the Contractor, and be supplied and installed with quality workmanship and in full compliance with local and NEC standards.
- f. All conduit/wiring work shall be "hidden" in walls or ceiling and protected in accordance with standard practice. Contractor shall be required to patch and repair all walls as necessary due to any required conduit/wiring relocations, and as directed by COR.
- g. Contractor shall notify COR once electrical work is completed for testing. All test results must be verified and approved by COR prior to authorizing for close-out.
- h. All testing equipment required for the project shall be pre-calibrated and of reliable quality.
- i. See APPENDIX #2 - STANDARD ELECTRICAL CODES & SPECIFICATIONS
- j. Multiple gang boxes are preferred for wall switches; these shall be conveniently placed adjacent to doorways and with 3-way switches where possible.
- k. Ceiling fan shall have proper dimmer switches, to be approved by COR.
- l. Supply and install grounding Connecting points consisting of Copper plate 12" long, 2" wide and 1/2" thick to be installed on the wall, complete with fixing arrangement, brass, nuts, bolts, complete in all respects to facilitate connections of incoming copper strip and outgoing CPC's.
- m. Supply, install and connect grounding electrodes 1" thick with 2'x2'x1/8" tinned copper plate connected with 2x70mmsq. PVC insulated copper grounding conductors in 2" PVC pipe class E up to main grounding bar including all accessories chamber, duty C.I cover etc.
- n. Supply, install, connect and commission florescent light fitting recessed in ceiling or wall mounted made of M.S. body 22 SWG degreased and de-rusted with white enameled non yellowing paint complete with pre-coil chokes, lamp holders, starter power factor correction capacitor, energy saving tube rods internal wiring, grounding terminal to be manufactured by Philips manufacture. 2'x2' in size for ceiling.
- o.
- p. Wiring for lights, ceiling fans, switches and Ac shall be as described in APPENDIX-2.

4.9 FLOORS, WALLS PLASTER WORK and PAINT:

- a. All removals including existing terrazzo and/or tile floor, skirting and baseboard, etc. shall be performed as stated in DEMOLITION – Paragraph 4.1.3.
- b. Contractor shall make all necessary replacement floor repairs and finishes as required.
- c. The finished level of floor after repairs shall not exceed previously existing finished level of the floors.
- d. Offsets should be clearly marked to maintain the existing finish floor elevations, prior to initiating any removals.
- e. Proper cement leveling base shall be approved by COR, prior to initiating any installation.
- f. Provide and install standard skirting/baseboard approx. 4” high.
- g. Masonry repair and patchwork shall be required wherever new replacement and or relocated and “hidden” electrical and new pre-fab structure are attached and shall be done only after close-out authorization is given by COR and in accordance to standard procedures to maintain the integrity of the walls and floor.
- h. All walls repairs shall be made plumb, smooth and even and shall be re-plastered as required.
- i. Typical plaster work shall be 1/2” - 3/4” thick cement sand plaster as follows:
 - Plaster in (1:3) ratio shall be: ordinary portland cement (Fecto, Maple Leaf or Fauji) and Sand (lawrencepur).
 - Standard joint preparation with corner beads, wire mesh, curing and finishing shall be required.
- j. Painting required shall be as follows:
 - Once installation and repairs work are completed Contractor shall ensure protection of all adjacent surfaces of different materials/finishes by using painter’s tape, plastic or drop cloths, wall coverings, etc., as may be required and for the duration of the job.
 - The color scheme for all surfaces shall be pre-approved by the COR. Paints exceeding either the shelf-life or the pot life will not be acceptable.
 - All interior surfaces shall be newly plastered or pre-cleaned/scraped and prepared surfaces using ICI putty.
 - Contractor shall provide and apply:
 - one (1) coat of an anti-fungal primer
 - Three (3) coats of plastic emulsion paint (ICI or equivalent) approved by COR.
 - Three coats of enamel paint on steel structure.
 - Three coats of weather shield paint on exterior surface.
 - All paints should be applied under dry and dust free conditions. Painting shall not occur when the temperature of the surrounding air is below 45 degrees Fahrenheit. Surfaces should be free from moisture at the time of painting.
 - Most paints are provided in a condition ready for use. It is important that only those additions are made which are expressly permitted on the container labels. Manufacturer’s instructions shall be followed when thinning paints and in no case should thinners exceed 5% by volume.
 - Paint should be stirred regularly unless otherwise recommended by the manufacturer.

- c. Contractor shall be responsible for all required materials, equipment and personnel to manage, administer, and carry out supervision of this project.
- d. All workmanship shall be of good quality and performed in a skillful manner as determined by the COR.
- e. Contractor shall assign a Project Site Manager that possesses Level 3 English Skills, who shall be responsible for the overall management of the project and shall represent the Contractor on the site during construction at all times. The COR or his Designee must approve the Project Site Manager. The Project Site Manager shall attend all project meetings.
- f. Contractor is responsible for safety and shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety and similar matters. Contractor shall submit a safety plan to be approved by COR. The Contractor shall promptly report all accidents resulting in lost time, disabling, or fatal injuries to the COR.
- g. Contractor shall verify that all materials, equipment, and systems provide operational dependability.
- h. Contractor shall construct the project for easy maintenance with readily available materials and services. Contractor shall maximize the compatibility of materials.
- i. Contractor shall prepare and maintain a Quality Control Schedule (QCS) to address the cost and schedule of the project. The QCS must document the entire project from beginning to end.
- j. The COR may perform quality assurance inspections to confirm that Contractor performs the work according to the Contract Documents.
- k. Any cost associated with services subcontracted by the Contractor shall be, borne by, and be the complete responsibility of the Contractor under this fixed price contract.

5.1.2 SITE CONDITIONS AND SERVICES:

- a. Contractor shall be responsible for obtaining all licenses and permits necessary, in compliance with any laws, codes, and regulations applicable to the execution of this work.
- b. Contractor may use the area within the residential compound for operation of his equipment and may maintain temporary facilities with COR approval. The Contractor is responsible for obtaining any additional off-compound storage as may be necessary.
- c. Temporary electrical power and water will be provided by the Government at no cost to the Contractor from existing lines and sources located at the building site. The characteristics and source locations may be verified by a visit to the site.
- d. Contractor shall be responsible for the professional quality, technical accuracy, and the coordination of all construction and other services furnished under this contract.
- e. Contractor shall, without additional compensation, correct or revise any errors or deficiencies in its construction and other services.
- f. Contractor shall keep the work area free from accumulation of waste materials and clean the site at the end of each work day.

- g. Contractor shall not drop or throw materials from heights and shall dispose of materials removed under this contract at a legally approved disposal site, and shall adhere to all local laws, and requirements concerning removal, transporting, and proper disposal methods of said materials.
- h. At the end of each workday, or with notification of a temporary stop order, the Contractor shall temporarily seal the project area. Beginning the next workday, day Contractor shall remove the temporary seal before continuing the project.
- i. At the end of the performance period for project completion, the Contractor shall perform a final cleanup to leave the project site in a clean and orderly condition acceptable to the COR.

5.1.3 INSPECTIONS, COMPLETION AND ACCEPTANCE:

- a. The COR has the right to conduct inspections or perform any tests deemed necessary, at all times and places to the extent practicable, to determine conformance with the requirements of the specifications during the term of the contract.
- b. If any of the Contractor's services do not conform to the contract requirements, the COR may require the Contractor to perform the services again in conformity with the contract requirements. COR may by contract or otherwise, perform the services and charge the Contractor any cost incurred by US Embassy Islamabad that is directly related to the performance of such service or terminate the contract for default.
- c. Contractor shall perform all the necessary corrections/adjustments as identified as per Punch List conducted by the COR.
- d. Contractor shall warrantee work to be free of defects and workmanship for a period of 1 year from date of acceptance.

6.0 DELIVERABLES, SCHEDULE AND PERIOD OF PERFORMANCE:

- a. Contractor shall be responsible for developing the Construction Timeline and Schedule of Deliverables acceptable to the COR prior to commencement of the construction.
- b. Contractor's Timeline Schedule shall focus on all work to be performed, to ensure proper sequencing and avoid conflicts or any damage to completed work, as the work progresses from delivery to installation and through completion.
- c. Contractor shall complete all work under this Contract within forty five (45) working days (or such time frame as initially approved by COR) - from the date of receipt of the Notice to Proceed (NTP).
- d. The project start date is to be made as soon as possible and is expected to begin upon receipt of NTP.
- e. Liquidated damages shall be assessed at Rs 10000.00 PKR per day for any delays past the forty five performance days from NTP.
- f. Work time shall be from 0800 hrs to 1630hrs Monday through Friday.

7.0. CLEANING:

- a. Contractor shall oversee cleaning to ensure that building and grounds are maintained free from accumulations of excavation/waste materials, debris and rubbish, to avoid unsightly and dangerous conditions at all the times.
- b. Contractor may sprinkle dusty debris lightly, with very fine water mist to control accumulation of dust, but not in quantity so as to puddle.
- c. Contractor shall keep streets and access to the site free of rubbish and debris at all times. Upon completion of work, Contractor shall clean any splattered surfaces, and remove all splattered or excess materials, by proper methods of washing and scraping, using care not to scratch or otherwise damage any finished surfaces.
- d. Upon completion of work, Contractor shall clean all affected areas and surroundings, including street side.

8.0. APPENDIX: Complete List of attachments as follows:


Appendix #1 – List of Drawings and Details


Appendix #2–Standard electrical codes and specifications


Appendix #3 - Safety requirements for Overseas Construction


END OF SCOPE OF WORK


APPENDIX # 1














APPENDIX #2

STANDARD ELECTRICAL CODES & SPECIFICATIONS

1. All electrical work shall be carried out according to NEC(National Electric Code) standards.
2. Light to light distance shall be 4' typical unless otherwise directed.
3. Receptacle outlets shall be installed at 12' typical, unless otherwise directed.
4. Receptacles/outlets in exterior wet locations must be waterproofed and with covers, approved for outdoor use.
5. Every receptacle shall have a separate circuit in a separate conduit from switchboard/panel.
6. Each circuit shall have shall have 3 wires(phase-red, neutral-Black and ground-Green)
7. Use proper glands/connectors of approved quality for cable entries into panels, sub panels and switchboards & boxes.
8. All cable entry points into panels shall have proper fittings and be sealed with proper waterproof compound, to prevent entry of water & foreign objects.
9. All switches, plates, receptacles, outlets shall be Clipsal; all sockets shall be Schouko type, with grounding terminal.
10. Circuit Breakers of panels & DBs shall be made by AEG, ABB, Siemens, and Schneider.
11. Circuit breakers in DB shall be marked for relevant circuits, outlets & appliances, for identification purposes.
12. All branch circuit breakers - 20amp for all circuits.
13. All GFCI/RCDs shall be: typical 2-pole, 16A, 10mA (made by AEG, ABB, Siemens, or Schneider), and are required for all wet locations.
14. All metallic boxes & DBs shall be grounded; size of steel boxes for wiring shall be 14Awg.
15. Wiring shall be as specified:
 - Use 3 x 1 x 2.5SQM wire for lights
 - Use 3 x 1 x 6SQM wire for AC/Receptacles.
16. Conduits used for cable runs and wiring, shall be as follows:
 - EMC or EMT or PVC, schedule-40 or schedule-80
 - 3/4" size conduit for wiring
 - 2" – 4" size conduit for cables at panels &DBs.
17. Feeds shall be as specified:
 - 3 x 1 x 6SQM feed, for ACs and security lights
 - 3 x 1 x 4SQM feed, for chandeliers& garden lights
18. Grounding shall be 2 (two) 10' long copper grounding rods of 3/4-inch diameter each for grounding to the structure and two for lightning protection.
19. All inside/outside lights (including garden lights, gate lights, security lights, dual corner lights, etc.) shall be Philips make or equal as per approved samples, and shall be weatherproof and suitable for exterior application.

20. Contractor shall be responsible for re-allocating necessary routing for related circuits, if applicable, as directed by COR.

Contractor shall arrange for new Grounding of the entire new structure and lightning protection.

APPENDIX # 3

SAFETY REQUIREMENTS FOR OVERSEAS CONSTRUCTION PROJECTS

Contractor shall comply with the following applicable safety requirements as stated in DOSAR 652.236-70 ACCIDENT PREVENTION:

- 1) Any work at heights above two (2) meter requires additional safety measures described as follows:
 - a. Workers shall not be permitted to work at heights over 1.5 meters without fall protection.
 - b. Fall protection shall consist of scaffolding, work platforms, or full body harnesses.
 - c. All work platforms over 1.5 meters tall (including scaffolding) shall have handrails.
 - d. Full body harnesses shall be attached to an object capable of resisting 5000 lbs of force.
- 2) Any excavation work that exceeds 1 meter depth, requires additional safety measures.
- 3) Use of earth moving equipment, requires additional safety measures.
- 4) Work in confined spaces including water tanks, sewers, transformer vaults, potential for combustion, etc. require additional safety measures.
- 5) Work with hazardous materials requires additional safety measures.
- 6) Work at hazardous noise levels requires additional safety measures.

Temporary wiring, use of portable electric tools or other recognized electrical hazards requires additional safety measures.

J. QUOTATION INFORMATION

A. QUALIFICATIONS OF OFFERORS

Offerors/quoters must be technically qualified and financially responsible to perform the work described in this solicitation. At a minimum, each Offeror/Quoter must meet the following requirements:

- (1) Be able to understand written and spoken English;
- (2) Have an established business with a permanent address and telephone listing;
- (3) Be able to demonstrate prior construction experience with suitable references;
- (4) Have the necessary personnel, equipment and financial resources available to perform the work;
- (5) Have all licenses and permits required by local law;
- (6) Meet all local insurance requirements;
- (7) Have the ability to obtain or to post adequate performance security, such as bonds, irrevocable letters of credit or guarantees issued by a reputable financial institution;
- (8) Have no adverse criminal record; and
- (9) Have no political or business affiliation which could be considered contrary to the interests of the United States.

B. SUBMISSION OF QUOTATIONS

This solicitation is for the performance of the construction services described in SCOPE OF WORK including Appendixes , and the Attachments which are a part of this request for quotation.

Each quotation must consist of the following:		
Volume	Title	Number of Copies*
I	Standard Form 1442 including a completed Attachment 2, "BREAKDOWN OF PROPOSAL PRICE BY DIVISIONS OF SPECIFICATIONS	02
II	Performance schedule in the form of a "bar chart" and Business Management/Technical Proposal	03

Submit the complete quotation to the address indicated. If mailed, on Standard Form 1442, or if hand-delivered, use the address set forth below.

RFQ No: SPK330-14-Q-5735
GSO-PROCUREMENT & CONTRACTING UNIT
U.S. EMBASSY, DIPLOMATIC ENCLAVE, RAMNA-5
ISLAMABAD

The Offeror/Quoter shall identify and explain/justify any deviations, exceptions, or conditional assumptions taken with respect to any of the instructions or requirements of this request for quotation in the appropriate volume of the offer.

Volume II: Performance schedule and Business Management/Technical Proposal.

(a) Present the performance schedule in the form of a "bar chart" indicating when the various portions of the work will be commenced and completed within the required schedule. This bar chart shall be in sufficient detail to clearly show each segregable portion of work and its planned commencement and completion date.

(b) The Business Management/Technical Proposal shall be in two parts, including the following information:

Proposed Work Information - Provide the following:

- (1) A list of the names, addresses and telephone numbers of the owners, partners, and principal officers of the Offeror;
- (2) The name and address of the Offeror's field superintendent for this project;
- (3) A list of the names, addresses, and telephone numbers of subcontractors and principal materials suppliers to be used on the project, indicating what portions of the work will be performed by them; and,

Experience and Past Performance - List all contracts and subcontracts your company has held over the past three years for the same or similar work. Provide the following information for each contract and subcontract:

- (1) Customer's name, address, and telephone numbers of customer's lead contract and technical personnel;
- (2) Contract number and type;
- (3) Date of the contract award place(s) of performance, and completion dates; Contract dollar value;
- (4) Brief description of the work, including responsibilities; and
- (5) Any litigation currently in process or occurring within last 5 years.

C. 52.236-27 SITE VISIT (CONSTRUCTION) (FEB 1995)

- (a) The clauses at 52.236-2, Differing Site Conditions, and 52.236-3, Site Investigations and Conditions Affecting the Work, will be included in any contract awarded as a result of this solicitation. Accordingly, offerors or quoters are urged and expected to inspect the site where the work will be performed.
- (b) A site visit has been scheduled for **September 08, 2014 at 1000Hrs.**
- (c) Participants will meet at (Location will be announced before site visit through separate email only to interested participants)
- (d) Maximum of two persons from one firm may participate in the site visit/ pre-proposal conference. Interested offerors must provide with full name of participant(s) (as written on NIC), NIC number and particulars of vehicle to be used (make, model, color and registration). Offerors interested in attending must e-mail on or before **12.00 noon September 03, 2014:**

LatifM@state.gov and RizviAA@state.gov

D. MAGNITUDE OF CONSTRUCTION PROJECT

It is anticipated that the range in price of this contract will be between 2,000,000 PKR to 5,000,000 PKR.

E. LATE QUOTATIONS. Late quotations shall be handled in accordance with FAR.

F. 52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This contract incorporates the following provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at: <http://acquisition.gov/far/index.html/> or <http://farsite.hill.af.mil/vffara.htm>. Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use of an Internet "search engine" (for example, Google, Yahoo or Excite) is suggested to obtain the latest location of the most current FAR.

The following Federal Acquisition Regulation provisions are incorporated by reference (48 CFR CH. 1):

<u>PROVISION</u>	<u>TITLE AND DATE</u>
52.204-6	DATA UNIVERSAL NUMBERING SYSTEM (DUNS) NUMBER (JUL 2013)
52.204-7	SYSTEM FOR AWARD MANAGEMENT (JUL 2013)
52.214-34	SUBMISSION OF OFFERS IN THE ENGLISH LANGUAGE (APR 1991)
52.215-1	INSTRUCTIONS TO OFFERORS--COMPETITIVE ACQUISITION (JAN 2004)

K. EVALUATION CRITERIA

Award will be made to the lowest priced, acceptable, responsible quoter. The Government reserves the right to reject quotations that are unreasonably low or high in price.

The Government will determine acceptability by assessing the offeror's compliance with the terms of the RFQ. The Government will determine responsibility by analyzing whether the apparent successful quoter complies with the requirements of FAR 9.1, including:

- ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;
- satisfactory record of integrity and business ethics;
- necessary organization, experience, and skills or the ability to obtain them;
- necessary equipment and facilities or the ability to obtain them; and
- otherwise qualified and eligible to receive an award under applicable laws and regulations.

SECTION L - REPRESENTATIONS, CERTIFICATIONS AND
OTHER STATEMENTS OF OFFERORS OR QUOTERS

L.1 52.204-3 TAXPAYER IDENTIFICATION (OCT 1998)

(a) Definitions

"Common parent", as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

"Taxpayer Identification Number (TIN)", as used in this provision, means the number required by the IRS to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision in order to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325 (d), reporting requirements of 26 USC 6041, 6041A, and 6050M and implementing regulations issued by the Internal Revenue Service (IRS). If the resulting contract is subject to the reporting requirements described in FAR 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 USC 7701(c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN)

TIN:	
<input type="checkbox"/>	TIN has been applied for
<input type="checkbox"/>	TIN is not required because:
<input type="checkbox"/>	Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the U.S. and does not have an office or place of business or a fiscal paying agent in the U.S.
<input type="checkbox"/>	Offeror is an agency or instrumentality of a foreign government
<input type="checkbox"/>	Offeror is an agency or instrumentality of the Federal Government

(e) Type of Organization

<input type="checkbox"/>	Sole Proprietorship
<input type="checkbox"/>	Partnership
<input type="checkbox"/>	Corporate Entity (not tax exempt)
<input type="checkbox"/>	Corporate Entity (tax exempt)
<input type="checkbox"/>	Government entity (Federal, State or local)
<input type="checkbox"/>	Foreign Government
<input type="checkbox"/>	International organization per 26 CFR 1.6049-4

	Other:
--	--------

(f) Common Parent

	Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this clause.
	Name and TIN of common parent
Name	
TIN	

(End of provision)

L.2 52.204-6 CONTRACTOR IDENTIFICATION NUMBER -DATA UNIVERSAL NUMBERING SYSTEM (DUNS) NUMBER (OCT 2003)

(a) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation “DUNS” or “DUNS+4” followed by the DUNS number or DUNS+4 that identifies the offeror’s name and address exactly as stated in the offer. The DUNS number is a nine-digit number assigned by Dun and Bradstreet Information Services. The DUNS+4 is the DUNS number plus a 4-character suffix that may be assigned at the discretion of the offeror to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11) for the same parent company.

If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one. An offeror may obtain a DUNS number-

- If located within the United States, by calling Dun and Bradstreet at 1-866-705-5711 or via the Internet at <http://www.dnb.com>; or
- If located outside the United States, by contacting the local Dun and Bradstreet office.

The offeror should be prepared to provide the following information:

- Company legal business name.
- Tradestyle, doing business, or other name by which your entity is commonly recognized.
- Company physical street address, city, state and Zip Code.
- Company mailing address, city, state and Zip Code (if separate from physical)
- Company telephone number
- Date the company was started.
- Number of employees at your location.
- Chief executive officer/key manager.
- Line of business (industry)

Company Headquarters name and address (reporting relationship within your entity).

L.3 52.204-8 ANNUAL REPRESENTATIONS AND CERTIFICATIONS (JAN 2014)

(a)(1) The North American Industry Classification System (NAICS) code(s) for this acquisition is/are:

- 236118 - Construction Management, residential remodeling**
- 236220 - Construction Management, commercial and institutional building or Warehouse construction**
- 237110 - Construction Management, water and sewage line and related structures**
- 237310 - Construction Management, highway road, street or bridge**
- 237990 - Construction Management, outdoor recreation facility**

(2) The small business size standard is **\$33.5 Million USD**.

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b)(1) If the provision at 52.204-7, System for Award Management, is included in this solicitation, paragraph (d) of this provision applies.

(2) If the provision at 52.204-7 is not included in this solicitation, and the offeror is currently registered in the System for Award Management (SAM), and has completed the Representations and Certifications section of SAM electronically, the offeror may choose to use paragraph (d) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The offeror shall indicate which option applies by checking one of the following boxes:

(i) Paragraph (d) applies.

(ii) Paragraph (d) does not apply and the offeror has completed the individual representations and certifications in the solicitation.

(c)(1) The following representations or certifications in SAM are applicable to this solicitation as indicated:

(i) 52.203-2, Certificate of Independent Price Determination. This provision applies to solicitations when a firm-fixed-price contract or fixed-price contract with economic price adjustment is contemplated, unless—

(A) The acquisition is to be made under the simplified acquisition procedures in Part 13;

(B) The solicitation is a request for technical proposals under two-step sealed bidding procedures; or

(C) The solicitation is for utility services for which rates are set by law or regulation.

(ii) 52.203-11, Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions. This provision applies to solicitations expected to exceed \$150,000.

(iii) 52.204-3, Taxpayer Identification. This provision applies to solicitations that do not include the provision at 52.204-7, System for Award Management.

(iv) 52.204-5, Women-Owned Business (Other Than Small Business). This provision applies to solicitations that—

(A) Are not set aside for small business concerns;

(B) Exceed the simplified acquisition threshold; and

(C) Are for contracts that will be performed in the United States or its outlying areas.

(v) 52.209-2, Prohibition on Contracting with Inverted Domestic Corporations—Representation. This provision applies to solicitations using funds appropriated in fiscal years 2008, 2009, 2010, or 2012.

(vi) 52.209-5, Certification Regarding Responsibility Matters. This provision applies to solicitations where the contract value is expected to exceed the simplified acquisition threshold.

(vii) 52.214-14, Place of Performance—Sealed Bidding. This provision applies to invitations for bids except those in which the place of performance is specified by the Government.

(viii) 52.215-6, Place of Performance. This provision applies to solicitations unless the place of performance is specified by the Government.

(ix) 52.219-1, Small Business Program Representations (Basic & Alternate I). This provision applies to solicitations when the contract will be performed in the United States or its outlying areas.

(A) The basic provision applies when the solicitations are issued by other than DoD, NASA, and the Coast Guard.

(B) The provision with its Alternate I applies to solicitations issued by DoD, NASA, or the Coast Guard.

(x) 52.219-2, Equal Low Bids. This provision applies to solicitations when contracting by sealed bidding and the contract will be performed in the United States or its outlying areas.

(xi) 52.222-22, Previous Contracts and Compliance Reports. This provision applies to solicitations that include the clause at 52.222-26, Equal Opportunity.

(xii) 52.222-25, Affirmative Action Compliance. This provision applies to solicitations, other than those for construction, when the solicitation includes the clause at 52.222-26, Equal Opportunity.

(xiii) 52.222-38, Compliance with Veterans' Employment Reporting Requirements. This provision applies to solicitations when it is anticipated the contract award will exceed the simplified acquisition threshold and the contract is not for acquisition of commercial items.

(xiv) 52.223-1, Biobased Product Certification. This provision applies to solicitations that require the delivery or specify the use of USDA–designated items; or include the clause at 52.223-2, Affirmative Procurement of Biobased Products Under Service and Construction Contracts.

(xv) 52.223-4, Recovered Material Certification. This provision applies to solicitations that are for, or specify the use of, EPA–designated items.

(xvi) 52.225-2, Buy American Act Certificate. This provision applies to solicitations containing the clause at 52.225-1.

(xvii) 52.225-4, Buy American Act—Free Trade Agreements—Israeli Trade Act Certificate. (Basic, Alternates I, II, and III.) This provision applies to solicitations containing the clause at 52.225-3.

(A) If the acquisition value is less than \$25,000, the basic provision applies.

(B) If the acquisition value is \$25,000 or more but is less than \$50,000, the provision with its Alternate I applies.

(C) If the acquisition value is \$50,000 or more but is less than \$79,507, the provision with its Alternate II applies.

(D) If the acquisition value is \$79,507 or more but is less than \$100,000, the provision with its Alternate III applies.

(xviii) 52.225-6, Trade Agreements Certificate. This provision applies to solicitations containing the clause at 52.225-5.

(xix) 52.225-20, Prohibition on Conducting Restricted Business Operations in Sudan— Certification. This provision applies to all solicitations.

(xx) 52.225-25, Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran-Representation and Certifications. This provision applies to all solicitations.

(xxi) 52.226-2, Historically Black College or University and Minority Institution Representation. This provision applies to—

(A) Solicitations for research, studies, supplies, or services of the type normally acquired from higher educational institutions; and

(B) For DoD, NASA, and Coast Guard acquisitions, solicitations that contain the clause at 52.219-23, Notice of Price Evaluation Adjustment for Small Disadvantaged Business Concerns.

(2) The following certifications are applicable as indicated by the Contracting Officer:

[Contracting Officer check as appropriate.]

___ (i) 52.219-22, Small Disadvantaged Business Status.

___ (A) Basic.

___ (B) Alternate I.

___ (ii) 52.222-18, Certification Regarding Knowledge of Child Labor for Listed End Products.

___ (iii) 52.222-48, Exemption from Application of the Service Contract Act to Contracts for Maintenance, Calibration, or Repair of Certain Equipment Certification.

___ (iv) 52.222-52, Exemption from Application of the Service Contract Act to Contracts for Certain Services—Certification.

___ (v) 52.223-9, with its Alternate I, Estimate of Percentage of Recovered Material Content for EPA—Designated Products (Alternate I only).

___ (vi) 52.227-6, Royalty Information.

___ (A) Basic.

___ (B) Alternate I.

___ (vii) 52.227-15, Representation of Limited Rights Data and Restricted Computer Software.

(d) The offeror has completed the annual representations and certifications electronically via the SAM website accessed through <https://www.acquisition.gov>. After reviewing the SAM database information, the offeror verifies by submission of the offer that the representations and certifications currently posted electronically that apply to this solicitation as indicated in paragraph (c) of this provision have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [*offeror to insert changes, identifying change by clause number, title, date*]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

FAR CLAUSE #	TITLE	DATE	CHANGE
_____	_____	_____	_____

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on SAM.

(End of provision)

L.4. 52.225-18 PLACE OF MANUFACTURE (SEPT 2006)

(a) *Definitions.* As used in this clause—

“Manufactured end product” means any end product in Federal Supply Classes (FSC) 1000-9999, except—

- (1) FSC 5510, Lumber and Related Basic Wood Materials;
- (2) Federal Supply Group (FSG) 87, Agricultural Supplies;
- (3) FSG 88, Live Animals;
- (4) FSG 89, Food and Related Consumables;
- (5) FSC 9410, Crude Grades of Plant Materials;
- (6) FSC 9430, Miscellaneous Crude Animal Products, Inedible;
- (7) FSC 9440, Miscellaneous Crude Agricultural and Forestry Products;
- (8) FSC 9610, Ores;
- (9) FSC 9620, Minerals, Natural and Synthetic; and
- (10) FSC 9630, Additive Metal Materials.

“Place of manufacture” means the place where an end product is assembled out of components, or otherwise made or processed from raw materials into the finished product that is to be provided to the Government. If a product is disassembled and reassembled, the place of reassembly is not the place of manufacture.

(b) For statistical purposes only, the offeror shall indicate whether the place of manufacture of the end products it expects to provide in response to this solicitation is predominantly—

- (1) In the United States (Check this box if the total anticipated price of offered end products manufactured in the United States exceeds the total anticipated price of offered end products manufactured outside the United States); or
- (2) Outside the United States.

(End of provision)

L.5 AUTHORIZED CONTRACT ADMINISTRATOR

If the offeror does not fill-in the blanks below, the official who signed the offer will be deemed to be the offeror's representative for Contract Administration, which includes all matters pertaining to payments.

Name:
Telephone Number:
Address:

[Proposal Note: If the bidder/offeror has indicated “yes” in blocks (a)(1), (2), or (3) of the following provision, the bidder/offeror shall include Defense Base Act insurance costs covering those employees in their proposed prices. The bidder/offeror may obtain DBA insurance directly from any Department of Labor approved providers at the DOL website at <http://www.dol.gov/owcp/dlhwc/lscarrier.htm>.]

L.6 652.228-70 DEFENSE BASE ACT – COVERED CONTRACTOR EMPLOYEES (JUNE 2006)

(a) Bidders/offerors shall indicate below whether or not any of the following categories of employees will be employed on the resultant contract, and, if so, the number of such employees:

<u>Category</u>	<u>Yes/No</u>	<u>Number</u>	
(1) United States citizens or residents			
(2) Individuals hired in the United States, regardless of citizenship			
(3) Local nationals or third country nationals where contract performance takes place in a country where there are no local workers’ compensation laws		local nationals:	
		third-country nationals:	
(4) Local nationals or third country nationals where contract performance takes place in a country where there are local workers’ compensation laws		local nationals:	
		third-country nationals:	

(b) The Contracting Officer has determined that for performance in the country of [*Note to Contracting Officer: insert country of performance and check the appropriate block below.*]

- ✓ Workers’ compensation laws exist that will cover local nationals and third country nationals.

- ✓ Workers' compensation laws do not exist that will cover local nationals and third country nationals.

(c) If the bidder/offeror has indicated "yes" in block (a)(4) of this provision, the bidder/offeror shall not purchase Defense Base Act insurance for those employees. However, the bidder/offeror shall assume liability toward the employees and their beneficiaries for war-hazard injury, death, capture, or detention, in accordance with the clause at FAR 52.228-4.

(d) RESERVED

(End of provision)