

<b>SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, &amp; 30</b>				1. REQUISITION NUMBER <b>PR5540613</b>	PAGE 1 OF 4	
2. CONTRACT NO.	3. AWARD/EFFECTIVE DATE	4. ORDER NUMBER	5. SOLICITATION NUMBER <b>SPOM07016Q0073</b>	6. SOLICITATION ISSUE DATE <b>08/17/2016</b>		
7. FOR SOLICITATION INFORMATION CALL:			a. NAME <b>Teresa Guardia</b>	b. TELEPHONE NUMBER (No collect calls) <b>507 317 5309</b>	8. OFFER DUE DATE/ LOCAL TIME <b>9/2/2016 1100</b>	
9. ISSUED BY <b>AMERICAN EMBASSY PANAMA CITY APARTADO 0816-02561 ATTN: GSO PANAMA PANAMA</b>		CODE	10. THIS ACQUISITION IS <input checked="" type="checkbox"/> UNRESTRICTED OR <input type="checkbox"/> SET ASIDE: _____ % FOR: <input type="checkbox"/> SMALL BUSINESS <input type="checkbox"/> WOMEN-OWNED SMALL BUSINESS (WOSB) ELIGIBLE UNDER THE WOMEN-OWNED SMALL BUSINESS PROGRAM NAICS: <input type="checkbox"/> HUBZONE SMALL BUSINESS <input type="checkbox"/> EDWOSB <input type="checkbox"/> SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS <input type="checkbox"/> 8 (A) SIZE STANDARD:			
11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED <input type="checkbox"/> SEE SCHEDULE	12. DISCOUNT TERMS		13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700) <input type="checkbox"/>		13b. RATING	
15. DELIVER TO <b>AMERICAN EMBASSY PANAMA CITY CMR - LA CRESTA PANAMA CITY PANAMA</b>			16. ADMINISTERED BY			
17a. CONTRACTOR/ OFFEROR			18a. PAYMENT WILL BE MADE BY			
TELEPHONE NO.			17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER <input type="checkbox"/>			
17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER <input type="checkbox"/>			18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED <input type="checkbox"/> SEE ADDENDUM			
19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES		21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	<b>SEE LINE ITEMS</b>					
<i>(Use Reverse and/or Attach Additional Sheets as Necessary)</i>						
25. ACCOUNTING AND APPROPRIATION DATA				26. TOTAL AWARD AMOUNT (For Govt. Use Only)		
<input type="checkbox"/> 27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA				<input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED		
<input type="checkbox"/> 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA				<input type="checkbox"/> ARE <input type="checkbox"/> ARE NOT ATTACHED		
<input type="checkbox"/> 28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED			<input type="checkbox"/> 29. AWARD OF CONTRACT: REF. _____ OFFER DATED _____. YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:			
30a. SIGNATURE OF OFFEROR/CONTRACTOR			31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER)			
30b. NAME AND TITLE OF SIGNER (Type or print)		30c. DATE SIGNED	31b. NAME OF CONTRACTING OFFICER (Type or print)		31c. DATE SIGNED	

19 Item No.	20 Schedule of Supplies/Services	21 Quantity	22 Unit	23 Unit Price	24 Amount
	BRACKET POLE FOR SURVEILLANCE CABINET Pole bracket for Surveillance Cabinet Dome Housings. When used Dome Housings the wall is required.( or similar)	8.00	each		
	SURVEILLANCE CABINET FOR PTZ DOMO IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. ( or similar)	1.00	each		
	PARAPET MOUNT Chromated and powder coated aluminum parapet mount compatible with fixed dome pendant PTZ dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover Pendant Kit for PTZ dome cameras. Color: White.( or similar)	1.00	each		
	WALL MOUNT Chromated and powder coated aluminum wall mount for dome cameras. Cable routing from behind or through 3/4" conduit hole on the side. Includes mounting plate, pipe seal, conduit hole cover and AXIS T94A01D Pendant Kit for PTZ dome cameras. Color: White.( or similar)	1.00	each		
	PTZ DOME IP PTZ camera with continues 360° pan for both indoor and outdoor with 18x optical zoom. HDTV 720p @ 30fps (1280x720) in H.264 and Motion JPEG, Day & Night, IP66 and NEMA 4X classification. Advanced Gatekeeper, full-size SD-card slot, smoked and clear dome. ( or similar)	2.00	each		
	SURVEILLANCE CABINET FOR BULLET CAM IP IP66, IK10 and NEMA 4X rated outdoor-ready surveillance cabinet. Protects accessory devices such as power supply, media converter, midspan and fuse from tough weather and vandalism. The camera is mounted on the door of the cabinet. Mounting bracket for wall, DIN-rail, device mounting bracket and Electrical safety cover is included. ( or similar)	8.00	each		
	J-BOX/GANG BOX PLATE FOR USE SURVEILLANCE CABINET BULLET CAM IP Bracket for mounting on 4" square, 4" octagon, single or double-gang junction box. RJ45 network cable coupler included.( or similar)	8.00	each		
	BULLET CAM IP Compact and outdoor-ready HDTV camera for day and night surveillance, IP66-rated, varifocal 3-10.5 mm P-iris lens . Remote 3.5 x optical zoom and focus. Automatic IR cut filter. Multiple, individually configurable H.264 and Motion JPEG streams; max HDTV 1080p /2MP resolution at 30 fps.Video motion detection, active tampering alarm, corridor format and WDR – Dynamic Contrast. I/O ports, microSD/SDHC memory card slot for edge storage. OptimizedIR, a power-efficient LED technology with adaptable angle of IR illumination up to 15 meters (50 feet). Integrated bracket for easy mounting on wall and ceiling. Power over Ethernet. Operating conditions -30 °C to 50 °C (-22 °F to 122 °F).( or similar)	12.00	each		

19 Item No.	20 Schedule of Supplies/Services	21 Quantity	22 Unit	23 Unit Price	24 Amount
	Power Supply delivers 56 VDC and 90W Power Supply delivers 56 VDC and 90W 1 Ethernet over Coax (EoC) transceivers. A molded P1J 5.5mm barrel connector at the end of a 6' cord provides Class 2 (SELV) regulated output. ( or similar)	2.00	each		
	Lightning rod Lightning rod for Free-standing poles.	6.00	each		
	Power Supply delivers 56 VDC and 60W Power Supply delivers 56 VDC and 60W 1 Ethernet over Coax (EoC) transceivers. A molded P1J 5.5mm barrel connector at the end of a 6' cord provides Class 2 (SELV) regulated output. ( or similar)	3.00	each		
	BNC-T A high quality "T" adaptor IP transceivers to split data signals.( or similar)	7.00	each		
	Single Port PoE+ Transmitter Single Port PoE+ Transmitter is a compact bus-architected media converter that delivers 10/100 BaseT Ethernet and PoE+ power via coax, UTP, or 2-Wire or shielded twisted pair cable. This transmitter is simple to use, with no IP or MAC addressing required. The status LEDs indicates power and link connectivity, quality, and activity for RJ-45 and TBus ports.( or similar)	18.00	each		
	Patch Cord, 4-pair 3' (1m) RJ45 Patch Cord, 4-pair 3' (1m)	17.00	each		
	Plug & Play 16-channel 4TB, NVR IP Plug & Play 16-channel NVR. The built in PoE/PoE+ network switch allows cameras to be connected directly to the NVR eliminating the need for additional hardware. Equipped with 1-4 front-accessible hard drives provide up to 24TB of storage allows for long term recording. An HDMI/ VGA monitor can be connected and controlled with USB mouse/IR remote for easy setup and monitoring.( or similar)	1.00	each		
	3D joystick with 3 – axis twist zoom, a USB 2.0, DirectX joystick controller which is used network cameras. This controller is an OSD from the Samsung CMS and features a 3D joystick with 3 – axis twist zoom, a USB 2.0, DirectX interface plus SVM-S1 and SVM-P1 compatible software. The SPC-2000 also has a 5V DC, 32mA voltage, it weights 440gs (0.97lbs), has a dimension size of 157 x 127 x 166mm (WxHxD) and is easy to install and use for most application.( or similar)	1.00	each		
	Gabinet Cam IP 66 weatherproof box 300X300X200	5.00	each		
	Switch 8 port Switch Gigabit Ethernet 8port 10/100/1000Mbps	2.00	each		
	Desktop Intel Core i3-4170, 4GB Memory, 1TB Hard Drive, Windows 10, includes Keyboard and Mouse	2.00	each		
	SmartRack Rack Wall-mount 600MM*600MM 6U	1.00	each		
	Ventilated shelf Ventilated Rack Shelf 1U 19"x10"	1.00	each		
	Electric Strip Electric Strip Cabinet for checkpoint 1	1.00	each		

19 Item No.	20 Schedule of Supplies/Services	21 Quantity	22 Unit	23 Unit Price	24 Amount
	Led TV 32" TV"32"LED ,Resolution 1,366 x 768, 2 HDMI ,Clear Motion Rate 120 ,Motion Rate 60 HZ, Picture Engine Hyper Real.( or similar)	2.00	each		
	Coaxial cable Coaxial Cable, CATV, Black, 18 AWG, Solid, 1000 ft,304.8 m	10.00	each		
	miscellaneous Needed for camera installation material (tubing, coaxial connections and other materials)	1.00	all		