


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT		1. CONTRACT ID CODE		PAGE OF PAGES 1 3	
2. AMENDMENT/MODIFICATION NO. A001		3. EFFECTIVE DATE 05/29/2013		4. REQUISITION/PURCHASE REQ. NO.	
5. PROJECT NO. (If applicable)		6. ISSUED BY American Embassy Lisbon Av. Das Forças Armadas 1649-044 LISBOA		7. ADMINISTERED BY (If other than Item 6) CODE	
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)		9a. AMENDMENT OF SOLICITATION NO. SPO50013Q0011		9b. DATED (SEE ITEM 11) 06/26/2013	
		10a. MODIFICATION OF CONTRACT/ORDER NO.		10b. DATED (SEE ITEM 13)	
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended, <input type="checkbox"/> is not extended to July 5, 2013, at 16:30 local time. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u> 1 </u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
x D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return <u> </u> copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)					
The purpose of this Amendment is to extend the proposal due date to July 5, 2013 at 16:30 local time and also to correct the Scope of Work as per attached document marked as Annex A					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME OF CONTRACTING OFFICER Anthony Loh.		
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)		16C. DATE SIGNED 06/26/2013

Amendment A001 to Solicitation SPO500-13-Q-0011

The following paragraphs have been amended as follows:

Page 11

1. CHARACTER AND SCOPE OF WORK

The American Embassy in Lisbon requires the services of a qualified contractor to paint the perimeter and interior concrete separation walls, metallic fences and handrails, as well as repairs and insulation of the concrete top on all the perimeter walls. The work is to be preformed in the Embassy compound located at Avenida das Forcas Armadas, 131.

Page 12

6. SCOPE OF WORK

- (i) Paint two metal grills over the transformer room of the Chancery building.
- (j) Repair and insulate wall concrete top of the perimeter walls.

9. SCHEDULES

5. Repair and Insulation of concrete tops of perimeter wall

The following services and repairs shall be performed in the top concrete cover of the entire perimeter walls in order to minimize further water infiltration in the wall structure.

Clean all surfaces using a power washer and remove all loosed and degraded materials. In case concrete reinforced steel is exposed, steel must be cleaned to remove all loose rust, scale, and corrosion byproducts that would interfere with the bond to the repair material. Corroded reinforcing steel may extend from areas of obviously deteriorated concrete well into areas of apparently sound concrete. Care must be taken to remove sufficient concrete to include all the corroded steel. An iron oxide converter type Sikatop Armatec-110 Epocem shall be applied to prevent corrosion.

Repair cracks with a fine repair thin mortar of single component of cement and synthetic resins and silica fume type Sika- Monotop 620.

When necessary use a grinder with diamond disc to regularize the horizontal joints on both sides of the wall.

Fill the horizontal joints on both sides of the wall with polyurethane sealant type Sikaflex-HP1.

Supply and apply a coat of high thickness mate acrylic material type C-Cryl-S410HB from CIN covering the concrete surface.

6. Scheduling

Contractor shall provide a work schedule to the COR.