


AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE 1 OF 6
2. AMENDMENT/MODIFICATION NO. A001	3. EFFECTIVE DATE June 17, 2014	4. REQUISITION/PURCHASE REQ. NO. PR3347197	5. PROJECT NO. (If applicable)	
6. ISSUED BY CODE U.S. Embassy Bul. Kneza A. Karadjordjevica 92 11040 Belgrade, Serbia		7. ADMINISTERED BY (If other than Item 6) CODE		
8. NAME AND ADDRESS OF CONTRACTOR (NO., street, city, county, State, and ZIP Code)		9a. AMENDMENT OF SOLICITATION NO. S-RB100-14-R-0015		
		9b. DATED (SEE ITEM 11) June 6, 2014		
		10a. MODIFICATION OF CONTRACT/ORDER NO.		
		10b. DATED (SEE ITEM 13)		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing Items 8 and 15, and returning <u> 1 </u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b)				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input checked="" type="checkbox"/> is required to sign this document and return <u> 1 </u> copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)				
The purpose of this amendment is to modify Attachment 1, Statement of Work to add tasks as stated below.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME OF CONTRACTING OFFICER Elizabeth Konick		
15B. NAME OF CONTRACTOR/OFFEROR BY _____ (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY  (Signature of Contracting Officer)	16C. DATE SIGNED 17 JUN 2014	

1. ATTACHMENT #1, STATEMENT OF WORK is replaced with new Attachment #1 Statement of work below.

ATTACHMENT #1

STATEMENT OF WORK

INTENT – Requirements in this Statement of Work (SOW) serve as direction for development and delivery of a complete technical proposal, construction documents, and construction by a contractor. The work shall be in accordance with international professional standards of skill, care and diligence.

1.0 Proposal:

- 1.1 Overview – Two different locations require concrete sidewalk to improve the pathway that have been worn in by people walking the shortest distance between locations. One area will require a series of steps as the elevation grade rises about three meters. The other will need to be a curved sidewalk that follows a dry pond area.
- 1.2 Project Description – Install two concrete sidewalks 1 meter wide, one of the sidewalks will require a series of stairs spaces out to gradually make the elevation change.

2.0 Demolition work:

“The contractor shall provide a controlled demolition work area, when excavating and will provide safe passage around the demo areas for non-project personnel. All debris will be removed from the property daily”

- 2.1 Excavate dirt and gravel as needed for the sidewalk one meter wide.
- 2.2 Remove irrigation line as needed, coordinating with the landscaping contractor as to not destroy any of the system.
- 2.3 *Excavate grass, dirt and gravel as needed for the slab from around the waste water treatment plant for required dimensions.*
- 2.4 *Remove irrigation line control boxes (3+1) as needed, coordinating with the landscaping contractor making sure not to damage the existing system.*

3.0 Installation work:

- 3.1 The new sidewalks will be 100mm thick and 1200mm wide. (see attachment 2, Drawing 1)
- 3.2 The ground under the sidewalk will be excavated down 200mm, back filled and compacted with clean 100mm base course.
- 3.3 Use 150x150 WWF as reinforcing steel on the sidewalks.
- 3.4 Use 12mm rebar for the stairway reinforcement, tied.
- 3.5 The sidewalk will have control joints every 1200mm.
- 3.6 The finished surface will have a broomed finish and finished edges.
- 3.7 12mm expansion joints will be placed at the bottom edge of each step series, and along any pre-existing concrete or structures.
- 3.8 These expansion joints will be sealed with a high quality weather proof sealant.

3.9 Sidewalk one

- 3.9.1 Will run along the east back side of the chancery building between the Drivers/LGF break room, down to the adjoining sidewalk next the consular entrance.
- 3.9.2 The sidewalk will have a series of three steps spaced one and half to two meters apart. Each series of steps will have three steps.
- 3.9.3 The steps will be the same riser height and thread width as the lower steps learning down the Support Annex Building. (SPX)
- 3.9.4 The new sidewalk learning from the Drivers/LGF break room will have hand rails no both sides of the new sidewalk, with one hand rail attached to the wall. The handrails will be to the same height elevation as existing railing on the NEC.
- 3.9.5 The outer hand rail will be anchored into the sidewalk with steel pipe sleeves imbedded into the concrete.

3.10 Sidewalk Two

- 3.10.1 Will run from the east side parking area to the existing sidewalk that runs between the MSGR and Chancery.
- 3.10.2 This second sidewalk will follow the cure and contour of existing grass edge next the gravel then break off and run the existing sidewalk.

3.11 Waste water treatment plant slab

- 3.11.1 *The new slab will be 100mm thick, dimensions approximately 3,4 x 4,4 meters.*
- 3.11.2 *The ground under the slab will be excavated 200mm deep, back filled and compacted with clean 100mm base course.*
- 3.11.3 *Use 150x150 WWF as reinforcing steel for the slab.*
- 3.11.4 *The slab will have control joints same as the walkway adjoining it.*
- 3.11.5 *The finished surface will have a broom finish and finished edges.*
- 3.11.6 *The expansion joints will be sealed with a high quality weather proof sealant.*
- 3.11.7 *Reinstall the irrigation line control boxes (3+1), prior to casting the concrete slab.*

4.0 Life Safety Protection:

- 4.1 The Contractor shall ensure that the works are carried out in accordance with safety and health regulations with particular attention given to: personal protective equipment, guard rails, scaffolding, electric leads and access ladders. The work shall meet OSHA standards - <http://www.osha.gov/> and Safety and Health Requirement Manual, EM 385-1-1.
- 4.2 The Contractor shall not, at any time, leave work in an unsafe condition or any condition that might cause injury to personnel, damage to existing work, plant or equipment but shall continue that work until it is at a safe stage.

- 4.3 As the contraction work will be in an occupied residence, the contractor must provide a safety passageway for the occupancy to move through the work area.
- 4.4 The Contractor shall have COR approved fall protection and roof access method.

5.0 Project Requirements:

- 5.1 Design – for review.
- 5.2 Construction –
 - 5.2.1 The Contractor shall carry out the construction, as described in items 1.0, 2.0 and 3.0 above, in accordance with the approved final Construction Documents - manage, administer, supervise and inspect the construction. The coordination and supervision of all work shall be the responsibility of the Contractor. All work has to be executed with minimal disruption to the traffic and operations on work site.
 - 5.2.2 Provide a detailed Construction Schedule with sufficient detail to describe each key construction activity.
 - 5.2.3 The USG will have the right to access the construction site at all times inspecting the project construction in its entirety. Access will be coordinated with Contractor who is responsible for compliance with embassy security rules and regulations.
 - 5.2.4 During construction hold meetings with the COR for progress reporting and coordination.
- 5.3 Coordination – The Contractor shall coordinate the project requirements with Embassy Contracting Officer's Representative (COR). COR for this project will be Residential Maintenance Supervisor.
 - 5.3.1 Break area – will be defend by COR and tenant.
- 5.4 Catalogue Cut Sheets - Provide bound copies of manufacturer's catalogue cut sheets for all equipment and materials, for review.

6.0 Project Deliverables:

- 6.1 Architectural – A sketched layout with dimensions and elevation.
- 6.2 Interior Design– None
- 6.3 Structural – A steel fabrication layout for the stairs with rebar and handrail.
- 6.4 Mechanical - None
- 6.5 Electrical – None
- 6.6 Telecommunications – None
- 6.7 Life Safety and Fire Protection –
 - 6.7.1 Provide control around the work site,
 - 6.7.2 Immediately remove debris from work off site.
 - 6.7.3 Do not store debris on site.

6.8 Project Schedule –

- 6.8.1 Provide a detailed project schedule
- 6.8.2 Provide cost-loaded for progress payments.
- 6.8.3 Provide sufficient detail for all construction activity with a set time frame. (Bar - Chart)


7.0 Submittals:

- 7.1 Provide submittals that are complete, coordinated and consistent. USG comments on each submittal shall be resolved prior to making the next submittal. Any of the work found to be unsatisfactory by the COR, shall be rectified.
- 7.2 Thoroughly check and coordinate all project submissions to the USG. Deficiencies, ambiguities, conflicts, and inconsistencies shall be rectified.
- 7.3 Written Documents - The deliverable format is A4 bound paper copy. Deliver all word processing in Microsoft Word; spreadsheets in Microsoft Excel; and schedules in Microsoft Project.
- 7.4 Drawings - All drawings are to be delivered in hard copy. Drawings shall be submitted in A4.

8.0 Schedules of Deliverables:

- 8.1 Materials submittals 5 days after NTP,
- 8.2 Construction Substantial Completion 10 days after construction NTP,
- 8.3 Punch List 3 days after Agreement.

2. ATTACHMENT #2, DRAWING #2 is added.



3. The deadline for the submission of proposals is extended from 12:00 noon on June 20, 2014 to 12:00 noon on June 24, 2014.

(End of Amendment)