

US Embassy
686 Old Bagamoyo Road
Dar Es Salaam, Tanzania

June 7, 2014

REQUEST FOR QUOTATION for PR3396284 for Mezzanine Decking

Dear Vendor,

The Embassy of the United States of America invites you to submit your quotation for the products or services shown below.

A site visit for interested vendors will be held **on June 20, 2014 at 0900**. Please send an e-mail to MarealleRA@state.gov to arrange for entry and security checks. In your e-mail's subject line, make sure you mention the site visit and PR3396284 for Mezzanine Decking.

If you would like to submit a quotation, please provide a pro-forma invoice.

Note that we will accept quotations for products with certifiably equivalent specifications.

Your pro-forma invoice (on which our PR Number or description is clearly stated) must be received by 1100 hours local time on July 1, 2014 in a sealed envelope marked as follows.

Contracting Officer
Quotation Enclosed
PR3396284 for Mezzanine Decking
686 Old Bagamoyo Road Msasani
US Embassy, Dar es Salaam

An alternative address for submission is <mailto:darprocurementbid@state.gov>.

- On the e-mail's subject line, state that the submission is for PR3396284 for Mezzanine Decking

- On your attached proforma, state that the proforma is for PR3396284 for Mezzanine Decking

If a purchase is made, the US Government intends to purchase the lowest priced technically acceptable product or service.

To be awarded this contract, your company must be registered in the System for Award Management (SAM). If you are registered in SAM, please provide proof upon bidding.

We encourage all vendors which may bid either on this solicitation or in the future to start now and complete the SAM registration process. Registration will make the award process move much more smoothly and quickly. The registration process is not difficult, provided all instructions are followed

carefully. Please see our Embassy Contract Opportunities web page for details or call us if you have questions. We will help you get through this process.

Any questions regarding this Request for Quotation must be directed to the Procurement Section +255-22-229-4138 during office hours.

Sincerely,

The Contracting Officer

U.S. Embassy

PR3396284 for Mezzanine Decking

Proposed Mezzanine steel decking floor at the warehouse GYM area – 24.9meter x 5.8meter
Scope of work: supply, fabricate and install steel framework

1. 4 number columns of U.C 203x203x46kg/m. Height of column 3 meters with top and bottom having 16mm plates 300x300mm
2. Main beam of U.B 356x171x45kg/m
3. Secondary beam of U.B 254x146x31kg/m placed at 1000mm center to center to receive GI grating
4. 1 number steel staircase. Stringer 100x50x6mm channel and treads out of GI grating. Hand railing on both sides.
5. Hand railing all around the perimeter and at the staircase opening. Baluster SHS 40x40x1.5mm, handrail 1.5" dia. class A pipe, two rows of middle rail out of SHS 25x25x1.5mm
6. All steel frame work to be etched prime (2 coats) for rust protection and finally painted with approved colored oil paint (2 coats).
7. Supply and install galvanized grating to finished steel frame work.
8. Prepare mezzanine decking for hand over - clean and cart away the dirt etc.