

STATEMENT OF WORK

1. REQUIREMENTS (TASKS):

The Contractor shall procure and deliver the designated hardware, and software – **Brand Name or Equal**, and provide support services as specified in this Statement of Work. The equipment shall be delivered to Kyiv, Ukraine or other location in Kyiv area to be designated at the time of the actual purchase.

The period of performance for completing all work required by this contract shall not exceed 95 (ninety five) days.

The period of Contractor performance for completing the tasks specified below shall not exceed 90 (ninety) calendar days upon awarding the contract/order for supply of goods and services.

1.1. Procure and Deliver New Hardware and Software, and Provide Requested Services

1.1.1. Within 85 days of the purchase order award, the Contractor shall procure and deliver computer and office equipment, and software as specified in **Attachment 1** Statement of Work. The requested equipment shall be delivered to a location in Kyiv (or within 30 km adjacent area) Ukraine, to be specified by the time of the actual order.

1.1.2. Upon agreement between the Customer and the Contractor the deliveries of the equipment can be made either as one delivery or by installments not to exceed a total of three deliveries. The final delivery is to take place no later than 85 days from the award of the purchase order.

1.1.3. Seven working days prior to the estimated delivery dates, the Contractor shall notify the Contracting Officer's Technical Representative (COTR) via e-mail of the intended delivery(ies) and provide a list of all equipment to be delivered to include: item description, serial number (if applicable); and value of each item to be delivered.

1.1.4. On the day of delivery of the equipment, including in case of partial deliveries, the Contractor shall prepare and deliver to the COTR the report(s) describing the successful completion/partial completion of the order. Such report(s) shall include a list of all equipment delivered the item description, serial number (if applicable); delivery date; and value of each item delivered. The final report with the complete description of all the equipment supplied shall be submitted no later than 90 days of the purchase order award.

2. ESTIMATED DELIVERY SCHEDULE

2.1 Project Plan	<u>Delivery no later than</u> 10 days after award
A description of the Contractor's plan to execute all deliveries as described in the Statement of Work.	
2.2. Delivery Report(s) as described in Paragraph 1.1.4.	85 days after award
2.3 Final report	90 days after award
A complete description of all items delivered in accordance with the Statement of Work.	

Delivery details as described above shall be provided to the COTR (contact details will be provided at the time of the actual order.)

3. GOVERNMENT FURNISHED SUPPORT

3.1 U.S. Government will furnish all the required support in coordinating the delivery of the listed equipment with the Recipient and the Contractor. Under the terms of the 1993 CTR Umbrella Agreement, materials, equipment and services are not subject to value-added tax (VAT), and corresponding tax exemption procedures shall apply. The U.S. Government will provide all the documents required for confirming the VAT exemption for the requested procurements. No other implied support will be made available for this acquisition.

4. Special Provisions

- 4.1 The equipment to be provided by the Contractor must be certified according to ISO 9001-2001 standard and fully functional in Ukraine. Since the computer equipment will be integrated into existing information network it is obligatory that all the technical requirements be observed, and specifications be either the same or better and fully compatible with the ones set forth in **Attachment 1** of this Statement of Work. In case of any variations they first need to be approved by the Recipient and the COTR.
- 4.2 There are no special security provisions or security clearance requirements for this effort. However, the Contractor shall note that access to SFS workspace must be coordinated with the SFS management in advance for all personnel assigned to this effort.
- 4.2 This effort does not include logistics support (transfers of custody, non-warranty repairs, etc.) for the equipment once it has been delivered. All warranty documentation shall be provided to SFS management in conjunction with deliveries of the equipment.

Description/Minimum Specifications

Quantity

Note: All items must comply with standards and requirements of the existing information network of the State Fiscal Service of Ukraine.

The equipment to be provided by the Contractor must be certified according to ISO 9001-2001 standard. All items must be compatible with local power requirements in Kyiv, Ukraine (240v/50Hz).

1. Laptop, HP 250 G3 (K3W96EA), or similar

17 each

Display: 15.6", glare filter and resolution of minimum 1366x768
Processor One min 2-core processor, min 2.16GHz, cache L2 min 1Mb
RAM: DDR3 with total capacity of minimum 4Gb
HDD: Serial ATA, min 500Gb
Video card: built-in, Intel HD Graphics
Optical Disk: DVD+/-RW
Other: Web-camera/ WiFi 802.11/ network card 100/1000Mbit /802.11a/b/g/n/ 10/100/1000/min 2xUSB 2.0, 3.0/ min 1 HDMI/ Bluetooth 4.0/ min 1 slot for headphones (stereo); stereo speakers; full size Russian/English keyboard, touchpad
Operating System: OEM Windows 8.1 Professional 32-bit Russian Edition with respective license. Software on DVD for recovery of the pre- installed OS. Manual on Windows 7 Professional Russian Edition.
Pre-installed Windows Office 2010 Professional Russian Edition with respective license. Software on DVD for recovery of the pre- installed software.
Additional requirements:
Case for laptop with additional compartment(s) for accessories and documents.
Warranty service – minimum 2 years.
Drivers on CD-ROM. Technical documentation – description and debugging of computer (in electronic or paper form).

2. Desktop workstation

37 each

Processor/CPU: Intel Core i3 3250 3.50 GHz/2 Core
Motherboard: FSB 1333/1066/800, support of DDR3 -1066/800/667 (4 slots), not less than one PCI-E slot, not less than 4 SATA-II interfaces, not less than 4 USB-2.0 ports;
RAM: DDR III min 4 GB
Hard disc drive (HDD): Serial ATA, min 500Gb, 7.200rpm 32M cache
Graphics card: HD Graphics/ 2048MB
Optical disk: DVD+/-RW
Network card: 100/1000 Mbit
ATX form factor PSU of not less than 450W power
Accessories: Scroll optical mouse USB, Rus/Ukr Keyboard USB; Mouse pad

Operating system: OEM MS Windows 8.1 Professional 32-bit Russian Edition with respective license. Microsoft Office 2010 Professional Russian Edition with respective license. Software on DVD for recovery of the pre-installed OS/software. Manual on Windows 8.1 Professional Russian Edition and Microsoft Office 2010 Professional Russian Edition

Additional requirements: Warranty: min 2 years
Drivers on CD-ROM. Technical documentation – description and debugging of PC (in electronic or paper form).

3. Monitor 21.5" 22 each

Type: LCD
Bias: Min 21.5"
Type of LCD Matrix TN+film
Average Matrix Response Time: Max 5 ms
Brightness: 250 kJ/M
Contrast ratio: 50000000:1
Recommended resolution: Min 1920x1080
Other: DVI, HDMI, VGA
Additional requirements: Warranty : min 12 months
Drivers on CD-ROM. Technical documentation – description and debugging of monitor (in electronic or paper form)

4. Graphic workstation, class of Meijin Intel Core i7 x79 2 each

Processor/CPU: Intel Core i7 3930k s2011
RAM: RAM 16GB (4x4GB)
Hard disc drive (HDD): 3 TB SATA + SSD 240 Gb
Graphics card: nVidia Quadro 4000, 2GB
Optical disk: DVD+/-RW
Other: Blu-Ray/ LAN/ WiFi/ Bluetooth
Accessories: Scroll optical mouse USB, Rus/Ukr Keyboard USB; Mouse pad
Operating system: OEM MS Windows 7 Professional 64 bit Russian Edition with respective license. Microsoft Office 2010 Professional Russian Edition with respective license. Software on DVD for recovery of the pre-installed OS/software. Manual on Windows 8.1 Professional Russian Edition and Microsoft Office 2010 Professional Russian Edition

Additional requirements: Warranty: min 2 years
Drivers on CD-ROM. Technical documentation – description and debugging of PC (in electronic or paper form).

5. Monitor, 24", Dell U2412M, or similar **2 each**

Type: LCD
Bias: Min 24"
Type of LCD Matrix E-IPS
Average Matrix Response Time: Max 8 ms
Brightness: 300 kJ/M
Contrast ratio: 1000:1
Recommended resolution: Min 1920x1200
Other: DisplayPort, DVI, VGA interfaces
Additional requirements: Warranty : min 12 months
Drivers on CD-ROM. Technical documentation – description and debugging of monitor (in electronic or paper form)

6. Server, DELL PowerEdge R220-A3 or similar **2 each**

Processor: Intel Xeon E3-1220 v3 3.1GHz, 8M Cache, Turbo, 4C/4T, 80W
Chipset: Intel 5520
Operational Memory: 8GB UDIMM 16000MHz , Low Volt, Dual Rank, x8 Data Width / Up to 32 GB (4 DIMM slots) 1GB/2GB/4GB/8GB
Hard Disk Drive: 2x1TB 7.2k RPM SATA 3Gbps 2.5in Cabled Hard Drive
SAS Controller: RAID S110
SATA/SAS Optical Disk: 16 x DVD+/-RW Drive SATA Internal Storage: up to 6Tb
Form Factor: 1U RACK
Operating system: Windows Server Standard 2008R2 Russian OLP NL with respective license on CD-ROM for recovery of the pre-installed OS. Manual on Windows Server Standard 2008R2 Russian Edition.
Additional requirements: Drivers on CD-ROM. Technical documentation – description and debugging of server (in electronic or paper form), in Russian/Ukrainian.
3 Years Basic Warranty

7. Server rack, StarTech RK1236BKF or similar **1 each**

U Height: 12U
External depth: 36"
Weight capacity: Up to 800 kg
Frame type: Enclosed cabinet
Front door type: Steel w/ window
Back door type: Steel mesh
Casters: Included
Fan(s): No
Rack type: 4-Post

8. Multifunctional Unit monochrome, (HP Laser Pro 400 M425dn) 8 each

<i>Type:</i>	Office
<i>Functions:</i>	Print, Copy, Scan, Fax, Walk-up USB
<i>Printing technology:</i>	Laser Monochrome
<i>Paper size (original/copy):</i>	A4, A5, A6, B5
<i>Printing Resolution:</i>	1200 x 1200 Dpi
<i>Print/Copy Speed:</i>	min 35 pages per minute; first page out in max 8 sec
<i>Scan Speed:</i>	min 20 pages per minute (black-and-white), min 9 pages per minute (color)
<i>Paper Trays Capacity:</i>	up to 300 sheets
<i>Paper Type:</i>	60-163 g/m ²
<i>Auto Paper Feeder:</i>	Yes, up to 50 sheets
<i>Auto Duplex:</i>	Yes
<i>Ethernet / Network card:</i>	Yes
<i>Recommended duty cycle:</i>	50 000 pages/month printing/copying
<i>Expendables:</i>	Initial toner cartridge for printing min 6,900 sheets Additional three (3) toner-cartridges for printing 6,900 sheets each
<i>Additional requirements:</i>	USB cable Minimum 2 years warranty User Manual in Russian or Ukrainian. Drivers on CD-ROM. Technical documentation – description and debugging of unit (in electronic or paper form)

9. Printer laser monochrome HP LaserJet Pro 400 M401d (CF274A) or similar - 2 each

<i>Type:</i>	Office
<i>Printing technology:</i>	Laser, black-and-white
<i>Media size:</i>	A4, A5, A6 B5
<i>Print speed:</i>	min 33 ppm
<i>Resolution:</i>	1200×1200 dpi
<i>Paper Type:</i>	60-163 g/m ²
<i>Auto duplex:</i>	Yes
<i>Recommended duty cycle:</i>	50 000 pages/month printing/copying
<i>Expendables:</i>	Initial toner-cartridge for printing min 6,900 sheets Additional two (2) toner-cartridges for printing 6,900 sheets each
<i>Additional requirements:</i>	USB cable Minimum 2 years warranty User Manual in Russian or Ukrainian. Drivers on CD-ROM. Technical documentation – description and debugging of unit (in electronic or paper form)

10. Uninterruptable power supply unit (APC Smart-UPS 1500VA)

6 each

Load Capacity: 1500VA
Topology: Online (double-conversion);
Range of fluctuating incoming voltage: 170-280 V;
Range of incoming frequency: 50/60Hz +/- 3Hz;
Outgoing voltage: Sine
Backup/Run Time: 6-7 min at 100% load
Battery Recharge Time: 3 hours
Connectivity: USB (RJ11) port
Battery: 12V, sealed lead-acid storage battery
Additional requirements: Warranty service – minimum 24 months.

11. Digital photo camera, Canon EOS 7D kit, or similar

6 each

Category: Digital single lens reflex camera
Image Capture Device: CMOS 22,3 x 14,9 mm
Effective Pixels: 18 megapixels
Maximum size of an image: 5000x3400 pix
Focal length: 18-135mm f/3.5-5.6 IS
Optical zoom: 7x
ISO rating: auto, 100-12800
Time exposure: 30-1/4000 s
Video resolution: Full HD (1920x1080) pix, 60fps
Autofocus system: Autofocus, TTL-CT-SIR, 10 settings, manual
LCD monitor: 3.0-inch/ 1,228,800 pixels
Memory card: SD (SDHC, SDXC)
Additional: Original replacement rechargeable battery;
Charger;
Flash memory card: SD (SDHC, SDXC) 64Gb – 2 ea.
Case for the camera with compartments for accessories
User Manual in Russian or Ukrainian
Warranty 24 months

One of the above cameras shall be additionally equipped with the following three (3) compatible accessories:

- a) Lens Canon 15-85 IS, or similar:
- Focal length:* 15-85mm f/3.5-5.6 IS
Optical zoom: 5.7x
ISO rating: auto, 100-6400
Time exposure: 30-1/8000 s
Video resolution: Full HD (1920x1080) pix, 60fps
Autofocus system: Autofocus, TTL-CT-SIR, 10 settings, manual

- b) Photo flash Canon Speedlite 600EX-RT, or similar compatible flashlight, to include 4 initial + 4 additional rechargeable Ni-MH or Lithium Batteries, and charger
- c) Tripod Slik Pro 700DX or similar:
 - Panhead: 3-way pan & tilt with quick release
 - Min height: 62cm
 - Max height: 190cm
 - Number of extensions: 3
 - Weight capacity: Up to 6kg

12. Digital video camera, Canon XA10 or similar 1 each

Television System: NTSC
Power Supply: 7.4 V DC (battery pack), 8.4 V DC (DC IN)
Image Sensor: 1/3-inch CMOS, RGB Primary Color Filter
Total Pixels: min 2.37-megapixels
Effective Pixels: Video: Approx. 2.07-megapixels (1920 x 1080)
Photo: 16:9 Approx. 2.07-megapixels (1920 x 1080)
Recording capacity: Min 64GB internal flash drive
Lens: Zoom Ratio: 10x Optical/40x/200x Digital (Movie)
Focal Length: f-4.25-42.5mm (35mm equivalent 30.4-305 35mm)
Max. F/Stop: f/1.8-2.8
Max Shutter Speed: 1/2000
Minimum Focusing Distance: 20mm (wide macro) / 60cm (entire zoom range)
LCD Screen: 3.5-inch High Resolution

Accessories: Tripod Fancier FC-370, or similar (-65°to +90°tilt range, 360°pan range)
Lighting lamp Canon VL-10Li or similar
External microphone Panasonic AJ-MC700MC, or similar
Canon BP-828 Lithium-Ion Battery Pack (2670mAh), or similar compatible battery pack

Additional: Memory card SD/SDHC/SDXC 64Gb - 2 ea.
Original replacement rechargeable battery for the camera body
Case for camera with compartments for accessories
User Manual in Russian or Ukrainian
Warranty 24 months

13. Sound recording set, Marshall Electronics MXL 990 or similar 1 each

Tube Type: Pressure gradient condenser microphone
Frequency Response: 30 Hz - 20 kHz
Diaphragm: 6 micron gold-sputtered
Sensitivity: 15mV/Pa
Accessories: Shockmount,

Mic stand adapter
Carrying case
Warranty 12 months

14. Network storage (NAS Server) 1 each

Total storage capacity Min 24 TB
Supported drives: Min 4 x 6TB
Controller Interface Type: Serial ATA-600
Hot swap: Yes
RAID Level: JBOD, RAID 0, RAID 1, RAID 10, RAID 5, RAID 6
Connectivity: 2 LAN 10/100/1000. USB 2.0, 2 USB 3.0
Other features: Built-in 2 cooling fans, hardware encryption, scheduled power on/off, security lock slot (cable lock sold separately), wake on LAN
Warranty 12 months

15. Internal Hard Drive, Seagate Barracuda 7200.14 (ST2000DM001) or similar 4 each

Spindle Speed: 7200 RPM
Capacity 2 TB
Cache, Multisegmented (MB): 64 MB
Interface: SATA 6Gb/s
Form Factor: 3.5”

16. Magnetic interactive board / Projector 1 each

Interactive Board ePresenter EP92 or similar:
Positioning technology: Infrared
Size: 1.2m x 2.0m
Diagonal: 92 inches (2.36m)
Distance to projector: 1.5m- 3m
No. of styluses used simultaneously: up to 4
PC connection: Bluetooth 2.0
Accessories/Additional: Ceiling mounting system
2 (two) Optical styluses with rechargeable batteries
Infrared extendable pointer with rechargeable batteries
USB cable
Interactive board software

Short-focus projector ViewSonic PJD5234L, or similar:
Resolution: XGA 1024x768
Brightness: 3,000
Lens: Manual zoom/focus
Optical zoom: 1.1x
Digital Zoom: 2.0x
Display Size: Min 1.02m – Max 7.62m (diagonal)

Contrast Ratio: 15,000:1
Lamp Hour: min 5,000 hours
In/Out: HDMI, VGA in/ VGA out
Accessories/Additional: VGA Cable;
Wall mounting system for the projector
User Manual in Russian or Ukrainian
Warranty min 12 months

17. Split Air Conditioner System, Dekker 24 DSH265R/L LUX Bio or similar 2 each

Operation mode: Cooling/Heating
Cooling / Heating capacity: 7,030WA / 8,000 WA
Air flow: Up to 18m³ /min
Area to cover: min 70 sq.m
Power consumption cooling/heating: 2,400/2,750WA
Noise level external/internal: 54/42dB
Range of working temperatures cooling/heating: +10 + 45 °C/ -7 +30 °C
Other: Timer function, remote control unit
Additional requirements: Services for installation of the units are required (the system is to be installed in Khmelnytskyi, Ukraine) (approx. 400 km from Kyiv)
Installation wiring/piping
User manual – in Ukrainian/Russian
Warranty – min 12 months

18. Split Air Conditioner System, Panasonic Standard CS/CU-YE9MKE or similar 1 each

Operation mode: Cooling/Heating
Cooling /Heating capacity: 2.5/3.2 kW
Air flow: Up to 12.5m³ /min
Area to cover: min 25 sq.m
Power consumption: max 0.88kW
Noise level of internal unit: max 40dB
Range of working temperatures cooling/heating: +10 + 45 °C/ -7 +30 °C
Other: Timer function, remote control unit, auto mode.
Additional requirements: Services for installation of the units are required (the system is to be installed in Khmelnytskyi, Ukraine) (approx. 400 km from Kyiv)
Installation wiring/piping
User manual – in Ukrainian/Russian
Warranty – min 12 months

19. Delegate Unit Taiden HCS-3655D (of wireless simultaneous translation system) 20 each

The units are to be added to the existing Taiden wireless simultaneous translation system, and are to be fully compatible with the existing system:

Type: table top delegate unit

Solicitation SGE500-15-R-0138
IT & Office Equipment

Built-in speaker: Yes
Microphone: Re-connectable, 410mm long
LCD Display: No
Headphones connectivity: 3.5mm, jack
Other: User manual – in Ukrainian/Russian
Warranty – min 12 months

20. Digital Network Communication Platform , Panasonic KX-NCP1000 1 each

Total Number of Trunks: 128
Trunk (Physical Trunk Card): 64
Trunk (Virtual Trunk Card): 64
H.323 Trunks: 32
SIP Trunks: 64
Total Number of Extensions: 172
Extension (Physical Extension Card): 44
Extension (Virtual Extension Card): 128
IP-PT and IP Software Phone: 128
SIP Phone: 128

Additional: Extension KIT, to include:

- 16 internal ports extension board; (KX-NCP1174) – 1 each;
- 4 incoming ports extension board (KX-NCP1180) – 1 each;
- 16-channel DSP (KX-TDE0110) – 1 each;
- 4-port board KX-NCP1170 – 1 each;
- 30-channel E1ISDN PRI board (KX-NCP1290) – 1 each

Installation equipment to include:

- 19" 15U Rack – 1 each
 - 19" Patch-panel, 30xRJ45 – 1 each;
 - RJ45 Cat 5e UTP Connectors – 60 each;
 - Cat 5e UTP cable – 100m each
 - System telephone set Panasonic KX-DT343 – 2 each
- Installation services (to be performed in Khmelnytskyi, Ukraine)
Min 5-year warranty

21. Set of inspection tools (as displayed or similar), each to include: 15 each

- Hydraulic jack;
- Set of screwdrivers, to include an electric screw driver;
- Set of wrenches, to include special wrenches,
- Pry bar,
- Chisel,
- Scissors for dismantling and opening assemblies of a vehicle;
- Electric hammer drill;
- Indicator to detect voltage;

Solicitation SGE500-15-R-0138
IT & Office Equipment

- Ultrasonic laser distance meter;
- Hard cover case
- User manual as a part of the delivery package;
- Warranty service for minimum 1 year.



22. Hand held flash light, with the following minimal specifications: 30 each

Bulb type: LED;

Battery type: Rechargeable battery(ies) (guaranteed number of charge/discharge cycles of battery – minimum 360);

Light output: Min 200 lm (at the beginning of the battery cycle);

Brightness modes: low, medium, high; gradual adjustment of light brightness modes;

Beam type: adjustable from wide to focused;

Run time: Min 2 hours (at maximal light output level);

Size: Max 200x75mm;

Weight: Max 350g;

Additional features:

Water resistant and shock absorbing casing;

Range of operating temperatures from -30°C up to +40°C;

One additional set of Li-Ion rechargeable batteries;

Charger 220V/12V;

User manual as a part of the delivery package;

Minimal warranty term – 1 year.

23. Professional dosimeter-radiometer MKS-05 "TERRA" or similar 2 each

Types of measurements: level of gamma background, beta contamination, accumulated dose and its accumulation time

Dose measurement range: 0.01 – 999.9 mSv/h;

Response time: evaluation of gamma background within 10 seconds

Additional requirements:

Big display with backlight;
Audio/vibration/audio-vibration alarm;
Built-in memory which allows storing up to 1200 measurements;
PC connection via Bluetooth;
If needed, software to be provided as a part of the package;
Shock resistant body;
Small size and weight;
2 sets of rechargeable batteries
Charger;
Carrying case;
Operating temperatures: -30C° - +50C°
Certified for use in Ukraine;
Availability of local maintenance/repair service provider certified by the manufacturer;
Warranty for minimum 1 year.

24. A unit for remote inspection of hard to access areas **3 each**

(http://www.ttt.com.ua/product.php?id_product=21 or similar)

Each unit to include:

- Video camera with the following minimal specifications:

Diameter: max 6.8mm

External diameter of a camera – maximum 20mm;

Focal length: 3-6 cm

Angle of view – minimum 45°;

Diode lighting with adjustable brightness;

Water resistant case IP67;

- Telescopic (extendable) handle:

Length: min 50cm, when extended – up to 90 cm or more;

- Monitor, displaying image off the camera:

Display size (diagonal) – min 60mm;

Resolution: min 320x234

Additional features:

Battery run time – min 2 hours;

2 sets of Li-Ion rechargeable batteries (guaranteed number of charge/discharge cycles of battery – minimum 360;

Charger 220V/12V;

Range of operating temperatures from -30°C up to +50°C;

Case;

Weight: max 1.2kg

User manual as a part of the delivery package;

Minimal warranty term – 1 year.

<u>25. Original replacement lamp Optoma SP.87M01GC01 (with original module) for Projector Epson Optoma EP761</u>	<u>3 each</u>
<u>26. Set of original cartridges (black + color) for HP DJ 2000</u>	<u>2 each</u>
<i>Capacity of black cartridge: min 480 sheets (HP 122 XL CH563HE); Capacity of color cartridge: min 330 sheets (HP 122XL CH564HE).</i>	
<u>27. Original cartridge for HP LJ p 1005 (capacity – min 1,500 sheets)</u>	<u>2 each</u>
<u>28. Original drum cartridge for Brother HL 2035 (capacity – min 12,000 sheets)</u>	<u>2 each</u>
<u>29. Original cartridge for Samsung SCX-4200 (capacity – min 3,000 sheets)</u>	<u>2 each</u>
<u>30. Original Cartridge for HP 3005 (capacity – min 13,000 sheets) (HP LaserJet Q7551X)</u>	<u>1 each</u>
<u>31. Original cartridge for Samsung SCX-6345 copier (capacity–min 20,000 sheets)</u>	<u>2 each</u>
<u>32. Original cartridge for Xerox Phaser 3140 (capacity – min 2,500 sheets)</u>	<u>1 each</u>
<u>33. Set of original ink cartridges for Espon Stylus P50 (capacity – min 220 sheets each color)</u>	<u>1 each</u>
<u>34. Original cartridge for Canon LBP 6000B (capacity – min 1,600 sheets)</u>	<u>2 each</u>
<u>35. Original cartridge for Samsung SCX-4600 (capacity – min 2,500 sheets)</u>	<u>2 each</u>
<u>36. Set of original cartridges (color + black) for HP F4180</u>	<u>2 each</u>
<i>Capacity of black cartridge: min 475 sheets (HP21 XL); Capacity of color cartridge: min 415 sheets (HP 22XL).</i>	
<u>37. Toner WWM 1000g TB85-5</u>	<u>3 each</u>
<u>38. Toner ColorWay HP LJ P2035/2055 120 g (TH-2035)</u>	<u>5 each</u>
<u>39. Toner SCC 100g TRB2040-100B-OS</u>	<u>5 each</u>
<u>40. Toner WWM 90g TB62</u>	<u>5 each</u>
<u>41. Toner HP LJ P3005, M3035 (325 g) SCC HP3005-325-M</u>	<u>5 each</u>
<u>42. Toner Canon LBP-3010/3100/6000/6200/6020/6200, MF-4410/4430/4450/4550/4570/4580, 80 g, ColorWay (TC-6000)</u>	<u>10 each</u>

Solicitation SGE500-15-R-0138
IT & Office Equipment

Other terms:

Delivery terms: All items will be delivered to Kyiv, Ukraine (complete address will be provided at the time of award), or other location in Kyiv as designated at the time of award.

Warranty Requirements: Listed warranty terms shall apply as specified or standard repair or replacement warranties shall apply for all other equipment.

Any required repairs or replacements will take place in Kherson and/or Khmelnytskyi (approx. 400 km from Kyiv) and/or other locations in Ukraine. Copies of all warranty documentation, including but not limited to (1) contact information (name and telephone number) for the designated repair facility and (2) location of the repair facility, (3) copy of the warranty agreement if available, shall be provided with the deliveries to the in the award designated management.